

# ArcCot

View the online version at

● [functions.wolfram.com](https://functions.wolfram.com)

Download the

● PDF File

## Notations

---

### Traditional name

Inverse cotangent

### Traditional notation

$\cot^{-1}(z)$

### Mathematica StandardForm notation

ArcCot [z]

## Primary definition

---

01.16.02.0001.01

$$\cot^{-1}(z) = \frac{i}{2} \left( \log \left( 1 - \frac{i}{z} \right) - \log \left( 1 + \frac{i}{z} \right) \right); z \neq 0$$

01.16.02.0002.01

$$\cot^{-1}(0) = \frac{\pi}{2}$$

The function  $\cot^{-1}(z)$  can also be defined as the inverse function for cot:

$w = \cot^{-1}(z)$  if and only if  $\cot(w) = z$ .

## Specific values

---

### Values at fixed points

01.16.03.0001.01

$$\cot^{-1}(0) = \frac{\pi}{2}$$

01.16.03.0002.01

$$\cot^{-1}(2 - \sqrt{3}) = \frac{5\pi}{12}$$

01.16.03.0003.01

$$\cot^{-1}(\sqrt{3} - 2) = -\frac{5\pi}{12}$$

01.16.03.0004.01

$$\cot^{-1}\left(\sqrt{1 - \frac{2}{\sqrt{5}}}\right) = \frac{2\pi}{5}$$

01.16.03.0005.01

$$\cot^{-1}\left(-\sqrt{1 - \frac{2}{\sqrt{5}}}\right) = -\frac{2\pi}{5}$$

01.16.03.0006.01

$$\cot^{-1}(\sqrt{2} - 1) = \frac{3\pi}{8}$$

01.16.03.0007.01

$$\cot^{-1}(1 - \sqrt{2}) = -\frac{3\pi}{8}$$

01.16.03.0008.01

$$\cot^{-1}\left(\frac{1}{\sqrt{3}}\right) = \frac{\pi}{3}$$

01.16.03.0009.01

$$\cot^{-1}\left(-\frac{1}{\sqrt{3}}\right) = -\frac{\pi}{3}$$

01.16.03.0010.01

$$\cot^{-1}\left(\sqrt{5 - 2\sqrt{5}}\right) = \frac{3\pi}{10}$$

01.16.03.0011.01

$$\cot^{-1}\left(-\sqrt{5 - 2\sqrt{5}}\right) = -\frac{3\pi}{10}$$

01.16.03.0012.01

$$\cot^{-1}(1) = \frac{\pi}{4}$$

01.16.03.0013.01

$$\cot^{-1}(-1) = -\frac{\pi}{4}$$

01.16.03.0014.01

$$\cot^{-1}\left(\sqrt{1 + \frac{2}{\sqrt{5}}}\right) = \frac{\pi}{5}$$

01.16.03.0015.01

$$\cot^{-1}\left(-\sqrt{1 + \frac{2}{\sqrt{5}}}\right) = -\frac{\pi}{5}$$

01.16.03.0016.01

$$\cot^{-1}(\sqrt{3}) = \frac{\pi}{6}$$

01.16.03.0017.01

$$\cot^{-1}(-\sqrt{3}) = -\frac{\pi}{6}$$

01.16.03.0018.01

$$\cot^{-1}(1 + \sqrt{2}) = \frac{\pi}{8}$$

01.16.03.0019.01

$$\cot^{-1}(-1 - \sqrt{2}) = -\frac{\pi}{8}$$

01.16.03.0020.01

$$\cot^{-1}\left(\sqrt{5 + 2\sqrt{5}}\right) = \frac{\pi}{10}$$

01.16.03.0021.01

$$\cot^{-1}\left(-\sqrt{5 + 2\sqrt{5}}\right) = -\frac{\pi}{10}$$

01.16.03.0022.01

$$\cot^{-1}(2 + \sqrt{3}) = \frac{\pi}{12}$$

01.16.03.0023.01

$$\cot^{-1}(-2 - \sqrt{3}) = -\frac{\pi}{12}$$

01.16.03.0024.01

$$\cot^{-1}(i) = -i\infty$$

01.16.03.0025.01

$$\cot^{-1}(-i) = i\infty$$

## Values at infinities

01.16.03.0026.01

$$\cot^{-1}(\infty) = 0$$

01.16.03.0027.01

$$\cot^{-1}(-\infty) = 0$$

01.16.03.0028.01

$$\cot^{-1}(i\infty) = 0$$

01.16.03.0029.01

$$\cot^{-1}(-i\infty) = 0$$

01.16.03.0030.01

$$\cot^{-1}(\tilde{\infty}) = 0$$

## General characteristics

## Domain and analyticity

$\cot^{-1}(z)$  is an analytical function of  $z$ , which is defined over the whole complex  $z$ -plane.

01.16.04.0001.01

$$z \rightarrow \cot^{-1}(z) :: \mathbb{C} \rightarrow \mathbb{C}$$

## Symmetries and periodicities

### Parity

$\cot^{-1}(z)$  is an odd function.

01.16.04.0002.01

$$\cot^{-1}(-z) = -\cot^{-1}(z)$$

### Mirror symmetry

01.16.04.0003.01

$$\cot^{-1}(\bar{z}) = \overline{\cot^{-1}(z)} ; i z \notin (-1, 1)$$

### Periodicity

No periodicity

## Poles and essential singularities

The function  $\cot^{-1}(z)$  has one singular point:

$z = \infty$  is the simple pole with residue  $-1$ .

01.16.04.0004.01

$$\text{Sing}_z(\cot^{-1}(z)) = \{\{\infty, 1\}\}$$

01.16.04.0005.01

$$\text{res}_z(\cot^{-1}(z))(\infty) = -1$$

## Branch points

The function  $\cot^{-1}(z)$  has two branch points:  $z = \pm i$ .

01.16.04.0006.01

$$\mathcal{BP}_z(\cot^{-1}(z)) = \{-i, i\}$$

01.16.04.0007.01

$$\mathcal{R}_z(\cot^{-1}(z), i) = \log$$

01.16.04.0008.01

$$\mathcal{R}_z(\cot^{-1}(z), -i) = \log$$

## Branch cut endpoints

At  $z = 0$  two logarithmic branch points coincide in "different" directions:  $\cot^{-1}(z) \propto \frac{\pi}{2} \sqrt{\frac{1}{z^2}} z + O(z) /; (z \rightarrow 0)$ .

This results in  $z = 0$  not being a branch point anymore; instead, two disconnected sheets arise.

### Branch cuts

The function  $\cot^{-1}(z)$  is a single-valued function on the  $z$ -plane cut along the intervals  $[-i, 0)$  and  $(0, i]$ .

The function  $\cot^{-1}(z)$  is continuous from the right on the interval  $[-i, 0)$  and from the left on the interval  $(0, i]$ .

01.16.04.0009.01

$$\mathcal{BC}_z(\cot^{-1}(z)) = \{(-i, 0], -1\}, \{[0, i), 1\}$$

01.16.04.0010.01

$$\lim_{\epsilon \rightarrow +0} \cot^{-1}(x + \epsilon) = \cot^{-1}(x) /; 0 < i x < 1$$

01.16.04.0011.01

$$\lim_{\epsilon \rightarrow +0} \cot^{-1}(x - \epsilon) = \cot^{-1}(x) - \pi /; 0 < i x < 1$$

01.16.04.0012.01

$$\lim_{\epsilon \rightarrow +0} \cot^{-1}(x - \epsilon) = \cot^{-1}(x) /; -1 < i x < 0$$

01.16.04.0013.01

$$\lim_{\epsilon \rightarrow +0} \cot^{-1}(x + \epsilon) = \cot^{-1}(x) + \pi /; -1 < i x < 0$$

### Analytic continuations

The analytic continuation of  $\cot^{-1}$  has infinitely many sheets; the values of  $\tilde{\cot}^{-1}$  are  $\tilde{\cot}^{-1}(z) = \cot^{-1}(z) + k\pi /; k \in \mathbb{Z}$ .

### Series representations

#### Generalized power series

Expansions at generic point  $z = z_0$

#### For the function itself

01.16.06.0019.01

$$\cot^{-1}(z) \propto \cot^{-1}(z_0) + \frac{1}{2} i \left[ \left[ \frac{\arg(i(z_0 - z))}{2\pi} \right] \left( -\log\left(\frac{i}{z_0}\right) - \log(-i z_0) + \log\left(\frac{1}{-i z_0 - 1}\right) + \log(-i z_0 - 1) \right) - \left[ \frac{\arg(i(z - z_0))}{2\pi} \right] \left( -\log\left(-\frac{i}{z_0}\right) - \log(i z_0) + \log\left(\frac{1}{i z_0 - 1}\right) + \log(i z_0 - 1) \right) \right] - \frac{z - z_0}{z_0^2 + 1} + \frac{z_0(z - z_0)^2}{(z_0^2 + 1)^2} + \dots /; (z \rightarrow z_0)$$

01.16.06.0020.01

$$\cot^{-1}(z) \propto \cot^{-1}(z_0) + \frac{1}{2} i \left( \left[ \frac{\arg(i(z_0 - z))}{2\pi} \right] \left( -\log\left(\frac{i}{z_0}\right) - \log(-i z_0) + \log\left(\frac{1}{-i z_0 - 1}\right) + \log(-i z_0 - 1) \right) - \left[ \frac{\arg(i(z - z_0))}{2\pi} \right] \left( -\log\left(-\frac{i}{z_0}\right) - \log(i z_0) + \log\left(\frac{1}{i z_0 - 1}\right) + \log(i z_0 - 1) \right) \right) - \frac{z - z_0}{z_0^2 + 1} + \frac{z_0(z - z_0)^2}{(z_0^2 + 1)^2} + \mathcal{O}((z - z_0)^3)$$

01.16.06.0021.01

$$\cot^{-1}(z) = \cot^{-1}(z_0) + \frac{1}{2} i \left( \left[ \frac{\arg(i(z_0 - z))}{2\pi} \right] \left( -\log\left(\frac{i}{z_0}\right) - \log(-i z_0) + \log\left(\frac{1}{-i z_0 - 1}\right) + \log(-i z_0 - 1) \right) - \left[ \frac{\arg(i(z - z_0))}{2\pi} \right] \left( -\log\left(-\frac{i}{z_0}\right) - \log(i z_0) + \log\left(\frac{1}{i z_0 - 1}\right) + \log(i z_0 - 1) \right) \right) + \sum_{k=1}^{\infty} \frac{(-i - z_0)^{-k} - (i - z_0)^{-k}}{k} (z - z_0)^k$$

01.16.06.0022.01

$$\cot^{-1}(z) = \cot^{-1}(z_0) + \frac{1}{2} i \left( \left( \left[ \frac{\arg(i(z_0 - z))}{2\pi} \right] \left( -\log\left(\frac{i}{z_0}\right) - \log(-i z_0) + \log\left(\frac{1}{-i z_0 - 1}\right) + \log(-i z_0 - 1) \right) - \left[ \frac{\arg(i(z - z_0))}{2\pi} \right] \left( -\log\left(-\frac{i}{z_0}\right) - \log(i z_0) + \log\left(\frac{1}{i z_0 - 1}\right) + \log(i z_0 - 1) \right) \right) \right) + \sum_{k=1}^{\infty} \frac{1}{k (z_0^2 + 1)^k} \sum_{j=0}^k \binom{k}{j} \cos\left(\frac{1}{2} \pi (j + k + 1)\right) z_0^j (z - z_0)^k$$

01.16.06.0023.01

$$\cot^{-1}(z) \propto \cot^{-1}(z_0) + \frac{1}{2} i \left( \left[ \frac{\arg(i(z_0 - z))}{2\pi} \right] \left( -\log\left(\frac{i}{z_0}\right) - \log(-i z_0) + \log\left(\frac{1}{-i z_0 - 1}\right) + \log(-i z_0 - 1) \right) - \left[ \frac{\arg(i(z - z_0))}{2\pi} \right] \left( -\log\left(-\frac{i}{z_0}\right) - \log(i z_0) + \log\left(\frac{1}{i z_0 - 1}\right) + \log(i z_0 - 1) \right) \right) + \mathcal{O}(z - z_0)$$

### Expansions on branch cuts

#### For the function itself

#### In the lower half-plane

01.16.06.0024.01

$$\cot^{-1}(z) \propto \cot^{-1}(x) + \pi \left[ \frac{\arg(i(z - x))}{2\pi} \right] - \frac{z - x}{x^2 + 1} + \frac{x(z - x)^2}{(x^2 + 1)^2} + \dots ; (z \rightarrow x) \wedge i x \in \mathbb{R} \wedge 0 < i x < 1$$

01.16.06.0025.01

$$\cot^{-1}(z) \propto \cot^{-1}(x) + \pi \left[ \frac{\arg(i(z - x))}{2\pi} \right] - \frac{z - x}{x^2 + 1} + \frac{x(z - x)^2}{(x^2 + 1)^2} + \mathcal{O}((z - x)^3) ; i x \in \mathbb{R} \wedge 0 < i x < 1$$

01.16.06.0026.01

$$\cot^{-1}(z) = \cot^{-1}(x) + \pi \left[ \frac{\arg(i(z - x))}{2\pi} \right] + \frac{1}{2} i \sum_{k=1}^{\infty} \frac{(-i - x)^{-k} - (i - x)^{-k}}{k} (z - x)^k ; i x \in \mathbb{R} \wedge 0 < i x < 1$$

01.16.06.0027.01

$$\cot^{-1}(z) = \cot^{-1}(x) + \pi \left[ \frac{\arg(i(z - x))}{2\pi} \right] + \sum_{k=1}^{\infty} \frac{1}{k (x^2 + 1)^k} \sum_{j=0}^k \binom{k}{j} \cos\left(\frac{1}{2} \pi (j + k + 1)\right) x^j (z - x)^k ; i x \in \mathbb{R} \wedge 0 < i x < 1$$

01.16.06.0028.01

$$\cot^{-1}(z) \propto \cot^{-1}(x) + \pi \left[ \frac{\arg(i(z-x))}{2\pi} \right] + O(z-x) ; i x \in \mathbb{R} \wedge 0 < i x < 1$$

In the upper half-plane

01.16.06.0029.01

$$\cot^{-1}(z) \propto \cot^{-1}(x) - \pi \left[ \frac{\arg(i(x-z))}{2\pi} \right] - \frac{1}{1+x^2} (z-x) + \frac{x}{(1+x^2)^2} (z-x)^2 + \dots ; (z \rightarrow x) \wedge i x \in \mathbb{R} \wedge -1 < i x < 0$$

01.16.06.0030.01

$$\cot^{-1}(z) \propto \cot^{-1}(x) - \pi \left[ \frac{\arg(i(x-z))}{2\pi} \right] - \frac{1}{1+x^2} (z-x) + \frac{x}{(1+x^2)^2} (z-x)^2 + O((z-x)^3) ; i x \in \mathbb{R} \wedge -1 < i x < 0$$

01.16.06.0031.01

$$\cot^{-1}(z) = \cot^{-1}(x) - \pi \left[ \frac{\arg(i(x-z))}{2\pi} \right] + \frac{1}{2} i \sum_{k=1}^{\infty} \frac{(-i-x)^{-k} - (i-x)^{-k}}{k} (z-x)^k ; i x \in \mathbb{R} \wedge -1 < i x < 0$$

01.16.06.0032.01

$$\cot^{-1}(z) = \cot^{-1}(x) - \pi \left[ \frac{\arg(i(x-z))}{2\pi} \right] + \sum_{k=1}^{\infty} \frac{1}{k(x^2+1)^k} \sum_{j=0}^k \binom{k}{j} \cos\left(\frac{1}{2}\pi(j+k+1)\right) x^j (z-x)^k ; i x \in \mathbb{R} \wedge -1 < i x < 0$$

01.16.06.0033.01

$$\cot^{-1}(z) \propto \cot^{-1}(x) - \pi \left[ \frac{\arg(i(x-z))}{2\pi} \right] + O(z-x) ; i x \in \mathbb{R} \wedge -1 < i x < 0$$

Expansions at  $z = 0$

For the function itself

01.16.06.0001.02

$$\cot^{-1}(z) \propto \frac{\pi}{2} \sqrt{\frac{1}{z^2}} z - z + \frac{z^3}{3} - \frac{z^5}{5} + \dots ; (z \rightarrow 0)$$

01.16.06.0034.01

$$\cot^{-1}(z) \propto \frac{\pi}{2} \sqrt{\frac{1}{z^2}} z - z + \frac{z^3}{3} - \frac{z^5}{5} + O(z^7)$$

01.16.06.0002.01

$$\cot^{-1}(z) = \frac{\pi}{2} \sqrt{\frac{1}{z^2}} z - \sum_{k=0}^{\infty} \frac{(-1)^k z^{2k+1}}{2k+1} ; |z| < 1$$

01.16.06.0003.01

$$\cot^{-1}(z) = \frac{\pi}{2} \sqrt{\frac{1}{z^2}} z - z {}_2F_1\left(\frac{1}{2}, 1; \frac{3}{2}; -z^2\right) ; z \notin (-\infty, -1) \wedge z \notin (1, \infty)$$

01.16.06.0004.02

$$\cot^{-1}(z) \propto \frac{\pi}{2} \sqrt{\frac{1}{z^2}} z - z + O(z^3)$$

01.16.06.0035.01

$$\cot^{-1}(z) \propto \begin{cases} -\frac{\pi}{2} & \arg(z) < -\frac{\pi}{2} \\ \frac{\pi}{2} & \text{True} \end{cases} \vee \arg(z) \geq \frac{\pi}{2} \quad /; (z \rightarrow 0)$$

01.16.06.0036.01

$$\cot^{-1}(z) = F_{\infty}(z) /; \left( F_n(z) = \frac{\pi}{2} \sqrt{\frac{1}{z^2}} z - \sum_{k=0}^n \frac{(-1)^k z^{2k+1}}{2k+1} = \cot^{-1}(z) - \frac{(-1)^n z^{2n+3}}{2n+3} {}_2F_1\left(1, n + \frac{3}{2}; n + \frac{5}{2}; -z^2\right) \right) \wedge n \in \mathbb{N}$$

Summed form of the truncated series expansion.

### For small integer powers of the function

For the second power

01.16.06.0037.01

$$\cot^{-1}(z)^2 \propto \frac{\pi^2}{4} - \pi z^2 \sqrt{\frac{1}{z^2}} \left(1 - \frac{z^2}{3} + \frac{z^4}{5} + \dots\right) + z^2 \left(1 - \frac{2z^2}{3} + \frac{23z^4}{45} + \dots\right) /; (z \rightarrow 0)$$

01.16.06.0038.01

$$\cot^{-1}(z)^2 \propto \frac{\pi^2}{4} - \pi z^2 \sqrt{\frac{1}{z^2}} \left(1 - \frac{z^2}{3} + \frac{z^4}{5} + O(z^6)\right) + z^2 \left(1 - \frac{2z^2}{3} + \frac{23z^4}{45} + O(z^6)\right)$$

01.16.06.0039.01

$$\cot^{-1}(z)^2 = \frac{\pi^2}{4} - \pi z^2 \sqrt{\frac{1}{z^2}} \left(\sum_{k=0}^{\infty} \frac{(-1)^k z^{2k}}{2k+1}\right) + z^2 \left(\sum_{k=0}^{\infty} \frac{(-1)^k z^{2k}}{2k+1}\right)^2 /; |z| < 1$$

01.16.06.0040.01

$$\cot^{-1}(z)^2 = \frac{\pi^2}{4} - \pi \sqrt{\frac{1}{z^2}} z \tan^{-1}(z) + \tan^{-1}(z)^2 /; iz \notin (-\infty, -1) \wedge iz \notin (1, \infty)$$

01.16.06.0041.01

$$\cot^{-1}(z)^2 = \frac{\pi^2}{4} - \pi z^2 \sqrt{\frac{1}{z^2}} {}_2F_1\left(\frac{1}{2}, 1; \frac{3}{2}; -z^2\right) + z^2 {}_2F_1\left(\frac{1}{2}, 1; \frac{3}{2}; -z^2\right)^2 /; iz \notin (-\infty, -1) \wedge iz \notin (1, \infty)$$

01.16.06.0042.01

$$\cot^{-1}(z)^2 \propto \frac{\pi^2}{4} - \pi \sqrt{\frac{1}{z^2}} z^2 (1 + O(z^2)) + z^2 (1 + O(z^2))$$

01.16.06.0043.01

$$\cot^{-1}(z)^2 \propto \frac{\pi^2}{4} /; (z \rightarrow 0)$$



01.16.06.0044.01

$$\cot^{-1}(z)^2 = F_{\infty}(z) /;$$

$$\left( \left( F_n(z) = \frac{\pi^2}{4} - \pi z^2 \sqrt{\frac{1}{z^2} \left( \sum_{k=0}^n \frac{(-1)^k z^{2k}}{2k+1} \right) + z^2 \left( \sum_{k=0}^n \frac{(-1)^k z^{2k}}{2k+1} \right)^2} = \left( \cot^{-1}(z) - \frac{(-1)^n z^{2n+3}}{2n+3} {}_2F_1\left(1, n + \frac{3}{2}; n + \frac{5}{2}; -z^2\right) \right)^2 \right) \wedge \right. \\ \left. n \in \mathbb{N} \right)$$

Summed form of the truncated series expansion.

**Expansions at  $z = i$**

**For the function itself**

01.16.06.0005.02

$$\cot^{-1}(z) \propto \frac{i}{2} \left( -\log(2) + \log(-i(z-i)) + \frac{i}{2}(z-i) - \frac{1}{8}(z-i)^2 + \dots \right) /; (z \rightarrow i)$$

01.16.06.0045.01

$$\cot^{-1}(z) \propto \frac{i}{2} \left( -\log(2) + \log(-i(z-i)) + \frac{i}{2}(z-i) - \frac{1}{8}(z-i)^2 + O((z-i)^3) \right)$$

01.16.06.0006.01

$$\cot^{-1}(z) = \frac{i}{2} \left( -\log(2) + \log(-i(z-i)) + \sum_{k=1}^{\infty} \frac{\left(\frac{i}{2}\right)^k (z-i)^k}{k} \right) /; |z-i| < 2$$

01.16.06.0007.01

$$\cot^{-1}(z) = -\frac{1}{4}(z-i) {}_2F_1\left(1, 1; 2; \frac{i}{2}(z-i)\right) - \frac{i}{2} \log(2) + \frac{i}{2} \log(-i(z-i)) /; i z \notin (0, 1)$$

01.16.06.0008.02

$$\cot^{-1}(z) \propto -\frac{i \log(2)}{2} + \frac{i}{2} \log(-i(z-i)) - \frac{1}{4}(z-i) + O((z-i)^2)$$

01.16.06.0046.01

$$\cot^{-1}(z) = F_{\infty}(z) /; \left( \left( F_n(z) = -\frac{1}{2} i \log(2) + \frac{1}{2} i \log(-i(z-i)) - \frac{z-i}{4} \sum_{k=0}^n \left(\frac{i}{2}\right)^k \frac{(z-i)^k}{k+1} = \right. \right. \\ \left. \left. \frac{2^{-n-3} i^{n+1} (z-i)^{n+2}}{n+2} {}_2F_1\left(1, n+2; n+3; \frac{i(z-i)}{2}\right) + \frac{1}{2} i \log(-i(z-i)) - \frac{1}{2} i \log(-i(z+i)) \right) \wedge n \in \mathbb{N} \right)$$

Summed form of the truncated series expansion.

**For small integer powers of the function**

**For the second power**

01.16.06.0047.01

$$\cot^{-1}(z)^2 \propto -\frac{1}{4} \log^2\left(-\frac{i(z-i)}{2}\right) - \frac{i}{4} \log\left(-\frac{i(z-i)}{2}\right) (z-i) \left(1 + \frac{i}{4}(z-i) - \frac{(z-i)^2}{12} + \dots\right) + \frac{(z-i)^2}{16} \left(1 + \frac{i}{2}(z-i) - \frac{11}{48}(z-i)^2 + \dots\right) /; (z \rightarrow i)$$

01.16.06.0048.01

$$\cot^{-1}(z)^2 \propto -\frac{1}{4} \log^2\left(-\frac{i(z-i)}{2}\right) - \frac{i}{4} \log\left(-\frac{i(z-i)}{2}\right) (z-i) \left(1 + \frac{i}{4}(z-i) - \frac{(z-i)^2}{12} + O((z-i)^3)\right) + \frac{(z-i)^2}{16} \left(1 + \frac{i}{2}(z-i) - \frac{11}{48}(z-i)^2 + O((z-i)^3)\right)$$

01.16.06.0049.01

$$\cot^{-1}(z)^2 = -\frac{1}{4} \log^2\left(-\frac{i(z-i)}{2}\right) - \frac{i}{4} (z-i) \log\left(-\frac{i(z-i)}{2}\right) \left(\sum_{k=0}^{\infty} \left(\frac{i}{2}\right)^k \frac{(z-i)^k}{k+1}\right) + \frac{(z-i)^2}{16} \left(\sum_{k=0}^{\infty} \left(\frac{i}{2}\right)^k \frac{(z-i)^k}{k+1}\right)^2 /; |z-i| < 2$$

01.16.06.0050.01

$$\cot^{-1}(z)^2 = -\frac{1}{4} \log^2\left(-\frac{i(z-i)}{2}\right) - \frac{i}{4} \log\left(-\frac{i(z-i)}{2}\right) (z-i) {}_2F_1\left(1, 1; 2; \frac{i(z-i)}{2}\right) + \frac{(z-i)^2}{16} {}_2F_1\left(1, 1; 2; \frac{i(z-i)}{2}\right)^2 /; i z \notin (0, 1)$$

01.16.06.0051.01

$$\cot^{-1}(z)^2 \propto -\frac{1}{4} \log^2\left(-\frac{i(z-i)}{2}\right) - \frac{i}{4} \log\left(-\frac{i(z-i)}{2}\right) (z-i) (1 + O(z-i)) + \frac{(z-i)^2}{16} (1 + O(z-i))$$

01.16.06.0052.01

$$\cot^{-1}(z)^2 = F_{\infty}(z) /; \left( F_n(z) = -\frac{1}{4} \log^2\left(-\frac{i(z-i)}{2}\right) - \frac{i(z-i)}{4} \log\left(-\frac{i(z-i)}{2}\right) \sum_{k=0}^n \left(\frac{i}{2}\right)^k \frac{(z-i)^k}{k+1} + \frac{1}{16} (z-i)^2 \left(\sum_{k=0}^n \left(\frac{i}{2}\right)^k \frac{(z-i)^k}{k+1}\right)^2 = -\left(\frac{2^{-n-3} i^n (z-i)^{n+2}}{n+2} {}_2F_1\left(1, n+2; n+3; i \frac{z-i}{2}\right) - \frac{1}{2} \log(-i(z+i)) + \frac{1}{2} \log(-i(z-i))\right) \bigwedge n \in \mathbb{N} \right)$$

Summed form of the truncated series expansion.

**Expansions at  $z = -i$**

**For the function itself**

01.16.06.0009.02

$$\cot^{-1}(z) \propto \frac{i}{2} \left( \log(2) - \log(i(z+i)) + \frac{1}{2} i(z+i) + \frac{1}{8} (z+i)^2 + \dots \right) /; (z \rightarrow -i)$$

01.16.06.0053.01

$$\cot^{-1}(z) \propto \frac{i}{2} \left( \log(2) - \log(i(z+i)) + \frac{1}{2} i(z+i) + \frac{1}{8} (z+i)^2 + O((z+i)^3) \right)$$

01.16.06.0010.01

$$\cot^{-1}(z) = \frac{i}{2} \left( \log(2) - \log(i(z+i)) - \sum_{k=1}^{\infty} \frac{\left(-\frac{i}{2}\right)^k (z+i)^k}{k} \right) /; |z+i| < 2$$

01.16.06.0011.01

$$\cot^{-1}(z) = -\frac{1}{4}(z+i) {}_2F_1\left(1, 1; 2; -\frac{i}{2}(z+i)\right) + \frac{i}{2}\log(2) - \frac{i}{2}\log(i(z+i)); i z \notin (-1, 0)$$

01.16.06.0012.02

$$\cot^{-1}(z) \propto \frac{i \log(2)}{2} - \frac{i}{2}\log(i(z+i)) - \frac{1}{4}(z+i) + O((z+i)^2)$$

01.16.06.0054.01

$$\cot^{-1}(z) = F_\infty(z); \left( \left( F_n(z) = \frac{1}{2}i \log(2) - \frac{1}{2}i \log(i(z+i)) - \frac{z+i}{4} \sum_{k=0}^n \left(-\frac{i}{2}\right)^k \frac{(z+i)^k}{k+1} = \frac{2^{-n-3}(-i)^{n+1}(z+i)^{n+2}}{n+2} {}_2F_1\left(1, n+2; n+3; -\frac{1}{2}(i(z+i))\right) + \frac{1}{2}i \log(i(z-i)) - \frac{1}{2}i \log(i(z+i)) \right) \bigwedge n \in \mathbb{N} \right)$$

Summed form of the truncated series expansion.

### For small integer powers of the function

For the second power

01.16.06.0055.01

$$\cot^{-1}(z)^2 \propto -\frac{1}{4}\log^2\left(\frac{i(z+i)}{2}\right) + \frac{i}{4}\log\left(\frac{i(z+i)}{2}\right)(z+i) \left(1 - \frac{i}{4}(z+i) - \frac{(z+i)^2}{12} + \dots\right) + \frac{(z+i)^2}{16} \left(1 - \frac{i}{2}(z+i) - \frac{11}{48}(z+i)^2 + \dots\right); (z \rightarrow -i)$$

01.16.06.0056.01

$$\cot^{-1}(z)^2 \propto -\frac{1}{4}\log^2\left(\frac{i(z+i)}{2}\right) + \frac{i}{4}\log\left(\frac{i(z+i)}{2}\right)(z+i) \left(1 - \frac{i}{4}(z+i) - \frac{(z+i)^2}{12} + O((z+i)^3)\right) + \frac{(z+i)^2}{16} \left(1 - \frac{i}{2}(z+i) - \frac{11}{48}(z+i)^2 + O((z+i)^3)\right)$$

01.16.06.0057.01

$$\cot^{-1}(z)^2 = -\frac{1}{4}\log^2\left(\frac{i(z+i)}{2}\right) + \frac{i}{4}(z+i)\log\left(\frac{i(z+i)}{2}\right) \left(\sum_{k=0}^{\infty} \left(-\frac{i}{2}\right)^k \frac{(z+i)^k}{k+1}\right) + \frac{(z+i)^2}{16} \left(\sum_{k=0}^{\infty} \left(-\frac{i}{2}\right)^k \frac{(z+i)^k}{k+1}\right)^2; |z+i| < 2$$

01.16.06.0058.01

$$\cot^{-1}(z)^2 = -\frac{1}{4}\log^2\left(\frac{i(z+i)}{2}\right) + \frac{i}{4}\log\left(\frac{i(z+i)}{2}\right)(z+i) {}_2F_1\left(1, 1; 2; -\frac{i(z+i)}{2}\right) + \frac{(z+i)^2}{16} {}_2F_1\left(1, 1; 2; -\frac{i(z+i)}{2}\right)^2; i z \notin (-1, 0)$$

01.16.06.0059.01

$$\cot^{-1}(z)^2 \propto -\frac{1}{4}\log^2\left(\frac{i(z+i)}{2}\right) + \frac{i}{4}\log\left(\frac{i(z+i)}{2}\right)(z+i)(1 + O(z+i)) + \frac{(z+i)^2}{16}(1 + O(z+i))$$

01.16.06.0060.01

$$\cot^{-1}(z)^2 = F_{\infty}(z) /;$$

$$\left( F_n(z) = -\frac{1}{4} \log^2\left(\frac{1}{2}i(z+i)\right) + \frac{i(z+i)}{4} \log\left(\frac{1}{2}i(z+i)\right) \sum_{k=0}^n \left(-\frac{i}{2}\right)^k \frac{(z+i)^k}{k+1} + \frac{1}{16} (z+i)^2 \left( \sum_{k=0}^n \left(-\frac{i}{2}\right)^k \frac{(z+i)^k}{k+1} \right)^2 = \right. \\ \left. - \left( \frac{2^{-n-3} (-i)^n (z+i)^{n+2}}{n+2} {}_2F_1\left(1, n+2; n+3; -i \frac{z+i}{2}\right) - \frac{1}{2} \log(i(z-i)) + \frac{1}{2} \log(i(z+i)) \right) \right) \wedge n \in \mathbb{N}$$

Summed form of the truncated series expansion.

**Expansions at  $z = \infty$**

**For the function itself**

01.16.06.0013.02

$$\cot^{-1}(z) \propto \frac{1}{z} - \frac{1}{3z^3} + \frac{1}{5z^5} - \dots /; |z| \rightarrow \infty$$

01.16.06.0061.01

$$\cot^{-1}(z) \propto \frac{1}{z} - \frac{1}{3z^3} + \frac{1}{5z^5} + O\left(\frac{1}{z^7}\right)$$

01.16.06.0014.01

$$\cot^{-1}(z) = \sum_{k=0}^{\infty} \frac{(-1)^k z^{-2k-1}}{2k+1} /; |z| > 1$$

01.16.06.0015.01

$$\cot^{-1}(z) = \frac{1}{z} {}_2F_1\left(\frac{1}{2}, 1; \frac{3}{2}; -\frac{1}{z^2}\right)$$

01.16.06.0016.02

$$\cot^{-1}(z) \propto \frac{1}{z} + O\left(\frac{1}{z^3}\right)$$

01.16.06.0062.01

$$\coth^{-1}(z) = F_{\infty}(z) /; \left( F_n(z) = \frac{1}{z} \sum_{k=0}^n \frac{(-1)^k z^{-2k}}{2k+1} = \cot^{-1}(z) + \frac{(-1)^n z^{-2n-3}}{2n+3} {}_2F_1\left(1, n + \frac{3}{2}; n + \frac{5}{2}; -\frac{1}{z^2}\right) \right) \wedge n \in \mathbb{N}$$

Summed form of the truncated series expansion.

**For small integer powers of the function**

**For the second power**

01.16.06.0063.01

$$\cot^{-1}(z)^2 \propto \frac{1}{z^2} \left( 1 - \frac{2}{3z^2} + \frac{23}{45z^4} + \dots \right) /; |z| \rightarrow \infty$$

01.16.06.0064.01

$$\cot^{-1}(z)^2 \propto \frac{1}{z^2} \left( 1 - \frac{2}{3z^2} + \frac{23}{45z^4} + O\left(\frac{1}{z^6}\right) \right)$$

01.16.06.0065.01

$$\cot^{-1}(z)^2 = \frac{1}{z^2} \left( \sum_{k=0}^{\infty} \frac{(-1)^k z^{-2k}}{2k+1} \right)^2 \quad ; |z| > 1$$

01.16.06.0066.01

$$\cot^{-1}(z)^2 = \frac{1}{z^2} {}_2F_1\left(1, \frac{1}{2}; \frac{3}{2}; -\frac{1}{z^2}\right)^2$$

01.16.06.0067.01

$$\cot^{-1}(z)^2 \propto \frac{1}{z^2} \left( 1 + O\left(\frac{1}{z^2}\right) \right)$$

01.16.06.0068.01

$$\cot^{-1}(z)^2 = F_{\infty}(z) ; \left( F_n(z) = \frac{1}{z^2} \left( \sum_{k=0}^n \frac{(-1)^k z^{-2k}}{2k+1} \right)^2 = \left( \cot^{-1}(z) + \frac{(-1)^n z^{-2n-3}}{2n+3} {}_2F_1\left(1, n + \frac{3}{2}; n + \frac{5}{2}; -\frac{1}{z^2}\right) \right)^2 \right) \wedge n \in \mathbb{N}$$

Summed form of the truncated series expansion.

## Residue representations

01.16.06.0017.01

$$\cot^{-1}(z) = -\frac{1}{2z} \left( \sum_{j=0}^{\infty} \operatorname{res}_s \left( \frac{\Gamma(s) \Gamma(1-s) \left(\frac{1}{z^2}\right)^{-s}}{\Gamma\left(\frac{3}{2}-s\right)} \Gamma\left(\frac{1}{2}-s\right) \right) \left(\frac{1}{2} + j\right) + \sum_{j=0}^{\infty} \operatorname{res}_s \left( \frac{\Gamma(s) \Gamma\left(\frac{1}{2}-s\right) \left(\frac{1}{z^2}\right)^{-s}}{\Gamma\left(\frac{3}{2}-s\right)} \Gamma(1-s) \right) (1+j) \right) ; |z| < 1$$

01.16.06.0018.01

$$\cot^{-1}(z) = \frac{1}{2z} \sum_{j=0}^{\infty} \operatorname{res}_s \left( \frac{\Gamma\left(\frac{1}{2}-s\right) \Gamma(1-s) \left(\frac{1}{z^2}\right)^{-s}}{\Gamma\left(\frac{3}{2}-s\right)} \Gamma(s) \right) (-j) ; |z| > 1$$

## Integral representations

### On the real axis

#### Of the direct function

01.16.07.0001.01

$$\cot^{-1}(z) = z \int_1^{\infty} \frac{1}{z^2 t^2 + 1} dt \quad ; \operatorname{Re}(z) > 0$$

01.16.07.0002.01

$$\cot^{-1}(z) = z \int_1^{\infty} \frac{1}{z^2 t^2 + 1} dt - \pi \quad ; \operatorname{Re}(z) < 0$$

### Contour integral representations

01.16.07.0003.01

$$\cot^{-1}(z) = \frac{1}{4\pi i z} \int_{\mathcal{L}} \frac{\Gamma(s) \Gamma\left(\frac{1}{2} - s\right) \Gamma(1 - s)}{\Gamma\left(\frac{3}{2} - s\right)} \left(\frac{1}{z^2}\right)^{-s} ds ; |\arg(-z^{-2})| < \pi$$

01.16.07.0004.01

$$\cot^{-1}(z) = -\frac{i}{4\pi^{3/2} z} \int_{\mathcal{L}} \Gamma(s)^2 \Gamma\left(\frac{1}{2} - s\right) \Gamma(1 - s) \left(1 + \frac{1}{z^2}\right)^{-s} ds ; |\arg(1 + z^{-2})| < \pi$$

01.16.07.0005.01

$$\cot^{-1}(z) = \frac{1}{4\pi i z} \int_{\gamma-i\infty}^{\gamma+i\infty} \frac{\Gamma(s) \Gamma\left(\frac{1}{2} - s\right) \Gamma(1 - s)}{\Gamma\left(\frac{3}{2} - s\right)} \left(\frac{1}{z^2}\right)^{-s} ds ; 0 < \gamma < \frac{1}{2} \wedge |\arg(z^{-2})| < \pi$$

01.16.07.0006.01

$$\cot^{-1}(z) = -\frac{i}{4\pi^{3/2} z} \int_{\gamma-i\infty}^{\gamma+i\infty} \Gamma(s)^2 \Gamma\left(\frac{1}{2} - s\right) \Gamma(1 - s) \left(1 + \frac{1}{z^2}\right)^{-s} ds ; 0 < \gamma < \frac{1}{2} \wedge |\arg(1 + z^{-2})| < \pi$$

## Continued fraction representations

01.16.10.0001.01

$$\cot^{-1}(z) = \frac{z^{-1}}{1 + \frac{z^{-2}}{3 + \frac{4z^{-2}}{5 + \frac{9z^{-2}}{7 + \frac{16z^{-2}}{9 + \frac{25z^{-2}}{11 + \frac{36z^{-2}}{13 + \dots}}}}}}}} ; i z \notin (-1, 1)$$

01.16.10.0002.01

$$\cot^{-1}(z) = \frac{1}{z \left(1 + K_k\left(\frac{k^2}{z^2}, 2k + 1\right)_1\right)} ; i z \notin (-1, 1)$$

## Differential equations

### Ordinary linear differential equations and wronskians

For the direct function itself

01.16.13.0001.01

$$(1 + z^2) w'(z) = -1 ; w(z) = \cot^{-1}(z) \wedge w(\sqrt{3}) = \frac{\pi}{6}$$

## Transformations

### Transformations and argument simplifications

**Argument involving basic arithmetic operations**

**Involving  $\cot^{-1}(-z)$**

Involving  $\cot^{-1}(-z)$  and  $\cot^{-1}(z)$

01.16.16.0001.01

$$\cot^{-1}(-z) = -\cot^{-1}(z)$$

**Involving  $\cot^{-1}\left(\frac{1}{z}\right)$**

Involving  $\cot^{-1}\left(\frac{1}{z}\right)$  and  $\cot^{-1}(z)$

01.16.16.0015.01

$$\cot^{-1}\left(\frac{1}{z}\right) = \frac{\pi}{2} - \cot^{-1}(z) /; \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge i z < -1) \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.16.0016.01

$$\cot^{-1}\left(\frac{1}{z}\right) = -\cot^{-1}(z) - \frac{\pi}{2} /; \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge i z > 1) \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.16.0017.01

$$\cot^{-1}\left(\frac{1}{z}\right) = \frac{\pi \sqrt{z^2}}{2z} - \cot^{-1}(z) /; i z \notin (-1, 1)$$

01.16.16.0018.01

$$\cot^{-1}\left(\frac{1}{z}\right) = \frac{\pi}{2} \operatorname{sgn}(\operatorname{Re}(z)) - \cot^{-1}(z) /; \operatorname{Re}(z) \neq 0$$

01.16.16.0019.01

$$\cot^{-1}\left(\frac{1}{z}\right) = \frac{\pi z}{2} \sqrt{\frac{1}{z^2}} \sqrt{\frac{1}{z^2 + 1}} \sqrt{z^2 + 1} - \cot^{-1}(z)$$

**Involving  $\cot^{-1}(\sqrt{z})$**

Involving  $\cot^{-1}(\sqrt{z})$  and  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.16.0020.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - \cot^{-1}\left(\frac{1}{\sqrt{z}}\right) /; z \notin (-1, 0)$$

01.16.16.0021.01

$$\cot^{-1}(\sqrt{z}) = -\frac{\pi}{2} - \cot^{-1}\left(\frac{1}{\sqrt{z}}\right) /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.16.0022.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - \cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\cot^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.16.16.0023.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - \cot^{-1}\left(\sqrt{\frac{1}{z}}\right); |\arg(z)| < \pi$$

01.16.16.0024.01

$$\cot^{-1}(\sqrt{z}) = -\frac{\pi}{2} + \cot^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.16.0025.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} + \cot^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.16.0026.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - \sqrt{z} \sqrt{\frac{1}{z}} \cot^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\cot^{-1}\left(1/\sqrt{\frac{1}{z}}\right)$

01.16.16.0027.01

$$\cot^{-1}(\sqrt{z}) = \cot^{-1}\left(1/\sqrt{\frac{1}{z}}\right); |\arg(z)| < \pi$$

01.16.16.0028.01

$$\cot^{-1}(\sqrt{z}) = -\cot^{-1}\left(1/\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge z < 0)$$

01.16.16.0029.01

$$\cot^{-1}(\sqrt{z}) = \sqrt{z} \sqrt{\frac{1}{z}} \cot^{-1}\left(1/\sqrt{\frac{1}{z}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cot^{-1}(\sqrt{z})$



01.16.16.0030.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - \cot^{-1}(\sqrt{z}) /; z \notin (-1, 0)$$

01.16.16.0031.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\frac{\pi}{2} - \cot^{-1}(\sqrt{z}) /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.16.0032.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - \cot^{-1}(\sqrt{z})$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cot^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.16.16.0033.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \cot^{-1}\left(\sqrt{\frac{1}{z}}\right) /; |\arg(z)| < \pi$$

01.16.16.0034.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\cot^{-1}\left(\sqrt{\frac{1}{z}}\right) /; (z \in \mathbb{R} \wedge z < 0)$$

01.16.16.0035.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \sqrt{z} \sqrt{\frac{1}{z}} \cot^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cot^{-1}\left(1/\sqrt{\frac{1}{z}}\right)$

01.16.16.0036.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - \cot^{-1}\left(1/\sqrt{\frac{1}{z}}\right) /; |\arg(z)| < \pi$$

01.16.16.0037.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\frac{\pi}{2} + \cot^{-1}\left(1/\sqrt{\frac{1}{z}}\right) /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.16.0038.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} + \cot^{-1}\left(1/\sqrt{\frac{1}{z}}\right) /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.16.0039.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - \sqrt{z} \sqrt{\frac{1}{z}} \cot^{-1}\left(1/\sqrt{\frac{1}{z}}\right)$$

### Involving $\cot^{-1}\left(\sqrt{z^2}\right)$

#### Involving $\cot^{-1}\left(\sqrt{z^2}\right)$ and $\cot^{-1}(z)$

01.16.16.0040.01

$$\cot^{-1}\left(\sqrt{z^2}\right) = \cot^{-1}(z) /; -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.16.16.0041.01

$$\cot^{-1}\left(\sqrt{z^2}\right) = -\cot^{-1}(z) /; \frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.16.16.0008.01

$$\cot^{-1}\left(\sqrt{z^2}\right) = \frac{\sqrt{z^2}}{z} \cot^{-1}(z)$$

#### Involving $\cot^{-1}\left(\sqrt{z^2}\right)$ and $\cot^{-1}\left(\frac{1}{z}\right)$

01.16.16.0042.01

$$\cot^{-1}\left(\sqrt{z^2}\right) = \frac{\pi}{2} - \cot^{-1}\left(\frac{1}{z}\right) /; \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.16.0043.01

$$\cot^{-1}\left(\sqrt{z^2}\right) = \frac{\pi}{2} + \cot^{-1}\left(\frac{1}{z}\right) /; \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.16.0044.01

$$\cot^{-1}\left(\sqrt{z^2}\right) = \cot^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2} /; (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.16.0045.01

$$\cot^{-1}\left(\sqrt{z^2}\right) = -\cot^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2} /; (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.16.0046.01

$$\cot^{-1}\left(\sqrt{z^2}\right) = \frac{\pi}{2} \sqrt{\frac{z-i}{z+i}} \sqrt{\frac{z+i}{z-i}} - \frac{\sqrt{z^2}}{z} \cot^{-1}\left(\frac{1}{z}\right)$$

### Involving $\cot^{-1}\left(a(bz^c)^m\right)$

#### Involving $\cot^{-1}\left(a(bz^c)^m\right)$ and $\cot^{-1}\left(ab^m z^{mc}\right)$

01.16.16.0002.01

$$\cot^{-1}\left(a(bz^c)^m\right) = \frac{(bz^c)^m}{b^m z^{mc}} \cot^{-1}\left(ab^m z^{mc}\right) /; 2m \in \mathbb{Z}$$

### Involving $\cot^{-1}\left(\frac{1-z}{1+z}\right)$

#### Involving $\cot^{-1}\left(\frac{1-z}{1+z}\right)$ and $\cot^{-1}(z)$

01.16.16.0004.02

$$\cot^{-1}\left(\frac{1-z}{1+z}\right) = \frac{3\pi}{4} - \cot^{-1}(z) \ ; \ |z| < 1 \ \wedge \ -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.16.0003.01

$$\cot^{-1}\left(\frac{1-z}{1+z}\right) = -\cot^{-1}(z) - \frac{\pi}{4} \ ; \ |z| > 1 \ \vee \ \operatorname{Re}(z) < 0$$

01.16.16.0047.01

$$\cot^{-1}\left(\frac{1-z}{1+z}\right) = \frac{\pi}{4} \left( \left( \sqrt{\frac{1}{z^2}} z + 1 \right) \left( 1 - \frac{z^2-1}{z} \sqrt{\frac{z^2}{(z^2-1)^2}} \right) - 2 \sqrt{\frac{z+i}{z}} \sqrt{\frac{z}{z+i}} + 1 \right) - \cot^{-1}(z) \ ; \ |z| \neq 1$$

#### Involving $\cot^{-1}\left(\frac{1-z}{1+z}\right)$ and $\cot^{-1}\left(\frac{1}{z}\right)$

01.16.16.0048.01

$$\cot^{-1}\left(\frac{1-z}{z+1}\right) = \cot^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{4} \ ; \ |z| < 1 \ \vee \ \left( \frac{\pi}{2} < \arg(z) \leq \pi \ \vee \ -\pi < \arg(z) \leq -\frac{\pi}{2} \right)$$

01.16.16.0049.01

$$\cot^{-1}\left(\frac{1-z}{1+z}\right) = \cot^{-1}\left(\frac{1}{z}\right) - \frac{3\pi}{4} \ ; \ |z| > 1 \ \wedge \ -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.16.16.0050.01

$$\cot^{-1}\left(\frac{1-z}{1+z}\right) = \cot^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{4} \left( \left( \frac{\sqrt{z^2}}{z} + 1 \right) \left( 1 - \frac{1-z^2}{z} \sqrt{\frac{z^2}{(z^2-1)^2}} \right) - 2 \sqrt{iz+1} \sqrt{\frac{1}{iz+1}} + 1 \right) \ ; \ |z| \neq 1$$

### Involving $\cot^{-1}\left(\frac{z-1}{z+1}\right)$

#### Involving $\cot^{-1}\left(\frac{z-1}{z+1}\right)$ and $\cot^{-1}(z)$

01.16.16.0051.01

$$\cot^{-1}\left(\frac{z-1}{z+1}\right) = \cot^{-1}(z) + \frac{\pi}{4} \ ; \ |z| > 1 \ \vee \ \frac{\pi}{2} \leq \arg(z) \leq \pi \ \vee \ -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.16.0052.01

$$\cot^{-1}\left(\frac{z-1}{z+1}\right) = \cot^{-1}(z) - \frac{3\pi}{4} \ ; \ |z| < 1 \ \wedge \ -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.16.0053.01

$$\cot^{-1}\left(\frac{z-1}{z+1}\right) = -\frac{\pi}{4} \left( \left( \sqrt{\frac{1}{z^2}} z + 1 \right) \left( \frac{1-z^2}{z} \sqrt{\frac{z^2}{(1-z^2)^2}} + 1 \right) - 2 \sqrt{\frac{z+i}{z}} \sqrt{\frac{z}{z+i}} + 1 \right) + \cot^{-1}(z) \ ; \ |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{z-1}{z+1}\right)$  and  $\cot^{-1}\left(\frac{1}{z}\right)$

01.16.16.0054.01

$$\cot^{-1}\left(\frac{z-1}{z+1}\right) = -\frac{\pi}{4} - \cot^{-1}\left(\frac{1}{z}\right); |z| < 1 \vee \frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.16.16.0055.01

$$\cot^{-1}\left(\frac{z-1}{z+1}\right) = -\cot^{-1}\left(\frac{1}{z}\right) + \frac{3\pi}{4}; |z| > 1 \wedge -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.16.16.0056.01

$$\cot^{-1}\left(\frac{z-1}{z+1}\right) = \frac{\pi}{4} \left( \left( \frac{\sqrt{z^2}}{z} + 1 \right) \left( -\frac{1-z^2}{z} \sqrt{\frac{z^2}{(z^2-1)^2} + 1} \right) - 2\sqrt{1+iz} \sqrt{\frac{1}{1+iz} + 1} \right) - \cot^{-1}\left(\frac{1}{z}\right); |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{1+z}{1-z}\right)$

Involving  $\cot^{-1}\left(\frac{1+z}{1-z}\right)$  and  $\cot^{-1}(z)$

01.16.16.0057.01

$$\cot^{-1}\left(\frac{1+z}{1-z}\right) = \cot^{-1}(z) - \frac{\pi}{4}; |z| > 1 \vee -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.16.0058.01

$$\cot^{-1}\left(\frac{1+z}{1-z}\right) = \cot^{-1}(z) + \frac{3\pi}{4}; |z| < 1 \wedge \left( \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2} \right)$$

01.16.16.0059.01

$$\cot^{-1}\left(\frac{1+z}{1-z}\right) = \frac{\pi}{4} \left( -\left( \sqrt{\frac{1}{z^2}} z - 1 \right) \left( \frac{z^2-1}{z} \sqrt{\frac{z^2}{(z^2-1)^2} + 1} \right) - 2\sqrt{\frac{z-i}{z}} \sqrt{\frac{z}{z-i} + 1} \right) + \cot^{-1}(z); |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{1+z}{1-z}\right)$  and  $\cot^{-1}\left(\frac{1}{z}\right)$

01.16.16.0060.01

$$\cot^{-1}\left(\frac{1+z}{1-z}\right) = \frac{\pi}{4} - \cot^{-1}\left(\frac{1}{z}\right); |z| < 1 \vee -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.16.16.0061.01

$$\cot^{-1}\left(\frac{1+z}{1-z}\right) = -\cot^{-1}\left(\frac{1}{z}\right) - \frac{3\pi}{4}; |z| > 1 \wedge \left( \frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2} \right)$$

01.16.16.0062.01

$$\cot^{-1}\left(\frac{1+z}{1-z}\right) = -\frac{\pi}{4} \left( -\left( \frac{\sqrt{z^2}}{z} - 1 \right) \left( \frac{1-z^2}{z} \sqrt{\frac{z^2}{(z^2-1)^2} + 1} \right) - 2\sqrt{1-iz} \sqrt{\frac{1}{1-iz} + 1} \right) - \cot^{-1}\left(\frac{1}{z}\right); |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{z+1}{z-1}\right)$

Involving  $\cot^{-1}\left(\frac{z+1}{z-1}\right)$  and  $\cot^{-1}(z)$

01.16.16.0063.01

$$\cot^{-1}\left(\frac{z+1}{z-1}\right) = -\cot^{-1}(z) + \frac{\pi}{4} /; |z| > 1 \vee -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.16.0064.01

$$\cot^{-1}\left(\frac{z+1}{z-1}\right) = -\cot^{-1}(z) - \frac{3\pi}{4} /; |z| < 1 \wedge \left(\frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}\right)$$

01.16.16.0065.01

$$\cot^{-1}\left(\frac{z+1}{z-1}\right) = -\frac{\pi}{4} \left( -\left(\sqrt{\frac{1}{z^2}} z - 1\right) \left(\frac{z^2-1}{z} \sqrt{\frac{z^2}{(z^2-1)^2}} + 1\right) - 2\sqrt{\frac{z-i}{z}} \sqrt{\frac{z}{z-i}} + 1 \right) - \cot^{-1}(z) /; |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{z+1}{z-1}\right)$  and  $\cot^{-1}\left(\frac{1}{z}\right)$

01.16.16.0066.01

$$\cot^{-1}\left(\frac{z+1}{z-1}\right) = -\frac{\pi}{4} + \cot^{-1}\left(\frac{1}{z}\right) /; |z| < 1 \vee -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.16.16.0067.01

$$\cot^{-1}\left(\frac{z+1}{z-1}\right) = \cot^{-1}\left(\frac{1}{z}\right) + \frac{3\pi}{4} /; |z| > 1 \wedge \left(\frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}\right)$$

01.16.16.0068.01

$$\cot^{-1}\left(\frac{z+1}{z-1}\right) = \frac{\pi}{4} \left( -\left(\frac{\sqrt{z^2}}{z} - 1\right) \left(\frac{1-z^2}{z} \sqrt{\frac{z^2}{(z^2-1)^2}} + 1\right) - 2\sqrt{1-iz} \sqrt{\frac{1}{1-iz}} + 1 \right) + \cot^{-1}\left(\frac{1}{z}\right) /; |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{2z}{1-z^2}\right)$

Involving  $\cot^{-1}\left(\frac{2z}{1-z^2}\right)$  and  $\cot^{-1}(z)$

01.16.16.0069.01

$$\cot^{-1}\left(\frac{2z}{1-z^2}\right) = 2\cot^{-1}(z) - \frac{\pi}{2} /; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.16.0070.01

$$\cot^{-1}\left(\frac{2z}{1-z^2}\right) = 2\cot^{-1}(z) + \frac{\pi}{2} /; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.16.0005.02

$$\cot^{-1}\left(\frac{2z}{1-z^2}\right) = 2\cot^{-1}(z) - \frac{\pi z}{2} \sqrt{\frac{1}{z^2}} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1}$$

Involving  $\cot^{-1}\left(\frac{2z}{1-z^2}\right)$  and  $\cot^{-1}\left(\frac{1}{z}\right)$

01.16.16.0071.01

$$\cot^{-1}\left(\frac{2z}{1-z^2}\right) = \frac{\pi}{2} - 2 \cot^{-1}\left(\frac{1}{z}\right); \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.16.0072.01

$$\cot^{-1}\left(\frac{2z}{1-z^2}\right) = -2 \cot^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2}; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.16.0073.01

$$\cot^{-1}\left(\frac{2z}{1-z^2}\right) = z \sqrt{z^{-2}} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} \frac{\pi}{2} - 2 \cot^{-1}\left(\frac{1}{z}\right)$$

### Involving $\cot^{-1}\left(\frac{2z}{z^2-1}\right)$

#### Involving $\cot^{-1}\left(\frac{2z}{z^2-1}\right)$ and $\cot^{-1}(z)$

01.16.16.0074.01

$$\cot^{-1}\left(\frac{2z}{z^2-1}\right) = -2 \cot^{-1}(z) + \frac{\pi}{2}; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.16.0075.01

$$\cot^{-1}\left(\frac{2z}{z^2-1}\right) = -2 \cot^{-1}(z) - \frac{\pi}{2}; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.16.0076.01

$$\cot^{-1}\left(\frac{2z}{z^2-1}\right) = -2 \cot^{-1}(z) + \frac{\pi z}{2} \sqrt{z^{-2}} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1}$$

#### Involving $\cot^{-1}\left(\frac{2z}{z^2-1}\right)$ and $\cot^{-1}\left(\frac{1}{z}\right)$

01.16.16.0077.01

$$\cot^{-1}\left(\frac{2z}{z^2-1}\right) = -\frac{\pi}{2} + 2 \cot^{-1}\left(\frac{1}{z}\right); \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.16.0078.01

$$\cot^{-1}\left(\frac{2z}{z^2-1}\right) = 2 \cot^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2}; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.16.0079.01

$$\cot^{-1}\left(\frac{2z}{z^2-1}\right) = -z \sqrt{z^{-2}} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} \frac{\pi}{2} + 2 \cot^{-1}\left(\frac{1}{z}\right)$$

### Involving $\cot^{-1}\left(\frac{1-z^2}{2z}\right)$

Involving  $\cot^{-1}\left(\frac{1-z^2}{2z}\right)$  and  $\cot^{-1}(z)$

01.16.16.0080.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = \pi - 2 \cot^{-1}(z) ; |z| < 1 \wedge -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.16.0081.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = -2 \cot^{-1}(z) - \pi ; |z| < 1 \wedge \left(\frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}\right)$$

01.16.16.0082.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = z \pi \sqrt{\frac{1}{z^2}} - 2 \cot^{-1}(z) ; |z| < 1$$

01.16.16.0007.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = -2 \cot^{-1}(z) ; |z| > 1$$

01.16.16.0083.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = \left(1 + \frac{(1-z)}{1+z} \sqrt{\left(\frac{1+z}{-1+z}\right)^2}\right) z \sqrt{z^{-2}} \frac{\pi}{2} - 2 \cot^{-1}(z) ; |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{1-z^2}{2z}\right)$  and  $\cot^{-1}\left(\frac{1}{z}\right)$

01.16.16.0084.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = 2 \cot^{-1}\left(\frac{1}{z}\right) ; |z| < 1$$

01.16.16.0085.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = 2 \cot^{-1}\left(\frac{1}{z}\right) - \pi ; |z| > 1 \wedge -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.16.16.0086.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = 2 \cot^{-1}\left(\frac{1}{z}\right) + \pi ; |z| > 1 \wedge \left(\frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2}\right)$$

01.16.16.0087.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = 2 \cot^{-1}\left(\frac{1}{z}\right) - \frac{\sqrt{z^2} \pi}{z} ; |z| > 1$$

01.16.16.0088.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = \left(\frac{(1-z)}{1+z} \sqrt{\left(\frac{1+z}{-1+z}\right)^2} - 1\right) \frac{\pi \sqrt{z^2}}{2z} + 2 \cot^{-1}\left(\frac{1}{z}\right) ; |z| \neq 1$$

### Involving $\cot^{-1}\left(\frac{z^2-1}{2z}\right)$

#### Involving $\cot^{-1}\left(\frac{z^2-1}{2z}\right)$ and $\cot^{-1}(z)$

01.16.16.0089.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = -\pi + 2 \cot^{-1}(z) ; |z| < 1 \wedge -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.16.0090.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = 2 \cot^{-1}(z) + \pi ; |z| < 1 \wedge \left(\frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}\right)$$

01.16.16.0091.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = -z \pi \sqrt{\frac{1}{z^2}} + 2 \cot^{-1}(z) ; |z| < 1$$

01.16.16.0092.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = 2 \cot^{-1}(z) ; |z| > 1$$

01.16.16.0093.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = -\left(1 + \frac{(1-z)}{1+z} \sqrt{\left(\frac{1+z}{-1+z}\right)^2}\right) z \sqrt{z^{-2}} \frac{\pi}{2} + 2 \cot^{-1}(z) ; |z| \neq 1$$

#### Involving $\cot^{-1}\left(\frac{z^2-1}{2z}\right)$ and $\cot^{-1}\left(\frac{1}{z}\right)$

01.16.16.0094.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = -2 \cot^{-1}\left(\frac{1}{z}\right) ; |z| < 1$$

01.16.16.0095.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = -2 \cot^{-1}\left(\frac{1}{z}\right) + \pi ; |z| > 1 \wedge -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.16.16.0096.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = -2 \cot^{-1}\left(\frac{1}{z}\right) - \pi ; |z| > 1 \wedge \left(\frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2}\right)$$

01.16.16.0097.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = -2 \cot^{-1}\left(\frac{1}{z}\right) + \frac{\sqrt{z^2} \pi}{z} ; |z| > 1$$



01.16.16.0098.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = -\left(\frac{1-z}{1+z}\sqrt{\left(\frac{1+z}{-1+z}\right)^2} - 1\right)\frac{\pi\sqrt{z^2}}{2z} - 2\cot^{-1}\left(\frac{1}{z}\right); |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{2\sqrt{z}}{1-z}\right)$

Involving  $\cot^{-1}\left(\frac{2\sqrt{z}}{1-z}\right)$  and  $\cot^{-1}(\sqrt{z})$

01.16.16.0099.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{1-z}\right) = 2\cot^{-1}(\sqrt{z}) - \frac{\pi}{2}; z \notin (-1, 0)$$

01.16.16.0100.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{1-z}\right) = 2\cot^{-1}(\sqrt{z}) + \frac{\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.16.0101.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{1-z}\right) = 2\cot^{-1}(\sqrt{z}) - \frac{\pi}{2}\sqrt{\frac{z}{z+1}}\sqrt{\frac{z+1}{z}}$$

Involving  $\cot^{-1}\left(\frac{2\sqrt{z}}{1-z}\right)$  and  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.16.0102.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{1-z}\right) = \frac{\pi}{2} - 2\cot^{-1}\left(\frac{1}{\sqrt{z}}\right); z \notin (-1, 0)$$

01.16.16.0103.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{1-z}\right) = -\frac{\pi}{2} - 2\cot^{-1}\left(\frac{1}{\sqrt{z}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.16.0104.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{1-z}\right) = \frac{\pi}{2}\sqrt{\frac{z}{z+1}}\sqrt{\frac{z+1}{z}} - 2\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\cot^{-1}\left(\frac{2\sqrt{z}}{1-z}\right)$  and  $\cot^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.16.16.0105.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{1-z}\right) = \frac{\pi}{2} - 2\cot^{-1}\left(\sqrt{\frac{1}{z}}\right); |\arg(z)| < \pi$$

01.16.16.0106.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{1-z}\right) = -\frac{\pi}{2} + 2 \cot^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.16.0107.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{1-z}\right) = \frac{\pi}{2} + 2 \cot^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.16.0108.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{1-z}\right) = \frac{1}{2} \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} \pi - 2 \sqrt{z} \sqrt{\frac{1}{z}} \cot^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

### Involving $\cot^{-1}\left(\frac{2\sqrt{z}}{z-1}\right)$

#### Involving $\cot^{-1}\left(\frac{2\sqrt{z}}{z-1}\right)$ and $\cot^{-1}(\sqrt{z})$

01.16.16.0109.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{z-1}\right) = -2 \cot^{-1}(\sqrt{z}) + \frac{\pi}{2}; z \notin (-1, 0)$$

01.16.16.0110.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{z-1}\right) = -2 \cot^{-1}(\sqrt{z}) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.16.0111.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{z-1}\right) = -2 \cot^{-1}(\sqrt{z}) + \frac{\pi}{2} \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}}$$

#### Involving $\cot^{-1}\left(\frac{2\sqrt{z}}{z-1}\right)$ and $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.16.0112.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{z-1}\right) = -\frac{\pi}{2} + 2 \cot^{-1}\left(\frac{1}{\sqrt{z}}\right); z \notin (-1, 0)$$

01.16.16.0113.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{z-1}\right) = \frac{\pi}{2} + 2 \cot^{-1}\left(\frac{1}{\sqrt{z}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.16.0114.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{z-1}\right) = -\frac{\pi}{2} \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} + 2 \cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\cot^{-1}\left(\frac{2\sqrt{z}}{z-1}\right)$  and  $\cot^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.16.16.0115.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{z-1}\right) = -\frac{\pi}{2} + 2 \cot^{-1}\left(\sqrt{\frac{1}{z}}\right); |\arg(z)| < \pi$$

01.16.16.0116.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{z-1}\right) = \frac{\pi}{2} - 2 \cot^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.16.0117.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{z-1}\right) = -\frac{\pi}{2} - 2 \cot^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.16.0118.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{z-1}\right) = -\frac{1}{2} \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} \pi + 2 \sqrt{z} \sqrt{\frac{1}{z}} \cot^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

Involving  $\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right)$

Involving  $\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right)$  and  $\cot^{-1}(\sqrt{z})$

01.16.16.0119.01

$$\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right) = \pi - 2 \cot^{-1}(\sqrt{z}); |z| < 1 \wedge |\arg(z)| < \pi$$

01.16.16.0120.01

$$\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right) = -2 \cot^{-1}(\sqrt{z}) - \pi; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.16.0121.01

$$\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right) = \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} \pi - 2 \cot^{-1}(\sqrt{z}); |z| < 1$$

01.16.16.0122.01

$$\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right) = -2 \cot^{-1}(\sqrt{z}); |z| > 1$$

01.16.16.0123.01

$$\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right) = \frac{1}{2} \left( \frac{1-z}{1+z} \sqrt{\left(\frac{z+1}{z-1}\right)^2} + 2 \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 1 \right) \pi - 2 \cot^{-1}(\sqrt{z}); |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right)$  and  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.16.0124.01

$$\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right) = 2 \cot^{-1}\left(\frac{1}{\sqrt{z}}\right) /; |z| < 1$$

01.16.16.0125.01

$$\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right) = 2 \cot^{-1}\left(\frac{1}{\sqrt{z}}\right) - \pi /; |z| > 1$$

01.16.16.0126.01

$$\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right) = 2 \cot^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{\pi}{2} \left( -\frac{(1-z)}{1+z} \sqrt{\left(\frac{1+z}{-1+z}\right)^2 + 1} \right) /; |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right)$  and  $\cot^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.16.16.0127.01

$$\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right) = 2 \cot^{-1}\left(\sqrt{\frac{1}{z}}\right) /; |z| < 1 \wedge z \notin (-1, 0)$$

01.16.16.0128.01

$$\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right) = -2 \cot^{-1}\left(\sqrt{\frac{1}{z}}\right) /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.16.0129.01

$$\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right) = 2\sqrt{z} \sqrt{\frac{1}{z}} \cot^{-1}\left(\sqrt{\frac{1}{z}}\right) /; |z| < 1$$

01.16.16.0130.01

$$\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right) = 2 \cot^{-1}\left(\sqrt{\frac{1}{z}}\right) - \pi /; |z| > 1 \wedge z \notin (-\infty, -1)$$

01.16.16.0131.01

$$\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right) = -2 \cot^{-1}\left(\sqrt{\frac{1}{z}}\right) - \pi /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.16.0132.01

$$\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right) = 2\sqrt{z} \sqrt{\frac{1}{z}} \cot^{-1}\left(\sqrt{\frac{1}{z}}\right) - \pi /; |z| > 1$$

01.16.16.0133.01

$$\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right) = 2\sqrt{z} \sqrt{\frac{1}{z}} \cot^{-1}\left(\sqrt{\frac{1}{z}}\right) - \frac{\pi}{2} \left( -\frac{(1-z)}{1+z} \sqrt{\left(\frac{1+z}{-1+z}\right)^2 + 1} \right) /; |z| \neq 1$$

### Involving $\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right)$

#### Involving $\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right)$ and $\cot^{-1}(\sqrt{z})$

01.16.16.0134.01

$$\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right) = -\pi + 2 \cot^{-1}(\sqrt{z}) ; |z| < 1 \wedge |\arg(z)| < \pi$$

01.16.16.0135.01

$$\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right) = 2 \cot^{-1}(\sqrt{z}) + \pi ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.16.0136.01

$$\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right) = -\sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} \pi + 2 \cot^{-1}(\sqrt{z}) ; |z| < 1$$

01.16.16.0137.01

$$\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right) = 2 \cot^{-1}(\sqrt{z}) ; |z| > 1$$

01.16.16.0138.01

$$\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right) = -\frac{1}{2} \left( \frac{1-z}{1+z} \sqrt{\left(\frac{z+1}{z-1}\right)^2} + 2 \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 1 \right) \pi + 2 \cot^{-1}(\sqrt{z}) ; |z| \neq 1$$

#### Involving $\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right)$ and $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.16.0139.01

$$\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right) = -2 \cot^{-1}\left(\frac{1}{\sqrt{z}}\right) ; |z| < 1$$

01.16.16.0140.01

$$\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right) = -2 \cot^{-1}\left(\frac{1}{\sqrt{z}}\right) + \pi ; |z| > 1$$

01.16.16.0141.01

$$\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right) = -2 \cot^{-1}\left(\frac{1}{\sqrt{z}}\right) + \frac{\pi}{2} \left( -\frac{(1-z)}{1+z} \sqrt{\left(\frac{1+z}{-1+z}\right)^2} + 1 \right) ; |z| \neq 1$$

#### Involving $\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right)$ and $\cot^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.16.16.0142.01

$$\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right) = -2 \cot^{-1}\left(\sqrt{\frac{1}{z}}\right) /; |z| < 1 \wedge z \notin (-1, 0)$$

01.16.16.0143.01

$$\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right) = 2 \cot^{-1}\left(\sqrt{\frac{1}{z}}\right) /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.16.0144.01

$$\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right) = -2\sqrt{z} \sqrt{\frac{1}{z}} \cot^{-1}\left(\sqrt{\frac{1}{z}}\right) /; |z| < 1$$

01.16.16.0145.01

$$\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right) = -2 \cot^{-1}\left(\sqrt{\frac{1}{z}}\right) + \pi /; |z| > 1 \wedge z \notin (-\infty, -1)$$

01.16.16.0146.01

$$\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right) = 2 \cot^{-1}\left(\sqrt{\frac{1}{z}}\right) + \pi /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.16.0147.01

$$\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right) = -2\sqrt{z} \sqrt{\frac{1}{z}} \cot^{-1}\left(\sqrt{\frac{1}{z}}\right) + \pi /; |z| > 1$$

01.16.16.0148.01

$$\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right) = -2\sqrt{z} \sqrt{\frac{1}{z}} \cot^{-1}\left(\sqrt{\frac{1}{z}}\right) + \frac{\pi}{2} \left( -\frac{(1-z)}{1+z} \sqrt{\left(\frac{1+z}{-1+z}\right)^2 + 1} \right) /; |z| \neq 1$$

### Involving $\cot^{-1}\left(\sqrt{1+z^2} + cz\right)$

### Involving $\cot^{-1}\left(\sqrt{1+z^2} + z\right)$ and $\cot^{-1}(z)$

01.16.16.0149.01

$$\cot^{-1}\left(\sqrt{z^2+1} + z\right) = \frac{1}{2} \cot^{-1}(z) /; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.16.0150.01

$$\cot^{-1}\left(\sqrt{z^2+1} + z\right) = \frac{1}{2} \cot^{-1}(z) + \frac{\pi}{2} /; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.16.0151.01

$$\cot^{-1}\left(\sqrt{z^2+1} + z\right) = \left( 1 - z \sqrt{z^{-2}} \sqrt{z^2+1} \sqrt{\frac{1}{z^2+1}} \right) \frac{\pi}{4} + \frac{1}{2} \cot^{-1}(z)$$

Involving  $\cot^{-1}\left(\sqrt{1+z^2}+z\right)$  and  $\cot^{-1}\left(\frac{1}{z}\right)$

01.16.16.0152.01

$$\cot^{-1}\left(\sqrt{z^2+1}+z\right)=\frac{\pi}{4}-\frac{1}{2}\cot^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\sqrt{1+z^2}-z\right)$  and  $\cot^{-1}(z)$

01.16.16.0153.01

$$\cot^{-1}\left(\sqrt{z^2+1}-z\right)=\frac{\pi}{2}-\frac{1}{2}\cot^{-1}(z) ; \operatorname{Re}(z)>0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.16.0154.01

$$\cot^{-1}\left(\sqrt{z^2+1}-z\right)=-\frac{1}{2}\cot^{-1}(z) ; \operatorname{Re}(z)<0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.16.0155.01

$$\cot^{-1}\left(\sqrt{z^2+1}-z\right)=\left(1+z\sqrt{z^{-2}}\sqrt{z^2+1}\sqrt{\frac{1}{z^2+1}}\right)\frac{\pi}{4}-\frac{1}{2}\cot^{-1}(z)$$

Involving  $\cot^{-1}\left(\sqrt{1+z^2}-z\right)$  and  $\cot^{-1}\left(\frac{1}{z}\right)$

01.16.16.0156.01

$$\cot^{-1}\left(\sqrt{z^2+1}-z\right)=\frac{1}{2}\cot^{-1}\left(\frac{1}{z}\right)+\frac{\pi}{4}$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}+cz}\right)$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}+z}\right)$  and  $\cot^{-1}(z)$

01.16.16.0157.01

$$\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}+z}\right)=\frac{\pi}{2}-\frac{1}{2}\cot^{-1}(z) ; \operatorname{Re}(z)>0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.16.0158.01

$$\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}+z}\right)=-\frac{1}{2}\cot^{-1}(z) ; \operatorname{Re}(z)<0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.16.0159.01

$$\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}+z}\right) = \left(1+z\sqrt{z^{-2}}\sqrt{z^2+1}\sqrt{\frac{1}{z^2+1}}\right)\frac{\pi}{4} - \frac{1}{2}\cot^{-1}(z)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}+z}\right)$  and  $\cot^{-1}\left(\frac{1}{z}\right)$

01.16.16.0160.01

$$\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}+z}\right) = \frac{1}{2}\cot^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{4}$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}-z}\right)$  and  $\cot^{-1}(z)$

01.16.16.0161.01

$$\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}-z}\right) = \frac{1}{2}\cot^{-1}(z) ; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.16.0162.01

$$\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}-z}\right) = \frac{1}{2}\cot^{-1}(z) + \frac{\pi}{2} ; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.16.0163.01

$$\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}-z}\right) = \left(1-z\sqrt{z^{-2}}\sqrt{z^2+1}\sqrt{\frac{1}{z^2+1}}\right)\frac{\pi}{4} + \frac{1}{2}\cot^{-1}(z)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}-z}\right)$  and  $\cot^{-1}\left(\frac{1}{z}\right)$

01.16.16.0164.01

$$\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}-z}\right) = \frac{\pi}{4} - \frac{1}{2}\cot^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{1+z^2}+a}{z}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{1+z^2}+1}{z}\right)$  and  $\cot^{-1}(z)$



01.16.16.0165.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2+1}}{z}\right) = \frac{\pi}{4} - \frac{1}{2} \cot^{-1}(z) ; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.16.0166.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2+1}}{z}\right) = -\frac{1}{2} \cot^{-1}(z) - \frac{\pi}{4} ; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.16.0167.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2+1}}{z}\right) = \frac{\pi z}{4} \sqrt{\frac{1}{z^2}} \sqrt{z^2+1} \sqrt{\frac{1}{z^2+1}} - \frac{1}{2} \cot^{-1}(z)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{1+z^2+1}}{z}\right)$  and  $\cot^{-1}\left(\frac{1}{z}\right)$

01.16.16.0168.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2+1}}{z}\right) = \frac{1}{2} \cot^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{1+z^2-1}}{z}\right)$  and  $\cot^{-1}(z)$

01.16.16.0169.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2-1}}{z}\right) = \frac{\pi}{4} + \frac{1}{2} \cot^{-1}(z) ; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.16.0170.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2-1}}{z}\right) = \frac{1}{2} \cot^{-1}(z) - \frac{\pi}{4} ; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.16.0171.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2-1}}{z}\right) = \frac{\pi z}{4} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} \sqrt{\frac{1}{z^2}} + \frac{1}{2} \cot^{-1}(z)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{1+z^2-1}}{z}\right)$  and  $\cot^{-1}\left(\frac{1}{z}\right)$

01.16.16.0172.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2-1}}{z}\right) = \frac{\pi}{2} - \frac{1}{2} \cot^{-1}\left(\frac{1}{z}\right) ; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.16.0173.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2}-1}{z}\right) = -\frac{1}{2}\cot^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2}; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.16.0174.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2}-1}{z}\right) = z\sqrt{z^{-2}}\sqrt{z^2+1}\sqrt{\frac{1}{z^2+1}}\frac{\pi}{2} - \frac{1}{2}\cot^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+a}}\right)$

Involving  $\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+1}}\right)$  and  $\cot^{-1}(z)$

01.16.16.0175.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+1}}\right) = \frac{\pi}{4} + \frac{1}{2}\cot^{-1}(z); \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.16.0176.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+1}}\right) = \frac{1}{2}\cot^{-1}(z) - \frac{\pi}{4}; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.16.0177.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+1}}\right) = \frac{\pi z}{4}\sqrt{\frac{1}{z^2+1}}\sqrt{z^2+1}\sqrt{\frac{1}{z^2}} + \frac{1}{2}\cot^{-1}(z)$$

Involving  $\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+1}}\right)$  and  $\cot^{-1}\left(\frac{1}{z}\right)$

01.16.16.0178.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+1}}\right) = \frac{\pi}{2} - \frac{1}{2}\cot^{-1}\left(\frac{1}{z}\right); \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.16.0179.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+1}}\right) = -\frac{1}{2}\cot^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2}; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.16.0180.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+1}}\right) = z\sqrt{z^{-2}}\sqrt{z^2+1}\sqrt{\frac{1}{z^2+1}}\frac{\pi}{2} - \frac{1}{2}\cot^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{z}{\sqrt{1+z^2}-1}\right)$  and  $\cot^{-1}(z)$

01.16.16.0181.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2}-1}\right) = \frac{\pi}{4} - \frac{1}{2} \cot^{-1}(z) ; \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge i z < -1) \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.16.0182.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2}-1}\right) = -\frac{1}{2} \cot^{-1}(z) - \frac{\pi}{4} ; \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge i z > 1) \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.16.0183.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2}-1}\right) = \frac{\pi z}{4} \sqrt{\frac{1}{z^2}} \sqrt{z^2+1} \sqrt{\frac{1}{z^2+1}} - \frac{1}{2} \cot^{-1}(z)$$

Involving  $\cot^{-1}\left(\frac{z}{\sqrt{1+z^2}-1}\right)$  and  $\cot^{-1}\left(\frac{1}{z}\right)$

01.16.16.0184.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2}-1}\right) = \frac{1}{2} \cot^{-1}\left(\frac{1}{z}\right)$$

## Products, sums, and powers of the direct function

### Sums of the direct function

01.16.16.0009.01

$$\cot^{-1}(x) + \cot^{-1}(y) = \cot^{-1}\left(\frac{x+y}{1-xy}\right) + \frac{\pi}{2} \operatorname{sgn}(xy) \operatorname{sgn}(x+y) ; x y \neq 1$$

01.16.16.0185.01

$$\cot^{-1}(x) + \cot^{-1}(y) = \cot^{-1}\left(\frac{xy-1}{x+y}\right) + \frac{\pi}{2} \left( \frac{x+y}{xy-1} \sqrt{\left(\frac{xy-1}{x+y}\right)^2} - \frac{\sqrt{x^2}}{x} - \frac{\sqrt{y^2}}{y} + 1 \right) + \pi \left[ \frac{\pi - 2 \arg(-ix-1) + 2 \arg(x+y) - 2 \arg(-iy-1)}{4\pi} \right] - \pi \left[ \frac{3\pi - 2 \arg(ix-1) + 2 \arg(x+y) - 2 \arg(iy-1)}{4\pi} \right]$$

01.16.16.0186.01

$$\cot^{-1}(x) + \cot^{-1}(y) = \cot^{-1}\left(\frac{xy-1}{x+y}\right) - \pi \left[ \frac{-\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 + \frac{i}{y}\right) + \arg\left(1 - \frac{1}{xy}\right) + \pi}{2\pi} \right] + \pi \left[ \frac{-\arg\left(1 - \frac{i}{x}\right) - \arg\left(1 - \frac{i}{y}\right) + \arg\left(1 - \frac{1}{xy}\right) + \pi}{2\pi} \right]$$

01.16.16.0187.01

$$\cot^{-1}(x) + \cot^{-1}(y) =$$

$$\tan^{-1}\left(\frac{x+y}{xy-1}\right) - \pi \left[ \frac{-\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 + \frac{i}{y}\right) + \arg\left(1 - \frac{1}{xy}\right) + \pi}{2\pi} \right] + \pi \left[ \frac{-\arg\left(1 - \frac{i}{x}\right) - \arg\left(1 - \frac{i}{y}\right) + \arg\left(1 - \frac{1}{xy}\right) + \pi}{2\pi} \right]$$

**Differences of the direct function**

01.16.16.0010.01

$$\cot^{-1}(x) - \cot^{-1}(y) = \cot^{-1}\left(\frac{x-y}{xy+1}\right) - \frac{\pi}{2} \operatorname{sgn}(x-y) \operatorname{sgn}(xy) ; xy \neq -1$$

01.16.16.0188.01

$$\cot^{-1}(x) - \cot^{-1}(y) = \cot^{-1}\left(\frac{xy+1}{y-x}\right) + \frac{\pi}{2} \left( \frac{y-x}{xy+1} \sqrt{\left(\frac{xy+1}{y-x}\right)^2 + \frac{\sqrt{y^2}}{y} - \frac{\sqrt{x^2}}{x}} + 1 \right) + \pi \left[ \frac{\pi - 2 \arg(-ix - 1) + 2 \arg(x-y) - 2 \arg(iy - 1)}{4\pi} \right] - \pi \left[ \frac{3\pi - 2 \arg(ix - 1) + 2 \arg(x-y) - 2 \arg(-iy - 1)}{4\pi} \right]$$

01.16.16.0189.01

$$\cot^{-1}(x) - \cot^{-1}(y) =$$

$$\cot^{-1}\left(\frac{xy+1}{y-x}\right) + \pi \left[ \frac{-\arg\left(1 - \frac{i}{x}\right) - \arg\left(1 + \frac{i}{y}\right) + \arg\left(1 + \frac{1}{xy}\right) + \pi}{2\pi} \right] - \pi \left[ \frac{-\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{y}\right) + \arg\left(1 + \frac{1}{xy}\right) + \pi}{2\pi} \right]$$

01.16.16.0190.01

$$\cot^{-1}(x) - \cot^{-1}(y) =$$

$$\tan^{-1}\left(\frac{y-x}{xy+1}\right) + \pi \left[ \frac{-\arg\left(1 - \frac{i}{x}\right) - \arg\left(1 + \frac{i}{y}\right) + \arg\left(1 + \frac{1}{xy}\right) + \pi}{2\pi} \right] - \pi \left[ \frac{-\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{y}\right) + \arg\left(1 + \frac{1}{xy}\right) + \pi}{2\pi} \right]$$

**Linear combinations of the direct function**

01.16.16.0191.01

$$\begin{aligned}
 a \cot^{-1}(x) + b \cot^{-1}(y) &= a \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2 \pi} \right] - \\
 &2 i \pi \left( \left[ \frac{-\arg\left(\left(1 + \frac{i}{y}\right)^{-\frac{1}{2}(ib)}\right) - \arg\left(\left(\frac{1 - \frac{i}{x}}{1 + \frac{i}{x}}\right)^{\frac{ia}{2}} \left(1 - \frac{i}{y}\right)^{\frac{ib}{2}}\right) + \pi}{2 \pi} \right] + \left[ \frac{\frac{1}{2} \operatorname{Re}(b \log\left(1 + \frac{i}{y}\right)) + \pi}{2 \pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\left(\frac{1 - \frac{i}{x}}{1 + \frac{i}{x}}\right)^{\frac{ia}{2}} \left(1 - \frac{i}{y}\right)^{\frac{ib}{2}}\right)\right)}{2 \pi} \right] \right) - \\
 &2 i \pi \left( \left[ \frac{-\arg\left(\left(\frac{1 - \frac{i}{x}}{1 + \frac{i}{x}}\right)^{\frac{ia}{2}}\right) - \arg\left(\left(1 - \frac{i}{y}\right)^{\frac{ib}{2}}\right) + \pi}{2 \pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(a \log\left(\frac{1 - \frac{i}{x}}{1 + \frac{i}{x}}\right)\right)}{2 \pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}(b \log\left(1 - \frac{i}{y}\right))}{2 \pi} \right] \right) + \\
 &\log\left(\left(\frac{1 - \frac{i}{x}}{1 + \frac{i}{x}}\right)^{\frac{ia}{2}} \left(1 - \frac{i}{y}\right)^{\frac{ib}{2}} \left(1 + \frac{i}{y}\right)^{-\frac{1}{2}(ib)}\right)
 \end{aligned}$$

01.16.16.0192.01

$$\begin{aligned}
 a \cot^{-1}(x) + b \cot^{-1}(y) &= a \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2 \pi} \right] - \\
 &2 i \pi \left( \left[ \frac{-\arg\left(\left(1 + \frac{i}{y}\right)^{-\frac{1}{2}(ib)}\right) - \arg\left(\left(\frac{1-\frac{i}{x}}{1+\frac{i}{x}}\right)^{\frac{ia}{2}} \left(1 - \frac{i}{y}\right)^{\frac{ib}{2}}\right) + \pi}{2 \pi} \right] + \left[ \frac{\frac{1}{2} \operatorname{Re}(b \log\left(1 + \frac{i}{y}\right)) + \pi}{2 \pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\left(\frac{1-\frac{i}{x}}{1+\frac{i}{x}}\right)^{\frac{ia}{2}} \left(1 - \frac{i}{y}\right)^{\frac{ib}{2}}\right)\right)}{2 \pi} \right] \right) - \\
 &2 i \pi \left( \left[ \frac{-\arg\left(\left(\frac{1-\frac{i}{x}}{1+\frac{i}{x}}\right)^{\frac{ia}{2}}\right) - \arg\left(\left(1 - \frac{i}{y}\right)^{\frac{ib}{2}}\right) + \pi}{2 \pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(a \log\left(\frac{1-\frac{i}{x}}{1+\frac{i}{x}}\right)\right)}{2 \pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}(b \log\left(1 - \frac{i}{y}\right))}{2 \pi} \right] \right) + \\
 &i \pi \left( \left[ \frac{\arg\left(\left(1 + \frac{i}{y}\right)^{-\frac{1}{2}(ib)} \left(1 - \frac{i}{y}\right)^{\frac{ib}{2}} \left(\frac{1-\frac{i}{x}}{1+\frac{i}{x}}\right)^{\frac{ia}{2}} + 1\right)}{2 \pi} \right] + \frac{1}{2} \right) + 2 i \cot^{-1} \left( \frac{i \left( \left(1 + \frac{i}{y}\right)^{-\frac{1}{2}(ib)} \left(1 - \frac{i}{y}\right)^{\frac{ib}{2}} \left(\frac{1-\frac{i}{x}}{1+\frac{i}{x}}\right)^{\frac{ia}{2}} + 1 \right)}{\left(\frac{1-\frac{i}{x}}{1+\frac{i}{x}}\right)^{\frac{ia}{2}} \left(1 - \frac{i}{y}\right)^{\frac{ib}{2}} \left(1 + \frac{i}{y}\right)^{-\frac{1}{2}(ib)} - 1} \right)
 \end{aligned}$$

**Related transformations**

**Sums involving the direct function**

**Involving log(z)**

01.16.16.0193.01

$$\begin{aligned}
 \cot^{-1}(x) + \log(y) &= \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2 \pi} \right] - \\
 &2 i \pi \left( \left[ \frac{-\arg\left(\left(\frac{1-\frac{i}{x}}{1+\frac{i}{x}}\right)^{i/2}\right) - \arg(y) + \pi}{2 \pi} \right] + \left[ \frac{\pi - \operatorname{Im}(\log(y))}{2 \pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(\log\left(\frac{1-\frac{i}{x}}{1+\frac{i}{x}}\right)\right)}{2 \pi} \right] \right) + \log\left(\frac{1 - \frac{i}{x}}{1 + \frac{i}{x}}\right)^{i/2} y
 \end{aligned}$$

01.16.16.0194.01

$$\cot^{-1}(x) + \log(y) =$$

$$\pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] - 2i\pi \left[ \frac{-\arg\left(\left(\frac{1-i}{1+i}\frac{i}{x}\right)^{i/2}\right) - \arg(y) + \pi}{2\pi} \right] + \left[ \frac{\pi - \text{Im}(\log(y))}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \text{Re}\left(\log\left(\frac{1-i}{1+i}\frac{i}{x}\right)\right)}{2\pi} \right] +$$

$$i\pi \left[ 1 - (-1)^{\left\lfloor \frac{\arg y \left( \frac{\left(\frac{1-i}{1+i}\frac{i}{x}\right)^{i/2} + 1\right)}{2\pi} + \frac{1}{2} \right\rfloor} \right] + 2i \cot^{-1} \left( \frac{i \left( y \left( \frac{1-i}{1+i}\frac{i}{x} \right)^{i/2} + 1 \right)}{\left( \frac{1-i}{1+i}\frac{i}{x} \right)^{i/2} y - 1} \right)$$

### Involving $\sin^{-1}(z)$

01.16.16.0195.01

$$\cot^{-1}(x) + \sin^{-1}(y) = -\frac{\sqrt{1 + \frac{1}{x^2}} x \sqrt{\frac{(xy + \sqrt{1-y^2})^2}{x^2+1}}}{xy + \sqrt{1-y^2}} \sin^{-1} \left( \frac{\sqrt{1-y^2} - \frac{y}{x}}{\sqrt{1 + \frac{1}{x^2}}} \right) +$$

$$\frac{\pi \sqrt{\frac{(xy + \sqrt{1-y^2})^2}{x^2+1}} \sqrt{1 + \frac{1}{x^2}} x}{2(xy + \sqrt{1-y^2})} + \pi \left[ \frac{\sqrt{\frac{(xy + \sqrt{1-y^2})^2}{x^2+1}} \sqrt{1 + \frac{1}{x^2}} x}{xy + \sqrt{1-y^2}} + 1 \right] \left[ \frac{\arg\left(\frac{i-\frac{1}{x}}{\sqrt{1+\frac{1}{x^2}}}\right) + \arg(iy + \sqrt{1-y^2})}{2\pi} \right] -$$

$$\pi \left[ \frac{\sqrt{1 + \frac{1}{x^2}} x \sqrt{\frac{(xy + \sqrt{1-y^2})^2}{x^2+1}}}{xy + \sqrt{1-y^2}} - 1 \right] \left[ \frac{\arg\left(\frac{i-\frac{1}{x}}{\sqrt{1+\frac{1}{x^2}}}\right) + \arg(iy + \sqrt{1-y^2}) - \pi}{2\pi} \right]$$

01.16.16.0196.01

$$\cot^{-1}(x) + \sin^{-1}(y) = \frac{1}{2} \pi \left[ 2 \left[ 1 + (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\frac{y + \frac{\sqrt{1-y^2}}{x}}{\sqrt{1 + \frac{1}{x^2}}}\right)}{\pi} \rfloor} \right] \frac{\arg\left(\frac{i - \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}}\right) + \arg\left(iy + \sqrt{1 - y^2}\right)}{2\pi} \right] +$$

$$\left[ (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\frac{y + \frac{\sqrt{1-y^2}}{x}}{\sqrt{1 + \frac{1}{x^2}}}\right)}{\pi} \rfloor} \right] + (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\frac{y + \frac{\sqrt{1-y^2}}{x}}{\sqrt{1 + \frac{1}{x^2}}}\right)}{\pi} \rfloor} \left[ -\frac{\arg\left(1 + \frac{1}{x^2}\right)}{2\pi} + \frac{\arg\left(\frac{y - \sqrt{1-y^2}}{x}\right)}{\pi} + \frac{1}{2} \right]$$

$$\left[ 2 \left[ -1 + (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\frac{y + \frac{\sqrt{1-y^2}}{x}}{\sqrt{1 + \frac{1}{x^2}}}\right)}{\pi} \rfloor} \right] \frac{\arg\left(\frac{i - \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}}\right) + \arg\left(iy + \sqrt{1 - y^2}\right)}{2\pi} \right] - \cot^{-1} \left( \frac{(-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\frac{y + \frac{\sqrt{1-y^2}}{x}}{\sqrt{1 + \frac{1}{x^2}}}\right)}{\pi} \rfloor} \left(\frac{y}{x} - \sqrt{1 - y^2}\right)}{\sqrt{1 + \frac{1}{x^2}} \sqrt{1 - \frac{\left(\frac{y}{x} - \sqrt{1 - y^2}\right)^2}{1 + \frac{1}{x^2}}}} \right)$$

Involving  $\cos^{-1}(z)$



01.16.16.0197.01

$$\cot^{-1}(x) + \cos^{-1}(y) = \frac{\pi}{2} - \frac{\sqrt{1 + \frac{1}{x^2}} \sqrt{\frac{(\sqrt{1-y^2}-y)^2}{1 + \frac{1}{x^2}}}}{\frac{\sqrt{1-y^2}}{x} - y} \sin^{-1} \left( \frac{\frac{y}{x} + \sqrt{1-y^2}}{\sqrt{1 + \frac{1}{x^2}}} \right) +$$

$$\pi \left( \frac{\sqrt{\frac{(\sqrt{1-y^2}-y)^2}{1 + \frac{1}{x^2}}} \sqrt{1 + \frac{1}{x^2}}}{\frac{\sqrt{1-y^2}}{x} - y} + 1 \right) \left[ \frac{\arg \left( \frac{i - \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}} \right) + \arg(\sqrt{1-y^2} - iy)}{2\pi} \right] -$$

$$\pi \left( \frac{\sqrt{1 + \frac{1}{x^2}} \sqrt{\frac{(\sqrt{1-y^2}-y)^2}{1 + \frac{1}{x^2}}}}{\frac{\sqrt{1-y^2}}{x} - y} - 1 \right) \left[ \frac{\arg \left( \frac{i - \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}} \right) + \arg(\sqrt{1-y^2} - iy) - \pi}{2\pi} \right] + \frac{\pi \sqrt{\frac{(\sqrt{1-y^2}-y)^2}{1 + \frac{1}{x^2}}} \sqrt{1 + \frac{1}{x^2}}}{2 \left( \frac{\sqrt{1-y^2}}{x} - y \right)}$$

01.16.16.0198.01

$$\cot^{-1}(x) + \cos^{-1}(y) =$$

$$\cot^{-1} \left( \frac{(-1)^{\left\lfloor \frac{1}{2} - \frac{\arg \left( \frac{\sqrt{1-y^2}-y}{x} \right) \right\rfloor}{\pi} \right)}{\sqrt{1+\frac{1}{x^2}} \sqrt{1-\frac{\left(\frac{y+\sqrt{1-y^2}}{x}\right)^2}{1+\frac{1}{x^2}}}} \right) + \frac{1}{2} \pi \left( 1+2 \left( 1+(-1)^{\left\lfloor \frac{1}{2} - \frac{\arg \left( \frac{\sqrt{1-y^2}-y}{x} \right) \right\rfloor}{\pi} \right)} \right) \left[ \frac{\arg \left( \frac{i-\frac{1}{x}}{\sqrt{1+\frac{1}{x^2}}} \right) + \arg \left( \sqrt{1-y^2} - iy \right)}{2\pi} \right] +$$

$$(-1)^{\left\lfloor \frac{1}{2} - \frac{\arg \left( \frac{\sqrt{1-y^2}-y}{x} \right) \right\rfloor}{\pi} \right)} + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg \left( \frac{\sqrt{1-y^2}-y}{x} \right) \right\rfloor}{\pi} \right)} \left[ -\frac{\arg \left( 1+\frac{1}{x^2} \right)}{2\pi} + \frac{\arg \left( -\frac{y}{x} - \sqrt{1-y^2} \right)}{\pi} + \frac{1}{2} \right] + \frac{1}{2} - \frac{\arg \left( \frac{\sqrt{1-y^2}-y}{x} \right) \right\rfloor}{\pi} \right)}$$

$$2 \left( -1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg \left( \frac{\sqrt{1-y^2}-y}{x} \right) \right\rfloor}{\pi} \right)} \right) \left[ \frac{1}{2} - \frac{\arg \left( \frac{i-\frac{1}{x}}{\sqrt{1+\frac{1}{x^2}}} \right) + \arg \left( \sqrt{1-y^2} - iy \right)}{2\pi} \right]$$

### Involving $\tan^{-1}(z)$

01.16.16.0011.01

$$\cot^{-1}(x) + \tan^{-1}(y) = \tan^{-1} \left( \frac{xy+1}{x-y} \right) + \frac{\pi}{2} (1 - \operatorname{sgn}(x-y)) \operatorname{sgn}(xy+1) ; x > 0$$

01.16.16.0012.01

$$\cot^{-1}(x) + \tan^{-1}(y) = \tan^{-1}\left(\frac{xy+1}{x-y}\right) - \frac{\pi}{2} \operatorname{sgn}(xy+1) (\operatorname{sgn}(x-y) + 1) ; x < 0$$

01.16.16.0199.01

$$\cot^{-1}(x) + \tan^{-1}(y) = \tan^{-1}\left(\frac{xy+1}{x-y}\right) - \pi \left[ \frac{-\arg\left(1 + \frac{i}{x}\right) + \arg\left(1 - \frac{y}{x}\right) - \arg(iy+1) + \pi}{2\pi} \right] + \pi \left[ \frac{-\arg\left(1 - \frac{i}{x}\right) + \arg\left(1 - \frac{y}{x}\right) - \arg(1-iy) + \pi}{2\pi} \right]$$

01.16.16.0200.01

$$\cot^{-1}(x) + \tan^{-1}(y) = -\tan^{-1}\left(\frac{xy+1}{y-x}\right) - \pi \left[ -\frac{\arg(ix+1)}{2\pi} \right] + \pi \left[ -\frac{\arg(1-ix)}{2\pi} \right] - \pi \left[ \frac{3\pi - 2\arg(1-ix) + 2\arg(y-x) - 2\arg(iy+1)}{4\pi} \right] + \pi \left[ \frac{\pi - 2\arg(ix+1) + 2\arg(y-x) - 2\arg(1-iy)}{4\pi} \right] + \frac{1}{2}\pi \left( 1 - \frac{\sqrt{x^2}}{x} \right)$$

01.16.16.0201.01

$$\cot^{-1}(x) + \tan^{-1}(y) = \cot^{-1}\left(\frac{x-y}{xy+1}\right) - \pi \left[ \frac{-\arg\left(1 + \frac{i}{x}\right) + \arg\left(1 - \frac{y}{x}\right) - \arg(iy+1) + \pi}{2\pi} \right] + \pi \left[ \frac{-\arg\left(1 - \frac{i}{x}\right) + \arg\left(1 - \frac{y}{x}\right) - \arg(1-iy) + \pi}{2\pi} \right]$$

### Involving $\csc^{-1}(z)$

01.16.16.0202.01

$$\cot^{-1}(x) + \csc^{-1}(y) = -\frac{\sqrt{1 + \frac{1}{x^2}} x \sqrt{\frac{(x+y\sqrt{1-\frac{1}{y^2}})^2}{(x^2+1)y^2}}}{x+y\sqrt{1-\frac{1}{y^2}}} \sin^{-1}\left(\frac{\sqrt{1-\frac{1}{y^2}} - \frac{1}{xy}}{\sqrt{1+\frac{1}{x^2}}}\right) + \frac{\pi x \sqrt{1+\frac{1}{x^2}} \sqrt{\frac{(x+y\sqrt{1-\frac{1}{y^2}})^2}{(x^2+1)y^2}}}{2(x+y\sqrt{1-\frac{1}{y^2}})} + \pi \left[ \frac{x \sqrt{1+\frac{1}{x^2}} \sqrt{\frac{(x+y\sqrt{1-\frac{1}{y^2}})^2}{(x^2+1)y^2}}}{x+y\sqrt{1-\frac{1}{y^2}}} + 1 \right] \left[ \frac{\arg\left(\frac{i-\frac{1}{x}}{\sqrt{1+\frac{1}{x^2}}}\right) + \arg\left(\sqrt{1-\frac{1}{y^2}} + \frac{i}{y}\right)}{2\pi} \right] - \pi \left[ \frac{\sqrt{1+\frac{1}{x^2}} x y \sqrt{\frac{(x+y\sqrt{1-\frac{1}{y^2}})^2}{(x^2+1)y^2}}}{x+y\sqrt{1-\frac{1}{y^2}}} - 1 \right] \left[ \frac{\arg\left(\frac{i-\frac{1}{x}}{\sqrt{1+\frac{1}{x^2}}}\right) + \arg\left(\sqrt{1-\frac{1}{y^2}} + \frac{i}{y}\right) - \pi}{2\pi} \right]$$


01.16.16.0203.01

$$\left( \left( \left| \sqrt{1-\frac{1}{y^2}} - 1 \right| \right) \right)$$

$$\cot^{-1}(x) + \csc^{-1}(y) = \frac{1}{2} \pi \left[ 2 \left( \frac{\frac{1}{2} \frac{\arg \left( \frac{x + \frac{1}{y}}{\sqrt{1 + \frac{1}{x^2}}} \right)}{\pi} \right)}{1 + (-1)} \right) + \frac{\arg \left( \frac{i - \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}} \right) + \arg \left( \sqrt{1 - \frac{1}{y^2}} + \frac{i}{y} \right)}{2 \pi} \right] +$$

$$\begin{aligned} & \left( \frac{\frac{1}{2} \frac{\arg \left( \frac{\sqrt{1 - \frac{1}{y^2}} + \frac{1}{y}}{x + \frac{1}{y}} \right)}{\pi}}{(-1)} \right) + \left( \frac{\frac{1}{2} \frac{\arg \left( \frac{\sqrt{1 - \frac{1}{y^2}} + \frac{1}{y}}{x + \frac{1}{y}} \right)}{\pi}}{+ (-1)} \right) + \left[ \frac{\arg \left( 1 + \frac{1}{x^2} \right)}{2 \pi} + \frac{\arg \left( \frac{1}{xy} \sqrt{1 - \frac{1}{y^2}} \right)}{\pi} + \frac{1}{2} \right] \\ & - 2 \left( \frac{\frac{1}{2} \frac{\arg \left( \frac{\sqrt{1 - \frac{1}{y^2}} + \frac{1}{y}}{x + \frac{1}{y}} \right)}{\pi}}{-1 + (-1)} \right) \end{aligned}$$

$$\left[ \frac{1}{2} \frac{\arg \left( \frac{i - \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}} \right) + \arg \left( \sqrt{1 - \frac{1}{y^2}} + \frac{i}{y} \right)}{2 \pi} \right] - \cot^{-1} \left( \frac{\frac{1}{2} \frac{\arg \left( \frac{\sqrt{1 - \frac{1}{y^2}} + \frac{1}{y}}{x + \frac{1}{y}} \right)}{\pi}}{(-1)} \left[ \frac{\frac{1}{xy} - \sqrt{1 - \frac{1}{y^2}}}{\sqrt{1 + \frac{1}{x^2}} \sqrt{1 - \frac{\left( \frac{1}{xy} - \sqrt{1 - \frac{1}{y^2}} \right)^2}{1 + \frac{1}{x^2}}}} \right]} \right)$$



### Involving $\sec^{-1}(z)$

01.16.16.0204.01

$$\cot^{-1}(x) + \sec^{-1}(y) = \frac{\pi}{2} + \frac{x \sqrt{1 + \frac{1}{x^2}} \sqrt{\frac{(x - \sqrt{1 - \frac{1}{y^2}})^2}{(x^2 + 1)y^2}}}{x - \sqrt{1 - \frac{1}{y^2}}} \sin^{-1} \left( \frac{\sqrt{1 - \frac{1}{y^2}} + \frac{1}{xy}}{\sqrt{1 + \frac{1}{x^2}}} \right) -$$

$$\frac{\pi \sqrt{1 + \frac{1}{x^2}} x \sqrt{\frac{(x - \sqrt{1 - \frac{1}{y^2}})^2}{(x^2 + 1)y^2}}}{2 \left( x - \sqrt{1 - \frac{1}{y^2}} \right)} + \pi \left[ 1 - \frac{\sqrt{1 + \frac{1}{x^2}} x y \sqrt{\frac{(x - \sqrt{1 - \frac{1}{y^2}})^2}{(x^2 + 1)y^2}}}{x - \sqrt{1 - \frac{1}{y^2}}} \right] \left[ \frac{\arg \left( \frac{i - \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}} \right) + \arg \left( \sqrt{1 - \frac{1}{y^2}} - \frac{i}{y} \right)}{2\pi} \right] -$$

$$\pi \left[ \frac{\sqrt{1 + \frac{1}{x^2}} x \sqrt{\frac{(x - \sqrt{1 - \frac{1}{y^2}})^2}{(x^2 + 1)y^2}}}{x - \sqrt{1 - \frac{1}{y^2}}} - 1 \right] \left[ \frac{\arg \left( \frac{i - \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}} \right) + \arg \left( \sqrt{1 - \frac{1}{y^2}} - \frac{i}{y} \right) - \pi}{2\pi} \right]$$

01.16.16.0205.01

$\cot^{-1}(x) + \sec^{-1}(y) =$

$$\frac{1}{2} \pi \left[ 1 + 2 \left[ 1 + (-1) \left[ \frac{\arg \left( \frac{\sqrt{1 - \frac{1}{y^2}}}{x} \frac{1}{y}}{\sqrt{1 + \frac{1}{x^2}}} \right)}{\pi} \right] \right] \right] \left[ \frac{\arg \left( \frac{i - \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}} \right) + \arg \left( \sqrt{1 - \frac{1}{y^2}} - \frac{i}{y} \right)}{2\pi} \right] + (-1) \left[ \frac{\arg \left( 1 + \frac{1}{x^2} \right)}{2\pi} + \frac{\arg \left( \sqrt{1 - \frac{1}{y^2}} - \frac{1}{xy} \right)}{\pi} + \frac{1}{2} \right] + \frac{1}{2} \left[ \frac{\arg \left( \frac{\sqrt{1 - \frac{1}{y^2}}}{x} \frac{1}{y}}{\sqrt{1 + \frac{1}{x^2}}} \right)}{\pi} \right] +$$

$$\left( \left( \left( \left( \left( \left( \left( \left( \left( \left( \frac{\arg\left(\frac{\sqrt{1-\frac{1}{y^2}}}{x} - \frac{1}{y}\right)}{\sqrt{1+\frac{1}{x^2}}}\right)}{\pi} \right) \right) \right) \right) \right) \right) \right) \left( \frac{1}{2} - \frac{1}{2} \right) \right) \left( \left( \left( \left( \left( \left( \left( \left( \left( \left( \frac{\arg\left(\frac{\sqrt{1-\frac{1}{y^2}}}{x} - \frac{1}{y}\right)}{\sqrt{1+\frac{1}{x^2}}}\right)}{\pi} \right) \right) \right) \right) \right) \right) \right) \left( \frac{1}{2} - \frac{1}{2} \right) \right) \left( \frac{1}{2} - \frac{\arg\left(\frac{i-\frac{1}{x}}{\sqrt{1+\frac{1}{x^2}}}\right) + \arg\left(\sqrt{1-\frac{1}{y^2}} - \frac{i}{y}\right)}{2\pi} \right) \right)$$

$$\cot^{-1} \frac{\left( \left( \left( \left( \left( \left( \left( \left( \left( \left( \frac{\arg\left(\frac{\sqrt{1-\frac{1}{y^2}}}{x} - \frac{1}{y}\right)}{\sqrt{1+\frac{1}{x^2}}}\right)}{\pi} \right) \right) \right) \right) \right) \right) \right) \left( \frac{1}{2} - \frac{1}{2} \right) \right) \left( \left( \left( \left( \left( \left( \left( \left( \left( \left( \left( \frac{\arg\left(\frac{\sqrt{1-\frac{1}{y^2}}}{x} - \frac{1}{y}\right)}{\sqrt{1+\frac{1}{x^2}}}\right)}{\pi} \right) \right) \right) \right) \right) \right) \right) \left( \frac{1}{2} - \frac{1}{2} \right) \right) \left( \left( \left( \left( \left( \left( \left( \left( \left( \left( \left( -\sqrt{1-\frac{1}{y^2}} - \frac{1}{xy} \right) \right) \right) \right) \right) \right) \right) \right) \left( \frac{1}{2} - \frac{1}{2} \right) \right) \left( \sqrt{1+\frac{1}{x^2}} \sqrt{1-\frac{\left(-\sqrt{1-\frac{1}{y^2}} - \frac{1}{xy}\right)^2}{1+\frac{1}{x^2}}}\right) \right) \right)$$

Involving  $\sinh^{-1}(z)$

01.16.16.0206.01

$$\cot^{-1}(x) + \sinh^{-1}(y) = \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] -$$

$$2i\pi \left( \left[ \frac{-\arg\left(y + \sqrt{y^2 + 1}\right) - \arg\left(\frac{x-i}{x+i}\right)^{i/2} + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(y + \sqrt{y^2 + 1}\right)\right)}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(\log\left(\frac{x-i}{x+i}\right)\right)}{2\pi} \right] \right) +$$

$$\log\left(\frac{x-i}{x+i}\right)^{i/2} \left(y + \sqrt{y^2 + 1}\right)$$

01.16.16.0207.01

$$\cot^{-1}(x) + \sinh^{-1}(y) = \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] -$$

$$2i\pi \left( \left[ \frac{-\arg\left(y + \sqrt{y^2 + 1}\right) - \arg\left(\frac{x-i}{x+i}\right)^{i/2} + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(y + \sqrt{y^2 + 1}\right)\right)}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(\log\left(\frac{x-i}{x+i}\right)\right)}{2\pi} \right] \right) +$$

$$i\pi \left( 1 - (-1)^{\left\lfloor \frac{\arg\left(\left(y + \sqrt{y^2 + 1}\right)\left(\frac{x-i}{x+i}\right)^{i/2} + 1\right)}{2\pi} + \frac{1}{2} \right\rfloor} \right) + 2i \cot^{-1} \left( \frac{i \left( \left(y + \sqrt{y^2 + 1}\right) \left(\frac{x-i}{x+i}\right)^{i/2} + 1 \right)}{\left(\frac{x-i}{x+i}\right)^{i/2} \left(y + \sqrt{y^2 + 1}\right) - 1} \right)$$

01.16.16.0208.01

$$\cot^{-1}(x) + i \sinh^{-1}(y) = - \frac{\sqrt{1 + \frac{1}{x^2}} x \sqrt{\frac{(ixy + \sqrt{y^2 + 1})^2}{x^2 + 1}}}{ixy + \sqrt{y^2 + 1}} \sin^{-1} \left( \frac{\sqrt{y^2 + 1} - \frac{iy}{x}}{\sqrt{1 + \frac{1}{x^2}}} \right) +$$

$$\frac{\pi \sqrt{\frac{(ixy + \sqrt{y^2 + 1})^2}{x^2 + 1}} \sqrt{1 + \frac{1}{x^2}} x}{2(ixy + \sqrt{y^2 + 1})} + \pi \left( \frac{\sqrt{\frac{(ixy + \sqrt{y^2 + 1})^2}{x^2 + 1}} \sqrt{1 + \frac{1}{x^2}} x}{ixy + \sqrt{y^2 + 1}} + 1 \right) \left[ \frac{\arg\left(\frac{i - \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}}\right) + \arg\left(\sqrt{y^2 + 1} - y\right)}{2\pi} \right] -$$

$$\pi \left( \frac{\sqrt{1 + \frac{1}{x^2}} x \sqrt{\frac{(ixy + \sqrt{y^2 + 1})^2}{x^2 + 1}}}{ixy + \sqrt{y^2 + 1}} - 1 \right) \left[ \frac{\arg\left(\frac{i - \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}}\right) + \arg\left(\sqrt{y^2 + 1} - y\right) - \pi}{2\pi} \right]$$

01.16.16.0209.01

$$\cot^{-1}(x) + i \sinh^{-1}(y) = \frac{1}{2} \pi \left[ 2 \left[ 1 + (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\frac{iy + \sqrt{y^2+1}}{x}\right)}{\sqrt{1 + \frac{1}{x^2}}}\rfloor} \right] \frac{\arg\left(\frac{i - \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}}\right) + \arg\left(\sqrt{y^2+1} - y\right)}{2\pi} \right] +$$

$$(-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\frac{iy + \sqrt{y^2+1}}{x}\right)}{\sqrt{1 + \frac{1}{x^2}}}\rfloor} + (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\frac{iy + \sqrt{y^2+1}}{x}\right)}{\sqrt{1 + \frac{1}{x^2}}}\rfloor} \left[ -\frac{\arg\left(1 + \frac{1}{x^2}\right)}{2\pi} + \frac{\arg\left(\frac{iy - \sqrt{y^2+1}}{x}\right)}{\pi} + \frac{1}{2} \right]$$

$$2 \left[ -1 + (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\frac{iy + \sqrt{y^2+1}}{x}\right)}{\sqrt{1 + \frac{1}{x^2}}}\rfloor} \right] \left[ \frac{1}{2} - \frac{\arg\left(\frac{i - \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}}\right) + \arg\left(\sqrt{y^2+1} - y\right)}{2\pi} \right] - \cot^{-1} \left( \frac{(-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\frac{iy + \sqrt{y^2+1}}{x}\right)}{\sqrt{1 + \frac{1}{x^2}}}\rfloor} \left(\frac{iy}{x} - \sqrt{y^2+1}\right)}{\sqrt{1 + \frac{1}{x^2}} \sqrt{1 - \frac{\left(\frac{iy}{x} - \sqrt{y^2+1}\right)^2}{1 + \frac{1}{x^2}}}} \right)$$

Involving  $\cosh^{-1}(z)$



01.16.16.0210.01

$$\cot^{-1}(x) + \cosh^{-1}(y) = \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] -$$

$$2i\pi \left( \left[ \frac{-\arg(y + \sqrt{y-1}\sqrt{y+1}) - \arg\left(\left(\frac{x-i}{x+i}\right)^{i/2}\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}(\log(y + \sqrt{y-1}\sqrt{y+1}))}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}(\log(\frac{x-i}{x+i}))}{2\pi} \right] \right) +$$

$$\log\left(\left(\frac{x-i}{x+i}\right)^{i/2} (y + \sqrt{y-1}\sqrt{y+1})\right)$$

01.16.16.0211.01

$$\cot^{-1}(x) + \cosh^{-1}(y) = \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] -$$

$$2i\pi \left( \left[ \frac{-\arg(y + \sqrt{y-1}\sqrt{y+1}) - \arg\left(\left(\frac{x-i}{x+i}\right)^{i/2}\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}(\log(y + \sqrt{y-1}\sqrt{y+1}))}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}(\log(\frac{x-i}{x+i}))}{2\pi} \right] \right) +$$

$$i\pi \left( 1 - (-1)^{\left\lfloor \frac{\arg\left(\left(\frac{y + \sqrt{y-1}\sqrt{y+1}}\right)\left(\frac{x-i}{x+i}\right)^{i/2} + 1\right)}{2\pi} + \frac{1}{2} \right\rfloor} \right) + 2i \cot^{-1} \left( \frac{i \left( (y + \sqrt{y-1}\sqrt{y+1}) \left(\frac{x-i}{x+i}\right)^{i/2} + 1 \right)}{\left(\frac{x-i}{x+i}\right)^{i/2} (y + \sqrt{y-1}\sqrt{y+1}) - 1} \right)$$

01.16.16.0212.01

$$\cot^{-1}(x) + i \cosh^{-1}(y) = -\cot^{-1} \left( \frac{(-1)^{\lfloor \frac{1}{2} - \frac{\arg \left( \frac{y - \frac{i\sqrt{y-1}\sqrt{y+1}}{x} \right)}{\sqrt{1 + \frac{1}{x^2}}} \right)} \left( \frac{y}{x} + i\sqrt{y-1}\sqrt{y+1} \right)}{\sqrt{1 + \frac{1}{x^2}} \sqrt{1 - \frac{\left( \frac{y + i\sqrt{y-1}\sqrt{y+1}}{x} \right)^2}{1 + \frac{1}{x^2}}}} \right)}{-1} \right)$$

$$\frac{1}{4} \left( 1 - (-1)^{\lfloor -\frac{\arg(1-y)}{2\pi} \rfloor} \right) \pi \left( 2 \left( 1 + (-1)^{\lfloor \frac{1}{2} - \frac{\arg \left( \frac{y - \frac{\sqrt{1-y^2}}{x} \right)}{\sqrt{1 + \frac{1}{x^2}}} \right)} \right) \frac{\arg \left( \frac{i + \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}} \right) + \arg(iy + \sqrt{1-y^2})}{2\pi} \right) +$$

$$\left( (-1)^{\lfloor \frac{1}{2} - \frac{\arg \left( \frac{y - \frac{\sqrt{1-y^2}}{x} \right)}{\sqrt{1 + \frac{1}{x^2}}} \right)} \right) - 2 \left( -1 + (-1)^{\lfloor \frac{1}{2} - \frac{\arg \left( \frac{y - \frac{\sqrt{1-y^2}}{x} \right)}{\sqrt{1 + \frac{1}{x^2}}} \right)} \right) \left( \frac{1}{2} - \frac{\arg \left( \frac{i + \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}} \right) + \arg(iy + \sqrt{1-y^2})}{2\pi} \right) - 1 +$$

$$\frac{1}{4} \left( 1 + (-1)^{\left\lfloor -\frac{\arg(1-y)}{2\pi} \right\rfloor} \right) \pi \left( 2 \left( 1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left( \frac{y + \frac{\sqrt{1-y^2}}{x}}{\sqrt{1 + \frac{1}{x^2}}} \right)}{\pi} \right\rfloor} \right) \left( \frac{\arg\left( \frac{i - \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}} \right) + \arg(iy + \sqrt{1-y^2})}{2\pi} \right) \right) +$$

$$(-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left( \frac{y + \frac{\sqrt{1-y^2}}{x}}{\sqrt{1 + \frac{1}{x^2}}} \right)}{\pi} \right\rfloor} - 2 \left( -1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg\left( \frac{y + \frac{\sqrt{1-y^2}}{x}}{\sqrt{1 + \frac{1}{x^2}}} \right)}{\pi} \right\rfloor} \right) \left( \frac{1}{2} - \frac{\arg\left( \frac{i - \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}} \right) + \arg(iy + \sqrt{1-y^2})}{2\pi} \right) - 1 \right) +$$

$$\frac{1}{2} (-1)^{\left\lfloor -\frac{\arg\left(1 + \frac{1}{x^2}\right)}{2\pi} + \frac{\arg\left(\frac{y}{x} + i\sqrt{y-1}\sqrt{y+1}\right)}{\pi} + \frac{1}{2} \right\rfloor + \frac{1}{2} - \frac{\arg\left(\frac{y - \frac{i\sqrt{y-1}\sqrt{y+1}}{x}}{\sqrt{1 + \frac{1}{x^2}}}\right)}{\pi} \right\rfloor} \pi$$

**Involving  $\tanh^{-1}(z)$**

01.16.16.0213.01

$$\cot^{-1}(x) + \tanh^{-1}(y) = \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] -$$

$$2i\pi \left( \left[ \frac{-\frac{1}{2} \arg(y+1) - \arg\left(\frac{\left(\frac{x-i}{x+i}\right)^{i/2}}{\sqrt{1-y}}\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Im}(\log(y+1))}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\frac{\left(\frac{x-i}{x+i}\right)^{i/2}}{\sqrt{1-y}}\right)\right)}{2\pi} \right] \right) -$$

$$2i\pi \left( \left[ \frac{-\arg\left(\frac{x-i}{x+i}\right)^{i/2} + \frac{1}{2} \arg(1-y) + \pi}{2\pi} \right] + \left[ \frac{\frac{1}{2} \operatorname{Im}(\log(1-y)) + \pi}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(\log\left(\frac{x-i}{x+i}\right)\right)}{2\pi} \right] \right) + \log\left(\frac{\left(\frac{x-i}{x+i}\right)^{i/2} \sqrt{y+1}}{\sqrt{1-y}}\right)$$

01.16.16.0214.01

$$\cot^{-1}(x) + \tanh^{-1}(y) = \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] -$$

$$2i\pi \left( \left[ \frac{-\frac{1}{2} \arg(y+1) - \arg\left(\frac{\left(\frac{x-i}{x+i}\right)^{i/2}}{\sqrt{1-y}}\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Im}(\log(y+1))}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\frac{\left(\frac{x-i}{x+i}\right)^{i/2}}{\sqrt{1-y}}\right)\right)}{2\pi} \right] \right) -$$

$$2i\pi \left( \left[ \frac{-\arg\left(\frac{x-i}{x+i}\right)^{i/2} + \frac{1}{2} \arg(1-y) + \pi}{2\pi} \right] + \left[ \frac{\frac{1}{2} \operatorname{Im}(\log(1-y)) + \pi}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(\log\left(\frac{x-i}{x+i}\right)\right)}{2\pi} \right] \right) +$$

$$i\pi \left( 1 - (-1)^{\left\lfloor \frac{\arg\left(\frac{\sqrt{y+1} \left(\frac{x-i}{x+i}\right)^{i/2}}{\sqrt{1-y}} + 1\right)}{2\pi} + \frac{1}{2} \right\rfloor} \right) + 2i \cot^{-1} \left( \frac{i \left( \frac{\sqrt{y+1} \left(\frac{x-i}{x+i}\right)^{i/2}}{\sqrt{1-y}} + 1 \right)}{\frac{\left(\frac{x-i}{x+i}\right)^{i/2} \sqrt{y+1}}{\sqrt{1-y}} - 1} \right)$$

01.16.16.0215.01

$$\cot^{-1}(x) + i \tanh^{-1}(y) =$$

$$\tan^{-1}\left(\frac{ixy+1}{x-iy}\right) - \pi \left[ \frac{-\arg\left(1 + \frac{i}{x}\right) + \arg\left(1 - \frac{iy}{x}\right) - \arg(1-y) + \pi}{2\pi} \right] + \pi \left[ \frac{-\arg\left(1 - \frac{i}{x}\right) + \arg\left(1 - \frac{iy}{x}\right) - \arg(y+1) + \pi}{2\pi} \right]$$

01.16.16.0216.01

$$\cot^{-1}(x) + i \tanh^{-1}(y) =$$

$$\cot^{-1}\left(\frac{x - iy}{ixy + 1}\right) - \pi \left[ \frac{-\arg\left(1 + \frac{i}{x}\right) + \arg\left(1 - \frac{iy}{x}\right) - \arg(1 - y) + \pi}{2\pi} \right] + \pi \left[ \frac{-\arg\left(1 - \frac{i}{x}\right) + \arg\left(1 - \frac{iy}{x}\right) - \arg(y + 1) + \pi}{2\pi} \right]$$

### Involving $\coth^{-1}(z)$

01.16.16.0217.01

$$\cot^{-1}(x) + \coth^{-1}(y) = \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] -$$

$$2i\pi \left( \left[ \frac{-\frac{1}{2} \arg\left(1 + \frac{1}{y}\right) - \arg\left(\frac{\left(\frac{x-i}{x+i}\right)^{i/2}}{\sqrt{1-\frac{1}{y}}}\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Im}\left(\log\left(1 + \frac{1}{y}\right)\right)}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\frac{\left(\frac{x-i}{x+i}\right)^{i/2}}{\sqrt{1-\frac{1}{y}}}\right)\right)}{2\pi} \right] \right) -$$

$$2i\pi \left( \left[ \frac{-\arg\left(\frac{x-i}{x+i}\right)^{i/2} + \frac{1}{2} \arg\left(1 - \frac{1}{y}\right) + \pi}{2\pi} \right] + \left[ \frac{\frac{1}{2} \operatorname{Im}\left(\log\left(1 - \frac{1}{y}\right)\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(\log\left(\frac{x-i}{x+i}\right)\right)}{2\pi} \right] \right) + \log\left(\frac{\left(\frac{x-i}{x+i}\right)^{i/2} \sqrt{1 + \frac{1}{y}}}{\sqrt{1 - \frac{1}{y}}}\right)$$

01.16.16.0218.01

$$\cot^{-1}(x) + \coth^{-1}(y) = \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] -$$

$$2i\pi \left( \left[ \frac{-\frac{1}{2} \arg\left(1 + \frac{1}{y}\right) - \arg\left(\frac{\left(\frac{x-i}{x+i}\right)^{i/2}}{\sqrt{1-\frac{1}{y}}}\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Im}\left(\log\left(1 + \frac{1}{y}\right)\right)}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\frac{\left(\frac{x-i}{x+i}\right)^{i/2}}{\sqrt{1-\frac{1}{y}}}\right)\right)}{2\pi} \right] \right) -$$

$$2i\pi \left( \left[ \frac{-\arg\left(\frac{x-i}{x+i}\right)^{i/2} + \frac{1}{2} \arg\left(1 - \frac{1}{y}\right) + \pi}{2\pi} \right] + \left[ \frac{\frac{1}{2} \operatorname{Im}\left(\log\left(1 - \frac{1}{y}\right)\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(\log\left(\frac{x-i}{x+i}\right)\right)}{2\pi} \right] \right) +$$

$$i\pi \left( \left[ \frac{\arg\left(\frac{\sqrt{1+\frac{1}{y}} \left(\frac{x-i}{x+i}\right)^{i/2}}{\sqrt{1-\frac{1}{y}}} + 1\right)}{2\pi} + \frac{1}{2} \right]}{1 - (-1)^i} \right] + 2i \cot^{-1} \left( \frac{i \left( \frac{\sqrt{1+\frac{1}{y}} \left(\frac{x-i}{x+i}\right)^{i/2}}{\sqrt{1-\frac{1}{y}}} + 1 \right)}{\frac{\left(\frac{x-i}{x+i}\right)^{i/2} \sqrt{1+\frac{1}{y}}}{\sqrt{1-\frac{1}{y}}} - 1} \right) \right)$$

01.16.16.0219.01

$$\cot^{-1}(x) + i \coth^{-1}(y) =$$

$$\tan^{-1}\left(\frac{ix+y}{-i+xy}\right) + \pi \left[ \frac{-\arg\left(1 - \frac{i}{x}\right) - \arg\left(1 + \frac{1}{y}\right) + \arg\left(1 - \frac{i}{xy}\right) + \pi}{2\pi} \right] - \pi \left[ \frac{-\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{1}{y}\right) + \arg\left(1 - \frac{i}{xy}\right) + \pi}{2\pi} \right]$$

01.16.16.0220.01

$$\cot^{-1}(x) + i \coth^{-1}(y) =$$

$$\cot^{-1}\left(\frac{-i+xy}{ix+y}\right) + \pi \left[ \frac{-\arg\left(1 - \frac{i}{x}\right) - \arg\left(1 + \frac{1}{y}\right) + \arg\left(1 - \frac{i}{xy}\right) + \pi}{2\pi} \right] - \pi \left[ \frac{-\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{1}{y}\right) + \arg\left(1 - \frac{i}{xy}\right) + \pi}{2\pi} \right]$$

### Involving $\operatorname{csch}^{-1}(z)$

01.16.16.0221.01

$$\cot^{-1}(x) + \operatorname{csch}^{-1}(y) = \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] -$$

$$2i\pi \left( \left[ \frac{-\arg\left(\left(\frac{x-i}{x+i}\right)^{i/2}\right) - \arg\left(\sqrt{1 + \frac{1}{y^2} + \frac{1}{y}}\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\sqrt{1 + \frac{1}{y^2} + \frac{1}{y}}\right)\right)}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(\log\left(\frac{x-i}{x+i}\right)\right)}{2\pi} \right] \right) +$$

$$\log\left(\left(\frac{x-i}{x+i}\right)^{i/2} \left(\sqrt{1 + \frac{1}{y^2} + \frac{1}{y}}\right)\right)$$

01.16.16.0222.01

$$\cot^{-1}(x) + \operatorname{csch}^{-1}(y) = \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] -$$

$$2i\pi \left( \left[ \frac{-\arg\left(\left(\frac{x-i}{x+i}\right)^{i/2}\right) - \arg\left(\sqrt{1 + \frac{1}{y^2} + \frac{1}{y}}\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\sqrt{1 + \frac{1}{y^2} + \frac{1}{y}}\right)\right)}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(\log\left(\frac{x-i}{x+i}\right)\right)}{2\pi} \right] \right) +$$

$$i\pi \left( 1 - (-1)^{\left\lfloor \frac{\arg\left(\left(\sqrt{1 + \frac{1}{y^2} + \frac{1}{y}}\right)\left(\frac{x-i}{x+i}\right)^{i/2} + 1\right)}{2\pi} + \frac{1}{2} \right\rfloor} \right) + 2i \cot^{-1} \left( \frac{i \left( \left(\sqrt{1 + \frac{1}{y^2} + \frac{1}{y}}\right)\left(\frac{x-i}{x+i}\right)^{i/2} + 1\right)}{\left(\frac{x-i}{x+i}\right)^{i/2} \left(\sqrt{1 + \frac{1}{y^2} + \frac{1}{y}}\right) - 1} \right)$$

01.16.16.0223.01

$$\cot^{-1}(x) + i \operatorname{csch}^{-1}(y) = \frac{i x \sqrt{1 + \frac{1}{x^2}} \sqrt{-\frac{\left(x-i \sqrt{1+\frac{1}{y^2}} y\right)^2}{(x^2+1)y^2}}}{x-i \sqrt{1+\frac{1}{y^2}} y} \sin^{-1}\left(\frac{\sqrt{1+\frac{1}{y^2}} - \frac{i}{xy}}{\sqrt{1+\frac{1}{x^2}}}\right) -$$

$$\frac{i \pi \sqrt{1 + \frac{1}{x^2}} x \sqrt{-\frac{\left(x-i \sqrt{1+\frac{1}{y^2}} y\right)^2}{(x^2+1)y^2}}}{2\left(x-i \sqrt{1+\frac{1}{y^2}} y\right)} + \pi \left(1 - \frac{i \sqrt{1 + \frac{1}{x^2}} x y \sqrt{-\frac{\left(x-i \sqrt{1+\frac{1}{y^2}} y\right)^2}{(x^2+1)y^2}}}{x-i \sqrt{1+\frac{1}{y^2}} y}\right) \left[\frac{\arg\left(\frac{i-\frac{1}{x}}{\sqrt{1+\frac{1}{x^2}}}\right) + \arg\left(\sqrt{1+\frac{1}{y^2}} - \frac{1}{y}\right)}{2\pi}\right] +$$

$$\pi \left(\frac{i x \sqrt{1 + \frac{1}{x^2}} \sqrt{-\frac{\left(x-i \sqrt{1+\frac{1}{y^2}} y\right)^2}{(x^2+1)y^2}}}{x-i \sqrt{1+\frac{1}{y^2}} y} + 1\right) \left[\frac{\arg\left(\frac{i-\frac{1}{x}}{\sqrt{1+\frac{1}{x^2}}}\right) + \arg\left(\sqrt{1+\frac{1}{y^2}} - \frac{1}{y}\right) - \pi}{2\pi}\right]$$

01.16.16.0224.01

$$\cot^{-1}(x) + i \operatorname{csch}^{-1}(y) =$$

$$-\cot^{-1}\left(\frac{(-1)^{\frac{1}{2}} \left[\frac{\arg\left(\frac{\sqrt{1+\frac{1}{y^2}} + \frac{i}{xy}}{\sqrt{1+\frac{1}{x^2}}}\right)}{\pi}\right]}{\sqrt{1+\frac{1}{x^2}} \sqrt{1-\frac{\left(-\sqrt{1+\frac{1}{y^2}} + \frac{i}{xy}\right)^2}{1+\frac{1}{x^2}}}}\right) + \frac{1}{2} \pi \left[2 + (-1)^{\frac{1}{2}} \left[\frac{\arg\left(\frac{\sqrt{1+\frac{1}{y^2}} + \frac{i}{xy}}{\sqrt{1+\frac{1}{x^2}}}\right)}{\pi}\right]\right] \left[\frac{\arg\left(\frac{i-\frac{1}{x}}{\sqrt{1+\frac{1}{x^2}}}\right) + \arg\left(\sqrt{1+\frac{1}{y^2}} - \frac{1}{y}\right)}{2\pi}\right] +$$

$$\left[\frac{\arg\left(\frac{\sqrt{1+\frac{1}{y^2}} + \frac{i}{xy}}{\sqrt{1+\frac{1}{x^2}}}\right)}{\pi}\right] \left[\frac{\arg\left(\frac{\sqrt{1+\frac{1}{y^2}} + \frac{i}{xy}}{\sqrt{1+\frac{1}{x^2}}}\right)}{\pi}\right]$$



$$\begin{aligned}
 & \left( (-1)^{\frac{1}{2}} \frac{\left| \sqrt{1 + \frac{-i}{x^2}} \right|}{\pi} \right)^{-2} \left( -1 + (-1)^{\frac{1}{2}} \frac{\left| \sqrt{1 + \frac{-i}{x^2}} \right|}{\pi} \right)^{-1} \left( \frac{1}{2} \frac{\arg \left( \frac{i - \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}} \right) + \arg \left( \sqrt{1 + \frac{1}{y^2}} - \frac{1}{y} \right)}{2\pi} \right) + \\
 & \left( -\frac{\arg \left( 1 + \frac{1}{x^2} \right)}{2\pi} + \frac{\arg \left( -\sqrt{1 + \frac{1}{y^2}} + \frac{i}{xy} \right)}{\pi} + \frac{1}{2} \right) \left( \frac{1}{2} \frac{\arg \left( \frac{\sqrt{1 + \frac{1}{y^2}} + \frac{i}{y}}{\sqrt{1 + \frac{1}{x^2}}} \right)}{\pi} \right)^{-1} \\
 & \frac{1}{2} (-1)^{\frac{1}{2}} \pi
 \end{aligned}$$

### Involving $\operatorname{sech}^{-1}(z)$

01.16.16.0225.01

$$\cot^{-1}(x) + \operatorname{sech}^{-1}(y) = \pi \left[ \frac{\arg \left( 1 + \frac{i}{x} \right) - \arg \left( 1 - \frac{i}{x} \right) + \pi}{2\pi} \right] - 2i\pi$$

$$\left( \frac{-\arg \left( \left( \frac{x-i}{x+i} \right)^{i/2} \right) - \arg \left( \sqrt{\frac{1}{y} - 1} \sqrt{1 + \frac{1}{y} + \frac{1}{y}} \right) + \pi}{2\pi} \right) + \left( \frac{\pi - \operatorname{Im} \left( \log \left( \sqrt{\frac{1}{y} - 1} \sqrt{1 + \frac{1}{y} + \frac{1}{y}} \right) \right)}{2\pi} \right) + \left( \frac{\pi - \frac{1}{2} \operatorname{Re} \left( \log \left( \frac{x-i}{x+i} \right) \right)}{2\pi} \right) +$$

$$\log \left( \left( \frac{x-i}{x+i} \right)^{i/2} \left( \sqrt{\frac{1}{y} - 1} \sqrt{1 + \frac{1}{y} + \frac{1}{y}} \right) \right)$$

01.16.16.0226.01

$$\cot^{-1}(x) + \operatorname{sech}^{-1}(y) = \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] - 2i\pi$$

$$\left( \left[ \frac{-\arg\left(\left(\frac{x-i}{x+i}\right)^{i/2}\right) - \arg\left(\sqrt{\frac{1}{y}-1} \sqrt{1+\frac{1}{y}+\frac{1}{y}}\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\sqrt{\frac{1}{y}-1} \sqrt{1+\frac{1}{y}+\frac{1}{y}}\right)\right)}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(\log\left(\frac{x-i}{x+i}\right)\right)}{2\pi} \right] \right) +$$

$$i\pi \left( 1 - (-1)^{\left\lfloor \frac{\arg\left(\left(\sqrt{\frac{1}{y}-1} \sqrt{1+\frac{1}{y}+\frac{1}{y}}\right)\left(\frac{x-i}{x+i}\right)^{i/2} + 1\right)}{2\pi} + \frac{1}{2} \right\rfloor} \right) + 2i \cot^{-1} \left( \frac{i \left( \left(\sqrt{\frac{1}{y}-1} \sqrt{1+\frac{1}{y}+\frac{1}{y}}\right)\left(\frac{x-i}{x+i}\right)^{i/2} + 1 \right)}{\left(\frac{x-i}{x+i}\right)^{i/2} \left( \sqrt{\frac{1}{y}-1} \sqrt{1+\frac{1}{y}+\frac{1}{y}} - 1 \right)} \right)$$

01.16.16.0227.01

$$\cot^{-1}(x) + i \operatorname{sech}^{-1}(y) = -\cot^{-1} \left( \frac{\frac{\frac{1}{2} - \frac{\arg\left(\frac{i\sqrt{\frac{1}{y}-1}\sqrt{1+\frac{1}{y}} + \frac{1}{y}}{x}\right)}{\sqrt{1+\frac{1}{x^2}}}}{\pi}}{(-1)^{\frac{1}{2}} \left( i\sqrt{\frac{1}{y}-1}\sqrt{1+\frac{1}{y}} + \frac{1}{xy} \right)}{\sqrt{1+\frac{1}{x^2}} \sqrt{1 - \frac{\left(i\sqrt{\frac{1}{y}-1}\sqrt{1+\frac{1}{y}} + \frac{1}{xy}\right)^2}{1+\frac{1}{x^2}}}} \right)$$

$$\frac{1}{4} \left( 1 - (-1)^{\left[ \frac{\arg\left(1 - \frac{1}{y}\right)}{2\pi} \right]} \right) \pi \left( 2 \left( 1 + (-1)^{\left[ \frac{\frac{1}{2} - \frac{\arg\left(\frac{\frac{1}{y}\sqrt{1-\frac{1}{y^2}}}{x}\right)}{\sqrt{1+\frac{1}{x^2}}}}{\pi}} \right]} \right) \frac{\arg\left(\frac{i+\frac{1}{x}}{\sqrt{1+\frac{1}{x^2}}}\right) + \arg\left(\sqrt{1-\frac{1}{y^2}} + \frac{i}{y}\right)}{2\pi} \right) +$$

$$\left( (-1)^{\frac{1}{2}} \frac{\arg\left(\frac{1 - \sqrt{1 - \frac{1}{y^2}}}{x}\right)}{\sqrt{1 + \frac{1}{x^2}}} - 2 \left( (-1)^{\frac{1}{2}} \frac{\arg\left(\frac{1 - \sqrt{1 - \frac{1}{y^2}}}{x}\right)}{\sqrt{1 + \frac{1}{x^2}}} + \arg\left(\sqrt{1 - \frac{1}{y^2}} + \frac{i}{y}\right) \right) \right) - 1 +$$

$$\frac{1}{4} \left( 1 + (-1)^{\left\lfloor \frac{\arg\left(1 - \frac{1}{y}\right)}{2\pi} \right\rfloor} \right) \pi \left( 2 \left( 1 + (-1)^{\left\lfloor \frac{\frac{1}{2} - \frac{\arg\left(\frac{\sqrt{1 - \frac{1}{y^2}}}{x} + \frac{1}{y}\right)}{\pi}}{\pi} \right\rfloor} \right) \right) \left( \frac{\arg\left(\frac{i - \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}}\right) + \arg\left(\sqrt{1 - \frac{1}{y^2}} + \frac{i}{y}\right)}{2\pi} \right) +$$

$$(-1)^{\left\lfloor \frac{\frac{1}{2} - \frac{\arg\left(\frac{\sqrt{1 - \frac{1}{y^2}}}{x} + \frac{1}{y}\right)}{\pi}}{\pi} \right\rfloor} \left( -2 \left( -1 + (-1)^{\left\lfloor \frac{\frac{1}{2} - \frac{\arg\left(\frac{\sqrt{1 - \frac{1}{y^2}}}{x} + \frac{1}{y}\right)}{\pi}}{\pi} \right\rfloor} \right) \right) \left( \frac{1}{2} - \frac{\arg\left(\frac{i - \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}}\right) + \arg\left(\sqrt{1 - \frac{1}{y^2}} + \frac{i}{y}\right)}{2\pi} \right) - 1 +$$

$$\frac{1}{2} (-1)^{\left\lfloor \frac{\arg\left(1 + \frac{1}{x^2}\right) + \frac{\arg\left(i\sqrt{\frac{1}{y}-1}\sqrt{1+\frac{1}{xy}} + \frac{1}{xy}\right)}{\pi} + \frac{1}{2}}{\pi} \right\rfloor} + \frac{1}{2} \left( \frac{\arg\left(\frac{i\sqrt{\frac{1}{y}-1}\sqrt{1+\frac{1}{xy}} + \frac{1}{xy}}{x} + \frac{1}{y}\right)}{\pi} \right) \pi$$

**Differences involving the direct function**

### Involving $\log(z)$

01.16.16.0228.01

$$\cot^{-1}(x) - \log(y) = \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] - 2i\pi \left( \left[ \frac{-\arg\left(\frac{x-i}{x+i}\right)^{i/2} - \arg\left(\frac{1}{y}\right) + \pi}{2\pi} \right] + \left[ \frac{\operatorname{Im}(\log(y)) + \pi}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(\log\left(\frac{x-i}{x+i}\right)\right)}{2\pi} \right] \right) + \log\left(\frac{\left(\frac{x-i}{x+i}\right)^{i/2}}{y}\right)$$

01.16.16.0229.01

$$\cot^{-1}(x) - \log(y) = \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] - 2i\pi \left( \left[ \frac{-\arg\left(\frac{x-i}{x+i}\right)^{i/2} - \arg\left(\frac{1}{y}\right) + \pi}{2\pi} \right] + \left[ \frac{\operatorname{Im}(\log(y)) + \pi}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(\log\left(\frac{x-i}{x+i}\right)\right)}{2\pi} \right] \right) + i\pi \left( 1 - (-1)^{\left\lfloor \frac{\arg\left(\frac{x-i}{x+i}\right)^{i/2} + 1}{2\pi} + \frac{1}{2} \right\rfloor} \right) + 2i \cot^{-1}\left(\frac{i\left(\left(\frac{x-i}{x+i}\right)^{i/2} + y\right)}{\left(\frac{x-i}{x+i}\right)^{i/2} - y}\right)$$

### Involving $\sin^{-1}(z)$

01.16.16.0230.01

$$\cot^{-1}(x) - \sin^{-1}(y) = -\frac{\sqrt{1 + \frac{1}{x^2}} \sqrt{\frac{\left(\frac{\sqrt{1-y^2}}{x} - y\right)^2}{1 + \frac{1}{x^2}}}}{\frac{\sqrt{1-y^2}}{x} - y} \sin^{-1}\left(\frac{\frac{y}{x} + \sqrt{1-y^2}}{\sqrt{1 + \frac{1}{x^2}}}\right) + \pi \left( \frac{\sqrt{\frac{\left(\frac{\sqrt{1-y^2}}{x} - y\right)^2}{1 + \frac{1}{x^2}}} \sqrt{1 + \frac{1}{x^2}}}{\frac{\sqrt{1-y^2}}{x} - y} + 1 \right) \left[ \frac{\arg\left(\frac{i - \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}}\right) + \arg\left(\sqrt{1-y^2} - iy\right)}{2\pi} \right] - \pi \left( \frac{\sqrt{1 + \frac{1}{x^2}} \sqrt{\frac{\left(\frac{\sqrt{1-y^2}}{x} - y\right)^2}{1 + \frac{1}{x^2}}}}{\frac{\sqrt{1-y^2}}{x} - y} - 1 \right) \left[ \frac{\arg\left(\frac{i - \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}}\right) + \arg\left(\sqrt{1-y^2} - iy\right) - \pi}{2\pi} \right] + \frac{\pi \sqrt{\frac{\left(\frac{\sqrt{1-y^2}}{x} - y\right)^2}{1 + \frac{1}{x^2}}} \sqrt{1 + \frac{1}{x^2}}}{2\left(\frac{\sqrt{1-y^2}}{x} - y\right)}$$

01.16.16.0231.01

$$\cot^{-1}(x) - \sin^{-1}(y) =$$

$$\cot^{-1} \left( \frac{(-1)^{\left\lfloor \frac{1}{2} - \frac{\arg \left( \frac{\sqrt{1-y^2}-y}{x} \right)}{\sqrt{1+\frac{1}{x^2}}} \right\rfloor} \left( \frac{y+\sqrt{1-y^2}}{x} + \sqrt{1-y^2} \right)}{\sqrt{1+\frac{1}{x^2}} \sqrt{1-\frac{\left( \frac{y+\sqrt{1-y^2}}{x} \right)^2}{1+\frac{1}{x^2}}}} \right) + \frac{1}{2} \pi \left( 1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg \left( \frac{\sqrt{1-y^2}-y}{x} \right)}{\sqrt{1+\frac{1}{x^2}}} \right\rfloor} \right) \frac{\arg \left( \frac{i-\frac{1}{x}}{\sqrt{1+\frac{1}{x^2}}} \right) + \arg(\sqrt{1-y^2} - iy)}{2\pi} \right) +$$

$$(-1)^{\left\lfloor \frac{1}{2} - \frac{\arg \left( \frac{\sqrt{1-y^2}-y}{x} \right)}{\sqrt{1+\frac{1}{x^2}}} \right\rfloor} \left[ -\frac{\arg \left( 1+\frac{1}{x^2} \right)}{2\pi} + \frac{\arg \left( -\frac{y}{x} - \sqrt{1-y^2} \right)}{\pi} + \frac{1}{2} \right] + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg \left( \frac{\sqrt{1-y^2}-y}{x} \right)}{\sqrt{1+\frac{1}{x^2}}} \right\rfloor} \left[ \frac{\arg \left( 1+\frac{1}{x^2} \right)}{2\pi} + \frac{\arg \left( -\frac{y}{x} - \sqrt{1-y^2} \right)}{\pi} + \frac{1}{2} \right]$$

$$2 \left( -1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg \left( \frac{\sqrt{1-y^2}-y}{x} \right)}{\sqrt{1+\frac{1}{x^2}}} \right\rfloor} \right) \left[ \frac{1}{2} - \frac{\arg \left( \frac{i-\frac{1}{x}}{\sqrt{1+\frac{1}{x^2}}} \right) + \arg(\sqrt{1-y^2} - iy)}{2\pi} \right]$$

Involving  $\cos^{-1}(z)$

01.16.16.0232.01

$$\cot^{-1}(x) - \cos^{-1}(y) = -\frac{\pi}{2} - \frac{\sqrt{1 + \frac{1}{x^2}} x \sqrt{\frac{(xy + \sqrt{1-y^2})^2}{x^2+1}}}{xy + \sqrt{1-y^2}} \sin^{-1} \left( \frac{\sqrt{1-y^2} - \frac{y}{x}}{\sqrt{1 + \frac{1}{x^2}}} \right) +$$

$$\frac{\pi \sqrt{\frac{(xy + \sqrt{1-y^2})^2}{x^2+1}} \sqrt{1 + \frac{1}{x^2}} x}{2(xy + \sqrt{1-y^2})} + \pi \left( \frac{\sqrt{\frac{(xy + \sqrt{1-y^2})^2}{x^2+1}} \sqrt{1 + \frac{1}{x^2}} x}{xy + \sqrt{1-y^2}} + 1 \right) \left[ \frac{\arg \left( \frac{i - \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}} \right) + \arg(iy + \sqrt{1-y^2})}{2\pi} \right] -$$

$$\pi \left( \frac{\sqrt{1 + \frac{1}{x^2}} x \sqrt{\frac{(xy + \sqrt{1-y^2})^2}{x^2+1}}}{xy + \sqrt{1-y^2}} - 1 \right) \left[ \frac{\arg \left( \frac{i - \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}} \right) + \arg(iy + \sqrt{1-y^2}) - \pi}{2\pi} \right]$$



01.16.16.0233.01

$$\cot^{-1}(x) - \cos^{-1}(y) = \frac{1}{2} \pi \left[ -1 + 2 \left[ 1 + (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\frac{y + \sqrt{1-y^2}}{x}\right)}{\sqrt{1 + \frac{1}{x^2}}}\rfloor} \right] \frac{\arg\left(\frac{i - \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}}\right) + \arg(iy + \sqrt{1-y^2})}{2\pi} \right] +$$

$$(-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\frac{y + \sqrt{1-y^2}}{x}\right)}{\sqrt{1 + \frac{1}{x^2}}}\rfloor} + (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\frac{y + \sqrt{1-y^2}}{x}\right)}{\sqrt{1 + \frac{1}{x^2}}}\rfloor} \left[ -\frac{\arg\left(1 + \frac{1}{x^2}\right)}{2\pi} + \frac{\arg\left(\frac{y - \sqrt{1-y^2}}{x}\right)}{\pi} + \frac{1}{2} \right]$$

$$\left( 2 \left[ -1 + (-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\frac{y + \sqrt{1-y^2}}{x}\right)}{\sqrt{1 + \frac{1}{x^2}}}\rfloor} \right] \frac{\arg\left(\frac{i - \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}}\right) + \arg(iy + \sqrt{1-y^2})}{2\pi} \right) - \cot^{-1} \left( \frac{(-1)^{\lfloor \frac{1}{2} - \frac{\arg\left(\frac{y + \sqrt{1-y^2}}{x}\right)}{\sqrt{1 + \frac{1}{x^2}}}\rfloor} \left(\frac{y}{x} - \sqrt{1-y^2}\right)}{\sqrt{1 + \frac{1}{x^2}} \sqrt{1 - \frac{\left(\frac{y}{x} - \sqrt{1-y^2}\right)^2}{1 + \frac{1}{x^2}}}} \right)$$

### Involving $\tan^{-1}(z)$

01.16.16.0013.01

$$\cot^{-1}(x) - \tan^{-1}(y) = \tan^{-1}\left(\frac{1 - xy}{x + y}\right) + \frac{\pi}{2} (1 - \operatorname{sgn}(x + y)) \operatorname{sgn}(1 - xy) ; x > 0$$

01.16.16.0014.01

$$\cot^{-1}(x) - \tan^{-1}(y) = \tan^{-1}\left(\frac{1 - xy}{x + y}\right) - \frac{\pi}{2} \operatorname{sgn}(1 - xy) (\operatorname{sgn}(x + y) + 1) ; x < 0$$

01.16.16.0234.01

$$\cot^{-1}(x) - \tan^{-1}(y) = \tan^{-1}\left(\frac{1-xy}{x+y}\right) + \pi \left[ \frac{\arg\left(\frac{y}{x} + 1\right) - \arg\left(1 - \frac{i}{x}\right) - \arg(iy + 1) + \pi}{2\pi} \right] - \pi \left[ \frac{-\arg\left(1 + \frac{i}{x}\right) + \arg\left(\frac{y}{x} + 1\right) - \arg(1 - iy) + \pi}{2\pi} \right]$$

01.16.16.0235.01

$$\cot^{-1}(x) - \tan^{-1}(y) = \tan^{-1}\left(\frac{1-xy}{x+y}\right) - \pi \left[ -\frac{\arg(ix + 1)}{2\pi} \right] + \pi \left[ -\frac{\arg(1 - ix)}{2\pi} \right] + \pi \left[ \frac{3\pi - 2\arg(ix + 1) + 2\arg(x+y) - 2\arg(iy + 1)}{4\pi} \right] - \pi \left[ \frac{\pi - 2\arg(1 - ix) + 2\arg(x+y) - 2\arg(1 - iy)}{4\pi} \right] - \frac{1}{2}\pi \left( \frac{\sqrt{x^2}}{x} + 1 \right)$$

01.16.16.0236.01

$$\cot^{-1}(x) - \tan^{-1}(y) = \cot^{-1}\left(\frac{x+y}{1-xy}\right) + \pi \left[ \frac{\arg\left(\frac{y}{x} + 1\right) - \arg\left(1 - \frac{i}{x}\right) - \arg(iy + 1) + \pi}{2\pi} \right] - \pi \left[ \frac{-\arg\left(1 + \frac{i}{x}\right) + \arg\left(\frac{y}{x} + 1\right) - \arg(1 - iy) + \pi}{2\pi} \right]$$

### Involving $\csc^{-1}(z)$

01.16.16.0237.01

$$\cot^{-1}(x) - \csc^{-1}(y) = \frac{x\sqrt{1+\frac{1}{x^2}}\sqrt{\frac{\left(x-\sqrt{1-\frac{1}{y^2}}y\right)^2}{(x^2+1)y^2}}}{x-\sqrt{1-\frac{1}{y^2}}y} \sin^{-1}\left(\frac{\sqrt{1-\frac{1}{y^2}}+\frac{1}{xy}}{\sqrt{1+\frac{1}{x^2}}}\right) - \frac{\pi\sqrt{1+\frac{1}{x^2}}x\sqrt{\frac{\left(x-\sqrt{1-\frac{1}{y^2}}y\right)^2}{(x^2+1)y^2}}}{2\left(x-\sqrt{1-\frac{1}{y^2}}y\right)} + \pi \left[ 1 - \frac{\sqrt{1+\frac{1}{x^2}}xy\sqrt{\frac{\left(x-\sqrt{1-\frac{1}{y^2}}y\right)^2}{(x^2+1)y^2}}}{x-\sqrt{1-\frac{1}{y^2}}y} \right] \left[ \frac{\arg\left(\frac{i-\frac{1}{x}}{\sqrt{1+\frac{1}{x^2}}}\right) + \arg\left(\sqrt{1-\frac{1}{y^2}} - \frac{i}{y}\right)}{2\pi} \right] - \pi \left[ \frac{\sqrt{1+\frac{1}{x^2}}x\sqrt{\frac{\left(x-\sqrt{1-\frac{1}{y^2}}y\right)^2}{(x^2+1)y^2}}}{x-\sqrt{1-\frac{1}{y^2}}y} - 1 \right] \left[ \frac{\arg\left(\frac{i-\frac{1}{x}}{\sqrt{1+\frac{1}{x^2}}}\right) + \arg\left(\sqrt{1-\frac{1}{y^2}} - \frac{i}{y}\right) - \pi}{2\pi} \right]$$

01.16.16.0238.01

$$\cot^{-1}(x) - \csc^{-1}(y) = \left( \left( \left( \left( \left( \left( \frac{\sqrt{1-\frac{1}{y^2}}}{x} \frac{1}{y} \right) \right) \right) \right) \right) \right) \left[ \frac{\arg\left(\frac{i-\frac{1}{x}}{\sqrt{1+\frac{1}{x^2}}}\right) + \arg\left(\sqrt{1-\frac{1}{y^2}} - \frac{i}{y}\right) - \pi}{2\pi} \right]$$

$$\left( \left( \frac{1}{2} \pi \right) \left( 2 \left( 1 + (-1)^{\left( \frac{\arg\left( \frac{i - \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}}\right) + \arg\left( \sqrt{1 - \frac{1}{y^2}} - \frac{i}{y} \right)}{2\pi} \right)} \right) \right) \right) + (-1)^{\left( \frac{\arg\left( \frac{i - \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}}\right) + \arg\left( \sqrt{1 - \frac{1}{y^2}} - \frac{i}{y} \right)}{2\pi} \right)} \left( \frac{1}{2} \pi \right) \right)$$

$$\left( (-1)^{\left( \frac{\arg\left( \frac{\sqrt{1 - \frac{1}{y^2}}}{x} - \frac{1}{y} \right)}{\sqrt{1 + \frac{1}{x^2}} \pi} \right)} \right) \left( -2 \left( -1 + (-1)^{\left( \frac{\arg\left( \frac{\sqrt{1 - \frac{1}{y^2}}}{x} - \frac{1}{y} \right)}{\sqrt{1 + \frac{1}{x^2}} \pi} \right)} \right) \right) \left( \frac{1}{2} \pi - \frac{\arg\left( \frac{i - \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}}\right) + \arg\left( \sqrt{1 - \frac{1}{y^2}} - \frac{i}{y} \right)}{2\pi} \right)$$

$$\cot^{-1} \frac{(-1)^{\left( \frac{\arg\left( \frac{\sqrt{1 - \frac{1}{y^2}}}{x} - \frac{1}{y} \right)}{\sqrt{1 + \frac{1}{x^2}} \pi} \right)} \left( -\sqrt{1 - \frac{1}{y^2}} - \frac{1}{xy} \right)}{\sqrt{1 + \frac{1}{x^2}} \sqrt{1 - \frac{\left( -\sqrt{1 - \frac{1}{y^2}} - \frac{1}{xy} \right)^2}{1 + \frac{1}{x^2}}}}$$



### Involving $\sec^{-1}(z)$

01.16.16.0239.01

$$\cot^{-1}(x) - \sec^{-1}(y) = -\frac{\pi}{2} - \frac{\sqrt{1 + \frac{1}{x^2}} x \sqrt{\frac{(x+y\sqrt{1-\frac{1}{y^2}})^2}{(x^2+1)y^2}}}{x+y\sqrt{1-\frac{1}{y^2}}} \sin^{-1}\left(\frac{\sqrt{1-\frac{1}{y^2}} - \frac{1}{xy}}{\sqrt{1+\frac{1}{x^2}}}\right) +$$

$$\frac{\pi x \sqrt{1 + \frac{1}{x^2}} \sqrt{\frac{(x+y\sqrt{1-\frac{1}{y^2}})^2}{(x^2+1)y^2}}}{2\left(x+y\sqrt{1-\frac{1}{y^2}}\right)} + \pi \left[ \frac{x \sqrt{1 + \frac{1}{x^2}} \sqrt{\frac{(x+y\sqrt{1-\frac{1}{y^2}})^2}{(x^2+1)y^2}}}{x+y\sqrt{1-\frac{1}{y^2}}} + 1 \right] \left[ \frac{\arg\left(\frac{i-\frac{1}{x}}{\sqrt{1+\frac{1}{x^2}}}\right) + \arg\left(\sqrt{1-\frac{1}{y^2}} + \frac{i}{y}\right)}{2\pi} \right] -$$

$$\pi \left[ \frac{\sqrt{1 + \frac{1}{x^2}} x y \sqrt{\frac{(x+y\sqrt{1-\frac{1}{y^2}})^2}{(x^2+1)y^2}}}{x+y\sqrt{1-\frac{1}{y^2}}} - 1 \right] \left[ \frac{\arg\left(\frac{i-\frac{1}{x}}{\sqrt{1+\frac{1}{x^2}}}\right) + \arg\left(\sqrt{1-\frac{1}{y^2}} + \frac{i}{y}\right) - \pi}{2\pi} \right]$$

01.16.16.0240.01

$$\cot^{-1}(x) - \sec^{-1}(y) = \frac{1}{2} \pi \left[ -1 + 2 \left[ 1 + (-1) \left[ \frac{\frac{1}{2} - \frac{\arg\left(\frac{\sqrt{1-\frac{1}{y^2}}}{x} + \frac{1}{y}\right)}{\sqrt{1+\frac{1}{x^2}}}}{\pi} \right] \right] \right] \left[ \frac{\arg\left(\frac{i-\frac{1}{x}}{\sqrt{1+\frac{1}{x^2}}}\right) + \arg\left(\sqrt{1-\frac{1}{y^2}} + \frac{i}{y}\right)}{2\pi} \right] +$$

$$\begin{aligned}
 & \left( (-1)^{\frac{1}{2}} \frac{\arg \left( \frac{\sqrt{1-\frac{1}{y^2}} + \frac{1}{y}}{x} \sqrt{1+\frac{1}{x^2}} \right)}{\pi} \right) + (-1)^{\frac{1}{2}} \frac{\arg \left( \frac{\sqrt{1-\frac{1}{y^2}} + \frac{1}{y}}{x} \sqrt{1+\frac{1}{x^2}} \right)}{\pi} \\
 & + \left[ -\frac{\arg \left( 1+\frac{1}{x^2} \right)}{2\pi} + \frac{\arg \left( \frac{1}{xy} \sqrt{1-\frac{1}{y^2}} \right)}{\pi} + \frac{1}{2} \right] \\
 & - 2 \left( -1 + (-1)^{\frac{1}{2}} \frac{\arg \left( \frac{\sqrt{1-\frac{1}{y^2}} + \frac{1}{y}}{x} \sqrt{1+\frac{1}{x^2}} \right)}{\pi} \right)
 \end{aligned}$$

$$\left[ \frac{\frac{1}{2} \frac{\arg \left( \frac{i-\frac{1}{x}}{\sqrt{1+\frac{1}{x^2}}} \right) + \arg \left( \sqrt{1-\frac{1}{y^2}} + \frac{i}{y} \right)}{2\pi}}{-\cot^{-1} \left( \frac{(-1)^{\frac{1}{2}} \frac{\arg \left( \frac{\sqrt{1-\frac{1}{y^2}} + \frac{1}{y}}{x} \sqrt{1+\frac{1}{x^2}} \right)}{\pi} \left( \frac{1}{xy} - \sqrt{1-\frac{1}{y^2}} \right)}{\sqrt{1+\frac{1}{x^2}} \sqrt{1-\frac{\left( \frac{1}{xy} - \sqrt{1-\frac{1}{y^2}} \right)^2}{1+\frac{1}{x^2}}}} \right)} \right]$$

Involving  $\sinh^{-1}(z)$

01.16.16.0241.01

$$\cot^{-1}(x) - \sinh^{-1}(y) = \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] -$$

$$2i\pi \left( \left[ \frac{-\arg\left(\frac{1}{y + \sqrt{y^2 + 1}}\right) - \arg\left(\left(\frac{x-i}{x+i}\right)^{i/2}\right) + \pi}{2\pi} \right] + \left[ \frac{\operatorname{Im}\left(\log\left(y + \sqrt{y^2 + 1}\right)\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(\log\left(\frac{x-i}{x+i}\right)\right)}{2\pi} \right] \right) + \log\left(\frac{\left(\frac{x-i}{x+i}\right)^{i/2}}{y + \sqrt{y^2 + 1}}\right)$$

01.16.16.0242.01

$$\cot^{-1}(x) - \sinh^{-1}(y) = \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] -$$

$$2i\pi \left( \left[ \frac{-\arg\left(\frac{1}{y + \sqrt{y^2 + 1}}\right) - \arg\left(\left(\frac{x-i}{x+i}\right)^{i/2}\right) + \pi}{2\pi} \right] + \left[ \frac{\operatorname{Im}\left(\log\left(y + \sqrt{y^2 + 1}\right)\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(\log\left(\frac{x-i}{x+i}\right)\right)}{2\pi} \right] \right) +$$

$$i\pi \left( 1 - (-1)^{\left\lfloor \frac{\arg\left(\frac{\left(\frac{x-i}{x+i}\right)^{i/2}}{y + \sqrt{y^2 + 1}} + 1\right)}{2\pi} + \frac{1}{2} \right\rfloor} \right) + 2i \cot^{-1} \left( \frac{i \left( \frac{\left(\frac{x-i}{x+i}\right)^{i/2}}{y + \sqrt{y^2 + 1}} + 1 \right)}{\frac{\left(\frac{x-i}{x+i}\right)^{i/2}}{y + \sqrt{y^2 + 1}} - 1} \right)$$

01.16.16.0243.01

$$\cot^{-1}(x) - i \sinh^{-1}(y) = -\frac{\sqrt{1 + \frac{1}{x^2}} \sqrt{\frac{(\sqrt{y^2+1} - ixy)^2}{x^2+1}} x}{\sqrt{y^2+1} - ixy} \sin^{-1} \left( \frac{\frac{iy}{x} + \sqrt{y^2+1}}{\sqrt{1 + \frac{1}{x^2}}} \right) +$$

$$\frac{\pi \sqrt{\frac{(\sqrt{y^2+1} - ixy)^2}{x^2+1}} \sqrt{1 + \frac{1}{x^2}} x}{2(\sqrt{y^2+1} - ixy)} + \pi \left( \frac{\sqrt{\frac{(\sqrt{y^2+1} - ixy)^2}{x^2+1}} \sqrt{1 + \frac{1}{x^2}} x}{\sqrt{y^2+1} - ixy} + 1 \right) \left| \frac{\arg \left( \frac{i-\frac{1}{x}}{\sqrt{1+\frac{1}{x^2}}} \right) + \arg(y + \sqrt{y^2+1})}{2\pi} \right| -$$

$$\pi \left( \frac{\sqrt{1 + \frac{1}{x^2}} x \sqrt{\frac{(\sqrt{y^2+1} - ixy)^2}{x^2+1}}}{\sqrt{y^2+1} - ixy} - 1 \right) \left| \frac{\arg \left( \frac{i-\frac{1}{x}}{\sqrt{1+\frac{1}{x^2}}} \right) + \arg(y + \sqrt{y^2+1}) - \pi}{2\pi} \right|$$

01.16.16.0244.01

$$\cot^{-1}(x) - i \sinh^{-1}(y) =$$

$$\cot^{-1} \left( \frac{(-1)^{\left\lfloor \frac{1}{2} - \frac{\arg \left( \frac{\sqrt{y^2+1}-iy}{\sqrt{1+\frac{1}{x^2}}} \right)}{\pi} \right\rfloor} \left( \frac{iy + \sqrt{y^2+1}}{x} + \sqrt{y^2+1} \right)}{\sqrt{1+\frac{1}{x^2}} \sqrt{1 - \frac{\left( \frac{iy + \sqrt{y^2+1}}{x} \right)^2}{1+\frac{1}{x^2}}}} \right) + \frac{1}{2} \pi \left( 1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg \left( \frac{\sqrt{y^2+1}-iy}{\sqrt{1+\frac{1}{x^2}}} \right)}{\pi} \right\rfloor} \right) \frac{\arg \left( \frac{i-\frac{1}{x}}{\sqrt{1+\frac{1}{x^2}}} \right) + \arg(y + \sqrt{y^2+1})}{2\pi} \right) +$$

$$\frac{(-1)^{\left\lfloor \frac{1}{2} - \frac{\arg \left( \frac{\sqrt{y^2+1}-iy}{\sqrt{1+\frac{1}{x^2}}} \right)}{\pi} \right\rfloor}}{\pi} \left[ -\frac{\arg \left( 1+\frac{1}{x^2} \right)}{2\pi} + \frac{\arg \left( -\frac{iy - \sqrt{y^2+1}}{x} \right)}{\pi} + \frac{1}{2} \right] + \frac{1}{2} - \frac{\arg \left( \frac{\sqrt{y^2+1}-iy}{\sqrt{1+\frac{1}{x^2}}} \right)}{\pi}$$

$$2 \left( -1 + (-1)^{\left\lfloor \frac{1}{2} - \frac{\arg \left( \frac{\sqrt{y^2+1}-iy}{\sqrt{1+\frac{1}{x^2}}} \right)}{\pi} \right\rfloor} \right) \frac{\arg \left( \frac{i-\frac{1}{x}}{\sqrt{1+\frac{1}{x^2}}} \right) + \arg(y + \sqrt{y^2+1})}{2\pi}$$

Involving  $\cosh^{-1}(z)$



01.16.16.0245.01

$$\cot^{-1}(x) - \cosh^{-1}(y) = \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] -$$

$$2i\pi \left( \left[ \frac{-\arg\left(\frac{1}{y + \sqrt{y-1}\sqrt{y+1}}\right) - \arg\left(\left(\frac{x-i}{x+i}\right)^{i/2}\right) + \pi}{2\pi} \right] + \left[ \frac{\operatorname{Im}(\log(y + \sqrt{y-1}\sqrt{y+1})) + \pi}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}(\log(\frac{x-i}{x+i}))}{2\pi} \right] \right) +$$

$$\log\left(\frac{\left(\frac{x-i}{x+i}\right)^{i/2}}{y + \sqrt{y-1}\sqrt{y+1}}\right)$$

01.16.16.0246.01

$$\cot^{-1}(x) - \cosh^{-1}(y) = \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] -$$

$$2i\pi \left( \left[ \frac{-\arg\left(\frac{1}{y + \sqrt{y-1}\sqrt{y+1}}\right) - \arg\left(\left(\frac{x-i}{x+i}\right)^{i/2}\right) + \pi}{2\pi} \right] + \left[ \frac{\operatorname{Im}(\log(y + \sqrt{y-1}\sqrt{y+1})) + \pi}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}(\log(\frac{x-i}{x+i}))}{2\pi} \right] \right) +$$

$$i\pi \left( 1 - (-1)^{\left\lfloor \frac{\arg\left(\frac{\left(\frac{x-i}{x+i}\right)^{i/2}}{y + \sqrt{y-1}\sqrt{y+1}} + 1\right)}{2\pi} + \frac{1}{2} \right\rfloor} \right) + 2i \cot^{-1} \left( \frac{i \left( \frac{\left(\frac{x-i}{x+i}\right)^{i/2}}{y + \sqrt{y-1}\sqrt{y+1}} + 1 \right)}{\frac{\left(\frac{x-i}{x+i}\right)^{i/2}}{y + \sqrt{y-1}\sqrt{y+1}} - 1} \right)$$

01.16.16.0247.01

$$\cot^{-1}(x) - i \cosh^{-1}(y) = \cot^{-1} \left( \frac{(-1)^{\lfloor \frac{1}{2} - \frac{\arg \left( \frac{y + \frac{i\sqrt{y-1}\sqrt{y+1}}{x} \right)}{\pi} \rfloor} \left( -\frac{y}{x} + i\sqrt{y-1}\sqrt{y+1} \right)}{\sqrt{1 + \frac{1}{x^2}} \sqrt{1 - \frac{\left( -\frac{y}{x} + i\sqrt{y-1}\sqrt{y+1} \right)^2}{1 + \frac{1}{x^2}}}} \right)}{-} \right)$$

$$\frac{1}{4} \left( 1 + (-1)^{\lfloor -\frac{\arg(1-y)}{2\pi} \rfloor} \right) \pi \left( 2 \left( 1 + (-1)^{\lfloor \frac{1}{2} - \frac{\arg \left( \frac{y - \frac{\sqrt{1-y^2}}{x} \right)}{\pi} \rfloor} \right) \frac{\arg \left( \frac{i + \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}} \right) + \arg(iy + \sqrt{1-y^2})}{2\pi} \right) + \right)$$

$$\left( (-1)^{\lfloor \frac{1}{2} - \frac{\arg \left( \frac{y - \frac{\sqrt{1-y^2}}{x} \right)}{\pi} \rfloor} \right) - 2 \left( -1 + (-1)^{\lfloor \frac{1}{2} - \frac{\arg \left( \frac{y - \frac{\sqrt{1-y^2}}{x} \right)}{\pi} \rfloor} \right) \left( \frac{1}{2} - \frac{\arg \left( \frac{i + \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}} \right) + \arg(iy + \sqrt{1-y^2})}{2\pi} \right) - 1 + \right)$$

$$\frac{1}{4} \left( 1 - (-1)^{\left\lfloor -\frac{\arg(1-y)}{2\pi} \right\rfloor} \right) \pi \left( 2 \left( 1 + (-1)^{\left\lfloor \frac{\frac{1}{2} - \frac{\arg\left(\frac{y + \sqrt{1-y^2}}{x}\right)}{\sqrt{1 + \frac{1}{x^2}}}\right)}{\pi} \right\rfloor} \right) \left( \frac{\arg\left(\frac{i - \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}}\right) + \arg(iy + \sqrt{1-y^2})}{2\pi} \right) \right) +$$

$$(-1)^{\left\lfloor \frac{\frac{1}{2} - \frac{\arg\left(\frac{y + \sqrt{1-y^2}}{x}\right)}{\sqrt{1 + \frac{1}{x^2}}}\right)}{\pi} \right\rfloor} - 2 \left( -1 + (-1)^{\left\lfloor \frac{\frac{1}{2} - \frac{\arg\left(\frac{y + \sqrt{1-y^2}}{x}\right)}{\sqrt{1 + \frac{1}{x^2}}}\right)}{\pi} \right\rfloor} \right) \left( \frac{1}{2} - \frac{\arg\left(\frac{i - \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}}\right) + \arg(iy + \sqrt{1-y^2})}{2\pi} \right) - 1 \right) -$$

$$\frac{1}{2} (-1)^{\left\lfloor -\frac{\arg\left(1 + \frac{1}{x^2}\right)}{2\pi} + \frac{\arg\left(-\frac{y}{x} + i\sqrt{y-1}\sqrt{y+1}\right)}{\pi} + \frac{1}{2} \right\rfloor} + \frac{1}{2} \left( \frac{\arg\left(\frac{i\sqrt{y-1}\sqrt{y+1}}{x}\right)}{\sqrt{1 + \frac{1}{x^2}}}\right) \right) \pi$$

**Involving  $\tanh^{-1}(z)$**

01.16.16.0248.01

$$\cot^{-1}(x) - \tanh^{-1}(y) = \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] -$$

$$2i\pi \left( \left[ \frac{\frac{1}{2} \arg(y+1) - \arg\left(\left(\frac{x-i}{x+i}\right)^{i/2} \sqrt{1-y}\right) + \pi}{2\pi} \right] + \left[ \frac{\frac{1}{2} \operatorname{Im}(\log(y+1)) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\left(\frac{x-i}{x+i}\right)^{i/2} \sqrt{1-y}\right)\right)}{2\pi} \right] \right) -$$

$$2i\pi \left( \left[ \frac{-\arg\left(\left(\frac{x-i}{x+i}\right)^{i/2}\right) - \frac{1}{2} \arg(1-y) + \pi}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Im}(\log(1-y))}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(\log\left(\frac{x-i}{x+i}\right)\right)}{2\pi} \right] \right) + \log\left(\frac{\left(\frac{x-i}{x+i}\right)^{i/2} \sqrt{1-y}}{\sqrt{y+1}}\right)$$

01.16.16.0249.01

$$\cot^{-1}(x) - \tanh^{-1}(y) = \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] -$$

$$2i\pi \left( \left[ \frac{\frac{1}{2} \arg(y+1) - \arg\left(\left(\frac{x-i}{x+i}\right)^{i/2} \sqrt{1-y}\right) + \pi}{2\pi} \right] + \left[ \frac{\frac{1}{2} \operatorname{Im}(\log(y+1)) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\left(\frac{x-i}{x+i}\right)^{i/2} \sqrt{1-y}\right)\right)}{2\pi} \right] \right) -$$

$$2i\pi \left( \left[ \frac{-\arg\left(\left(\frac{x-i}{x+i}\right)^{i/2}\right) - \frac{1}{2} \arg(1-y) + \pi}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Im}(\log(1-y))}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(\log\left(\frac{x-i}{x+i}\right)\right)}{2\pi} \right] \right) +$$

$$i\pi \left( 1 - (-1)^{\left\lfloor \frac{\arg\left(\frac{\sqrt{1-y} \left(\frac{x-i}{x+i}\right)^{i/2}}{\sqrt{y+1}} + 1\right)}{2\pi} + \frac{1}{2} \right\rfloor} \right) + 2i \cot^{-1} \left( \frac{i \left( \frac{\sqrt{1-y} \left(\frac{x-i}{x+i}\right)^{i/2}}{\sqrt{y+1}} + 1 \right)}{\frac{\left(\frac{x-i}{x+i}\right)^{i/2} \sqrt{1-y}}{\sqrt{y+1}} - 1} \right)$$

01.16.16.0250.01

$$\cot^{-1}(x) - i \tanh^{-1}(y) =$$

$$\tan^{-1}\left(\frac{1 - ixy}{x + iy}\right) + \pi \left[ \frac{\arg\left(\frac{iy}{x} + 1\right) - \arg\left(1 - \frac{i}{x}\right) - \arg(1-y) + \pi}{2\pi} \right] - \pi \left[ \frac{-\arg\left(1 + \frac{i}{x}\right) + \arg\left(\frac{iy}{x} + 1\right) - \arg(y+1) + \pi}{2\pi} \right]$$

01.16.16.0251.01

$$\cot^{-1}(x) - i \tanh^{-1}(y) =$$

$$\cot^{-1}\left(\frac{x + iy}{1 - ixy}\right) + \pi \left[ \frac{\arg\left(\frac{iy}{x} + 1\right) - \arg\left(1 - \frac{i}{x}\right) - \arg(1-y) + \pi}{2\pi} \right] - \pi \left[ \frac{-\arg\left(1 + \frac{i}{x}\right) + \arg\left(\frac{iy}{x} + 1\right) - \arg(y+1) + \pi}{2\pi} \right]$$

### Involving $\coth^{-1}(z)$

01.16.16.0252.01

$$\cot^{-1}(x) - \coth^{-1}(y) = \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] -$$

$$2i\pi \left( \left[ \frac{\frac{1}{2} \arg\left(1 + \frac{1}{y}\right) - \arg\left(\frac{x-i}{x+i}\right)^{i/2} \sqrt{1 - \frac{1}{y}} + \pi}{2\pi} \right] + \left[ \frac{\frac{1}{2} \operatorname{Im}\left(\log\left(1 + \frac{1}{y}\right)\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\frac{x-i}{x+i}\right)^{i/2} \sqrt{1 - \frac{1}{y}}\right)}{2\pi} \right] \right) -$$

$$2i\pi \left( \left[ \frac{-\arg\left(\frac{x-i}{x+i}\right)^{i/2} - \frac{1}{2} \arg\left(1 - \frac{1}{y}\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Im}\left(\log\left(1 - \frac{1}{y}\right)\right)}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(\log\left(\frac{x-i}{x+i}\right)\right)}{2\pi} \right] \right) + \log\left(\frac{\left(\frac{x-i}{x+i}\right)^{i/2} \sqrt{1 - \frac{1}{y}}}{\sqrt{1 + \frac{1}{y}}}\right)$$

01.16.16.0253.01

$$\cot^{-1}(x) - \coth^{-1}(y) = \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] -$$

$$2i\pi \left( \left[ \frac{\frac{1}{2} \arg\left(1 + \frac{1}{y}\right) - \arg\left(\frac{x-i}{x+i}\right)^{i/2} \sqrt{1 - \frac{1}{y}} + \pi}{2\pi} \right] + \left[ \frac{\frac{1}{2} \operatorname{Im}\left(\log\left(1 + \frac{1}{y}\right)\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\frac{x-i}{x+i}\right)^{i/2} \sqrt{1 - \frac{1}{y}}\right)}{2\pi} \right] \right) -$$

$$2i\pi \left( \left[ \frac{-\arg\left(\frac{x-i}{x+i}\right)^{i/2} - \frac{1}{2} \arg\left(1 - \frac{1}{y}\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Im}\left(\log\left(1 - \frac{1}{y}\right)\right)}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(\log\left(\frac{x-i}{x+i}\right)\right)}{2\pi} \right] \right) +$$

$$i\pi \left( 1 - (-1)^{\left[ \frac{\arg\left(\frac{\sqrt{1 - \frac{1}{y}} \left(\frac{x-i}{x+i}\right)^{i/2} + 1}{\sqrt{1 + \frac{1}{y}}}\right) + \frac{1}{2}}{2\pi} \right]} \right) + 2i \cot^{-1}\left(\frac{i \left(\frac{\sqrt{1 - \frac{1}{y}} \left(\frac{x-i}{x+i}\right)^{i/2} + 1}{\sqrt{1 + \frac{1}{y}}}\right)}{\frac{\left(\frac{x-i}{x+i}\right)^{i/2} \sqrt{1 - \frac{1}{y}}}{\sqrt{1 + \frac{1}{y}}} - 1}\right)$$

01.16.16.0254.01

$$\cot^{-1}(x) - i \coth^{-1}(y) =$$

$$\tan^{-1}\left(\frac{y - ix}{i + xy}\right) - \pi \left[ \frac{-\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 + \frac{1}{y}\right) + \arg\left(1 + \frac{i}{xy}\right) + \pi}{2\pi} \right] + \pi \left[ \frac{-\arg\left(1 - \frac{i}{x}\right) - \arg\left(1 - \frac{1}{y}\right) + \arg\left(1 + \frac{i}{xy}\right) + \pi}{2\pi} \right]$$

01.16.16.0255.01

$$\cot^{-1}(x) - i \coth^{-1}(y) =$$

$$\cot^{-1}\left(\frac{i + xy}{y - ix}\right) - \pi \left[ \frac{-\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 + \frac{1}{y}\right) + \arg\left(1 + \frac{i}{xy}\right) + \pi}{2\pi} \right] + \pi \left[ \frac{-\arg\left(1 - \frac{i}{x}\right) - \arg\left(1 - \frac{1}{y}\right) + \arg\left(1 + \frac{i}{xy}\right) + \pi}{2\pi} \right]$$

### Involving $\operatorname{csch}^{-1}(z)$

01.16.16.0256.01

$$\cot^{-1}(x) - \operatorname{csch}^{-1}(y) = \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] -$$

$$2i\pi \left( \left[ \frac{-\arg\left(\left(\frac{x-i}{x+i}\right)^{i/2}\right) - \arg\left(\frac{1}{\sqrt{1 + \frac{1}{y^2} + \frac{1}{y}}}\right) + \pi}{2\pi} \right] + \left[ \frac{\operatorname{Im}\left(\log\left(\sqrt{1 + \frac{1}{y^2} + \frac{1}{y}}\right)\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(\log\left(\frac{x-i}{x+i}\right)\right)}{2\pi} \right] \right) + \log\left(\frac{\left(\frac{x-i}{x+i}\right)^{i/2}}{\sqrt{1 + \frac{1}{y^2} + \frac{1}{y}}}\right)$$

01.16.16.0257.01

$$\cot^{-1}(x) - \operatorname{csch}^{-1}(y) = \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] -$$

$$2i\pi \left( \left[ \frac{-\arg\left(\frac{x-i}{x+i}\right)^{i/2} - \arg\left(\frac{1}{\sqrt{1+\frac{1}{y^2} + \frac{1}{y}}}\right) + \pi}{2\pi} \right] + \left[ \frac{\operatorname{Im}\left(\log\left(\sqrt{1+\frac{1}{y^2} + \frac{1}{y}}\right)\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(\log\left(\frac{x-i}{x+i}\right)\right)}{2\pi} \right] \right) +$$

$$i\pi \left( 1 - (-1)^{\left[ \frac{\arg\left(\frac{x-i}{x+i}\right)^{i/2} + 1}{2\pi} + \frac{1}{2} \right]} \right) + 2i \cot^{-1} \left( \frac{i \left( \frac{(x-i)^{i/2}}{\sqrt{1+\frac{1}{y^2} + \frac{1}{y}}} + 1 \right)}{\frac{(x-i)^{i/2}}{\sqrt{1+\frac{1}{y^2} + \frac{1}{y}}} - 1} \right)$$

01.16.16.0258.01

$$\cot^{-1}(x) - i \operatorname{csch}^{-1}(y) = - \frac{i \sqrt{1 + \frac{1}{x^2}} x \sqrt{-\frac{(x+iy \sqrt{1+\frac{1}{y^2}})^2}{(x^2+1)y^2}} y}{x + iy \sqrt{1 + \frac{1}{y^2}}} \sin^{-1} \left( \frac{\sqrt{1 + \frac{1}{y^2} + \frac{i}{xy}}}{\sqrt{1 + \frac{1}{x^2}}} \right) +$$

$$\frac{i\pi x \sqrt{1 + \frac{1}{x^2}} \sqrt{-\frac{(x+iy \sqrt{1+\frac{1}{y^2}})^2}{(x^2+1)y^2}} y}{2(x + iy \sqrt{1 + \frac{1}{y^2}})} + \pi \left( \frac{ix \sqrt{1 + \frac{1}{x^2}} \sqrt{-\frac{(x+iy \sqrt{1+\frac{1}{y^2}})^2}{(x^2+1)y^2}} y}{x + iy \sqrt{1 + \frac{1}{y^2}}} + 1 \right) \left[ \frac{\arg\left(\frac{i-\frac{1}{x}}{\sqrt{1+\frac{1}{x^2}}}\right) + \arg\left(\sqrt{1 + \frac{1}{y^2} + \frac{1}{y}}\right)}{2\pi} \right] +$$

$$\pi \left( 1 - \frac{i \sqrt{1 + \frac{1}{x^2}} x y \sqrt{-\frac{(x+iy \sqrt{1+\frac{1}{y^2}})^2}{(x^2+1)y^2}}}{x + iy \sqrt{1 + \frac{1}{y^2}}} \right) \left[ \frac{\arg\left(\frac{i-\frac{1}{x}}{\sqrt{1+\frac{1}{x^2}}}\right) + \arg\left(\sqrt{1 + \frac{1}{y^2} + \frac{1}{y}}\right) - \pi}{2\pi} \right]$$

01.16.16.0259.01

$$\cot^{-1}(x) - i \operatorname{csch}^{-1}(y) =$$

$$\left( \frac{\frac{1}{2} - \frac{\arg\left(\frac{\sqrt{1+\frac{1}{y^2}}}{x} \frac{i}{y}\right)}{\pi}}{(-1)^{\frac{1}{2}} \left[ \frac{-\sqrt{1+\frac{1}{y^2}} - \frac{i}{xy}}{\sqrt{1+\frac{1}{x^2}} \sqrt{1 - \frac{\left(-\sqrt{1+\frac{1}{y^2}} - \frac{i}{xy}\right)^2}{1+\frac{1}{x^2}}}} \right]} + \frac{1}{2} \pi \right) + \left( \frac{\frac{1}{2} - \frac{\arg\left(\frac{\sqrt{1+\frac{1}{y^2}}}{x} \frac{i}{y}\right)}{\pi}}{1 + (-1)^{\frac{1}{2}} \left[ \frac{\arg\left(\frac{i-\frac{1}{x}}{\sqrt{1+\frac{1}{x^2}}}\right) + \arg\left(\sqrt{1+\frac{1}{y^2}} + \frac{1}{y}\right)}{2\pi} \right]} \right) +$$

$$\left( \frac{\frac{1}{2} - \frac{\arg\left(\frac{\sqrt{1+\frac{1}{y^2}}}{x} \frac{i}{y}\right)}{\pi}}{(-1)^{\frac{1}{2}} \left[ -2 - 1 + (-1)^{\frac{1}{2}} \left[ \frac{\arg\left(\frac{i-\frac{1}{x}}{\sqrt{1+\frac{1}{x^2}}}\right) + \arg\left(\sqrt{1+\frac{1}{y^2}} + \frac{1}{y}\right)}{2\pi} \right]} \right]} +$$

$$\left[ -\frac{\arg\left(1+\frac{1}{x^2}\right)}{2\pi} + \frac{\arg\left(-\sqrt{1+\frac{1}{y^2}} - \frac{i}{xy}\right)}{\pi} + \frac{1}{2} \right] + \frac{1}{2} - \frac{\arg\left(\frac{\sqrt{1+\frac{1}{y^2}}}{x} \frac{i}{y}\right)}{\pi}$$



$$\frac{1}{2}(-1) \qquad \pi$$

### Involving $\operatorname{sech}^{-1}(z)$

01.16.16.0260.01

$$\cot^{-1}(x) - \operatorname{sech}^{-1}(y) = \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] -$$

$$2i\pi \left[ \frac{-\arg\left(\frac{x-i}{x+i}\right)^{i/2} - \arg\left(\frac{1}{\sqrt{\frac{1}{y}-1}\sqrt{1+\frac{1}{y}+\frac{1}{y}}}\right) + \pi}{2\pi} \right] + \left[ \frac{\operatorname{Im}\left(\log\left(\sqrt{\frac{1}{y}-1}\sqrt{1+\frac{1}{y}+\frac{1}{y}}\right)\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2}\operatorname{Re}\left(\log\left(\frac{x-i}{x+i}\right)\right)}{2\pi} \right] +$$

$$\log\left(\frac{\left(\frac{x-i}{x+i}\right)^{i/2}}{\sqrt{\frac{1}{y}-1}\sqrt{1+\frac{1}{y}+\frac{1}{y}}}\right)$$

01.16.16.0261.01

$$\cot^{-1}(x) - \operatorname{sech}^{-1}(y) = \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] -$$

$$2i\pi \left[ \frac{-\arg\left(\frac{x-i}{x+i}\right)^{i/2} - \arg\left(\frac{1}{\sqrt{\frac{1}{y}-1}\sqrt{1+\frac{1}{y}+\frac{1}{y}}}\right) + \pi}{2\pi} \right] + \left[ \frac{\operatorname{Im}\left(\log\left(\sqrt{\frac{1}{y}-1}\sqrt{1+\frac{1}{y}+\frac{1}{y}}\right)\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2}\operatorname{Re}\left(\log\left(\frac{x-i}{x+i}\right)\right)}{2\pi} \right] +$$

$$i\pi \left[ \frac{\arg\left(\frac{\left(\frac{x-i}{x+i}\right)^{i/2}}{\sqrt{\frac{1}{y}-1}\sqrt{1+\frac{1}{y}+\frac{1}{y}}}\right) + \frac{1}{2}}{2\pi} \right] + 2i \cot^{-1}\left(\frac{i\left(\frac{\left(\frac{x-i}{x+i}\right)^{i/2}}{\sqrt{\frac{1}{y}-1}\sqrt{1+\frac{1}{y}+\frac{1}{y}}}\right) + 1}{\frac{\left(\frac{x-i}{x+i}\right)^{i/2}}{\sqrt{\frac{1}{y}-1}\sqrt{1+\frac{1}{y}+\frac{1}{y}}} - 1}\right)$$

01.16.16.0262.01

$$\cot^{-1}(x) - i \operatorname{sech}^{-1}(y) = \cot^{-1} \left( \frac{\frac{\arg \left( \frac{i \sqrt{\frac{1}{y}-1} \sqrt{1+\frac{1}{y}} + \frac{1}{y}}{x} \right)}{\frac{1}{2} - \frac{\pi}{\pi}}}{(-1) \sqrt{1+\frac{1}{x^2}} \sqrt{1 - \frac{\left( i \sqrt{\frac{1}{y}-1} \sqrt{1+\frac{1}{y}} - \frac{1}{xy} \right)^2}{1+\frac{1}{x^2}}}} \right)$$

$$\frac{1}{4} \left( 1 + (-1) \left[ -\frac{\arg \left( 1 - \frac{1}{y} \right)}{2\pi} \right] \right) \pi \left( 2 \left( 1 + (-1) \left[ \frac{\arg \left( \frac{\frac{1}{y} \sqrt{1-\frac{1}{y^2}}}{x} \right)}{\frac{1}{2} - \frac{\pi}{\pi}} \right] \right) \frac{\arg \left( \frac{i+\frac{1}{x}}{\sqrt{1+\frac{1}{x^2}}} \right) + \arg \left( \sqrt{1-\frac{1}{y^2}} + \frac{i}{y} \right)}{2\pi} \right) +$$

$$\left( (-1)^{\frac{1}{2}} \frac{\arg\left(\frac{1 - \sqrt{1 - \frac{1}{y^2}}}{x}\right)}{\sqrt{1 + \frac{1}{x^2}}} - 2 \left( (-1)^{\frac{1}{2}} \frac{\arg\left(\frac{1 - \sqrt{1 - \frac{1}{y^2}}}{x}\right)}{\sqrt{1 + \frac{1}{x^2}}} \right) \right) \left( \frac{1}{2} - \frac{\arg\left(\frac{i + \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}}\right) + \arg\left(\sqrt{1 - \frac{1}{y^2}} + \frac{i}{y}\right)}{2\pi} - 1 \right) +$$

$$\frac{1}{4} \left( 1 - (-1) \left[ -\frac{\arg\left(1 - \frac{1}{y}\right)}{2\pi} \right] \right) \pi \left( 2 \left( 1 + (-1) \left[ \frac{\frac{1}{2} - \frac{\arg\left(\frac{\sqrt{1 - \frac{1}{y^2}}}{x} + \frac{1}{y}\right)}{\pi}}{\sqrt{1 + \frac{1}{x^2}}} \right] \right) \right) \left[ \frac{\arg\left(\frac{i - \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}}\right) + \arg\left(\sqrt{1 - \frac{1}{y^2}} + \frac{i}{y}\right)}{2\pi} \right] +$$

$$(-1) \left( \frac{1}{2} - \frac{\arg\left(\frac{\sqrt{1 - \frac{1}{y^2}}}{x} + \frac{1}{y}\right)}{\pi} \right) \left( -2 \left( -1 + (-1) \left[ \frac{\frac{1}{2} - \frac{\arg\left(\frac{\sqrt{1 - \frac{1}{y^2}}}{x} + \frac{1}{y}\right)}{\pi}}{\sqrt{1 + \frac{1}{x^2}}} \right] \right) \right) \left[ \frac{1}{2} - \frac{\arg\left(\frac{i - \frac{1}{x}}{\sqrt{1 + \frac{1}{x^2}}}\right) + \arg\left(\sqrt{1 - \frac{1}{y^2}} + \frac{i}{y}\right)}{2\pi} \right] -$$

$$\frac{1}{2} (-1) \left[ -\frac{\arg\left(1 + \frac{1}{x^2}\right)}{2\pi} + \frac{\arg\left(i \sqrt{\frac{1}{y} - 1} \sqrt{1 + \frac{1}{y} - \frac{1}{xy}}\right)}{\pi} + \frac{1}{2} \right] + \frac{1}{2} \left[ \frac{\arg\left(\frac{i \sqrt{\frac{1}{y} - 1} \sqrt{1 + \frac{1}{y} - \frac{1}{xy}}}{x} + \frac{1}{y}\right)}{\pi} \right] \pi$$

**Linear combinations involving the direct function**

### Involving $\log(z)$

01.16.16.0263.01

$$a \cot^{-1}(x) + b \log(y) = a \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2 \pi} \right] -$$

$$2 i \pi \left( \left[ \frac{-\arg\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}}\right) - \arg(y^b) + \pi}{2 \pi} \right] + \left[ \frac{\pi - \operatorname{Im}(b \log(y))}{2 \pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(a \log\left(\frac{x-i}{x+i}\right)\right)}{2 \pi} \right] \right) + \log\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} y^b\right)$$

01.16.16.0264.01

$$a \cot^{-1}(x) + b \log(y) =$$

$$a \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2 \pi} \right] - 2 i \pi \left( \left[ \frac{-\arg\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}}\right) - \arg(y^b) + \pi}{2 \pi} \right] + \left[ \frac{\pi - \operatorname{Im}(b \log(y))}{2 \pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(a \log\left(\frac{x-i}{x+i}\right)\right)}{2 \pi} \right] \right) +$$

$$i \pi \left( 1 - (-1)^{\left\lfloor \frac{\arg\left(y^b \left(\frac{x-i}{x+i}\right)^{\frac{ia}{2} + 1}\right)}{2 \pi} + \frac{1}{2} \right\rfloor} \right) + 2 i \cot^{-1}\left(\frac{i \left(y^b \left(\frac{x-i}{x+i}\right)^{\frac{ia}{2} + 1}\right)}{\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} y^b - 1}\right)$$

### Involving $\sin^{-1}(z)$

01.16.16.0265.01

$$a \cot^{-1}(x) + b \sin^{-1}(y) = a \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2 \pi} \right] -$$

$$2 i \pi \left( \left[ \frac{-\arg\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}}\right) - \arg\left(\left(i y + \sqrt{1-y^2}\right)^{-ib}\right) + \pi}{2 \pi} \right] + \left[ \frac{\operatorname{Re}\left(b \log\left(i y + \sqrt{1-y^2}\right)\right) + \pi}{2 \pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(a \log\left(\frac{x-i}{x+i}\right)\right)}{2 \pi} \right] \right) +$$

$$\log\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} \left(i y + \sqrt{1-y^2}\right)^{-ib}\right)$$

01.16.16.0266.01

$$\begin{aligned}
 a \cot^{-1}(x) + b \sin^{-1}(y) &= a \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2 \pi} \right] - \\
 &2 i \pi \left( \left[ \frac{-\arg\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}}\right) - \arg\left(\left(iy + \sqrt{1-y^2}\right)^{-ib}\right) + \pi}{2 \pi} \right] + \left[ \frac{\operatorname{Re}\left(b \log\left(iy + \sqrt{1-y^2}\right)\right) + \pi}{2 \pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(a \log\left(\frac{x-i}{x+i}\right)\right)}{2 \pi} \right] \right) + \\
 &i \pi \left( 1 - (-1)^{\left\lfloor \frac{\arg\left(\left(iy + \sqrt{1-y^2}\right)^{-ib} \left(\frac{x-i}{x+i}\right)^{\frac{ia}{2} + 1}\right)}{2 \pi} + \frac{1}{2} \right\rfloor} \right) + 2 i \cot^{-1} \left( \frac{i \left( \left(iy + \sqrt{1-y^2}\right)^{-ib} \left(\frac{x-i}{x+i}\right)^{\frac{ia}{2} + 1} \right)}{\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} \left(iy + \sqrt{1-y^2}\right)^{-ib} - 1} \right)
 \end{aligned}$$

### Involving $\cos^{-1}(z)$

01.16.16.0267.01

$$\begin{aligned}
 a \cot^{-1}(x) + b \cos^{-1}(y) &= \frac{\pi b}{2} + a \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2 \pi} \right] - \\
 &2 i \pi \left( \left[ \frac{-\arg\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}}\right) - \arg\left(\left(iy + \sqrt{1-y^2}\right)^{ib}\right) + \pi}{2 \pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(a \log\left(\frac{x-i}{x+i}\right)\right)}{2 \pi} \right] + \left[ \frac{\pi - \operatorname{Re}\left(b \log\left(iy + \sqrt{1-y^2}\right)\right)}{2 \pi} \right] \right) + \\
 &\log \left( \left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} \left(iy + \sqrt{1-y^2}\right)^{ib} \right)
 \end{aligned}$$

01.16.16.0268.01

$$\begin{aligned}
 a \cot^{-1}(x) + b \cos^{-1}(y) &= \frac{\pi b}{2} + a \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] - \\
 & 2i\pi \left( \left[ \frac{-\arg\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}}\right) - \arg\left(\left(iy + \sqrt{1-y^2}\right)^{ib}\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(a \log\left(\frac{x-i}{x+i}\right)\right)}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Re}\left(b \log\left(iy + \sqrt{1-y^2}\right)\right)}{2\pi} \right] \right) + \\
 & i\pi \left( 1 - (-1)^{\left\lfloor \frac{\arg\left(\left(iy + \sqrt{1-y^2}\right)^{ib} \left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} + 1\right)}{2\pi} + \frac{1}{2} \right\rfloor} \right) + 2i \cot^{-1} \left( \frac{i \left( \left(iy + \sqrt{1-y^2}\right)^{ib} \left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} + 1 \right)}{\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} \left(iy + \sqrt{1-y^2}\right)^{ib} - 1} \right)
 \end{aligned}$$

### Involving $\tan^{-1}(z)$

01.16.16.0269.01

$$\begin{aligned}
 a \cot^{-1}(x) + b \tan^{-1}(y) &= a \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] - 2i\pi \\
 & \left( \left[ \frac{-\arg\left(\left(iy + 1\right)^{-\frac{1}{2}(ib)}\right) - \arg\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} \left(1 - iy\right)^{\frac{ib}{2}}\right) + \pi}{2\pi} \right] + \left[ \frac{\frac{1}{2} \operatorname{Re}\left(b \log\left(iy + 1\right)\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} \left(1 - iy\right)^{\frac{ib}{2}}\right)\right)}{2\pi} \right] \right) - \\
 & 2i\pi \left( \left[ \frac{-\arg\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}}\right) - \arg\left(\left(1 - iy\right)^{\frac{ib}{2}}\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(a \log\left(\frac{x-i}{x+i}\right)\right)}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(b \log\left(1 - iy\right)\right)}{2\pi} \right] \right) + \\
 & \log\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} \left(1 - iy\right)^{\frac{ib}{2}} \left(iy + 1\right)^{-\frac{1}{2}(ib)}\right)
 \end{aligned}$$

01.16.16.0270.01

$$\begin{aligned}
 a \cot^{-1}(x) + b \tan^{-1}(y) &= a \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2 \pi} \right] - 2 i \pi \\
 &\left( \left[ \frac{-\arg\left((i y + 1)^{-\frac{1}{2}(i b)}\right) - \arg\left(\left(\frac{x-i}{x+i}\right)^{\frac{i a}{2}} (1 - i y)^{\frac{i b}{2}}\right) + \pi}{2 \pi} \right] + \left[ \frac{\frac{1}{2} \operatorname{Re}(b \log(i y + 1)) + \pi}{2 \pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\left(\frac{x-i}{x+i}\right)^{\frac{i a}{2}} (1 - i y)^{\frac{i b}{2}}\right)\right)}{2 \pi} \right] \right) \\
 &2 i \pi \left( \left[ \frac{-\arg\left(\left(\frac{x-i}{x+i}\right)^{\frac{i a}{2}}\right) - \arg\left((1 - i y)^{\frac{i b}{2}}\right) + \pi}{2 \pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(a \log\left(\frac{x-i}{x+i}\right)\right)}{2 \pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}(b \log(1 - i y))}{2 \pi} \right] \right) + \\
 &i \pi \left( 1 - (-1)^{\left[ \frac{\arg\left((i y + 1)^{-\frac{1}{2}(i b)} (1 - i y)^{\frac{i b}{2}} \left(\frac{x-i}{x+i}\right)^{\frac{i a}{2}} + 1\right)}{2 \pi} + \frac{1}{2} \right]} \right) + 2 i \cot^{-1} \left( \frac{i \left( (i y + 1)^{-\frac{1}{2}(i b)} (1 - i y)^{\frac{i b}{2}} \left(\frac{x-i}{x+i}\right)^{\frac{i a}{2}} + 1 \right)}{\left(\frac{x-i}{x+i}\right)^{\frac{i a}{2}} (1 - i y)^{\frac{i b}{2}} (i y + 1)^{-\frac{1}{2}(i b)} - 1} \right)
 \end{aligned}$$

### Involving $\csc^{-1}(z)$

01.16.16.0271.01

$$\begin{aligned}
 a \cot^{-1}(x) + b \csc^{-1}(y) &= a \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2 \pi} \right] - \\
 &2 i \pi \left( \left[ \frac{-\arg\left(\left(\frac{x-i}{x+i}\right)^{\frac{i a}{2}}\right) - \arg\left(\left(\sqrt{1 - \frac{1}{y^2}} + \frac{i}{y}\right)^{-i b}\right) + \pi}{2 \pi} \right] + \left[ \frac{\operatorname{Re}\left(b \log\left(\sqrt{1 - \frac{1}{y^2}} + \frac{i}{y}\right)\right) + \pi}{2 \pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(a \log\left(\frac{1 - \frac{i}{x}}{1 + \frac{i}{x}}\right)\right)}{2 \pi} \right] \right) + \\
 &\log\left(\left(\frac{x-i}{x+i}\right)^{\frac{i a}{2}} \left(\sqrt{1 - \frac{1}{y^2}} + \frac{i}{y}\right)^{-i b}\right)
 \end{aligned}$$



01.16.16.0272.01

$$\begin{aligned}
 a \cot^{-1}(x) + b \csc^{-1}(y) &= a \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2 \pi} \right] - \\
 &2 i \pi \left( \left[ \frac{-\arg\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} - \arg\left(\left(\sqrt{1 - \frac{1}{y^2}} + \frac{i}{y}\right)^{-ib}\right) + \pi}{2 \pi} \right] + \left[ \frac{\operatorname{Re}\left(b \log\left(\sqrt{1 - \frac{1}{y^2}} + \frac{i}{y}\right)\right) + \pi}{2 \pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(a \log\left(\frac{1-i}{1+\frac{i}{x}}\right)\right)}{2 \pi} \right] \right) + \\
 &i \pi \left( 1 - (-1)^{\left[ \frac{\arg\left(\left(\sqrt{1 - \frac{1}{y^2}} + \frac{i}{y}\right)^{-ib}\right) \left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} + 1\right) + \frac{1}{2}} \right] \right) + 2 i \cot^{-1} \left( \frac{i \left( \left(\sqrt{1 - \frac{1}{y^2}} + \frac{i}{y}\right)^{-ib} \left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} + 1\right)}{\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} \left(\sqrt{1 - \frac{1}{y^2}} + \frac{i}{y}\right)^{-ib} - 1} \right)
 \end{aligned}$$

### Involving $\sec^{-1}(z)$

01.16.16.0273.01

$$\begin{aligned}
 a \cot^{-1}(x) + b \sec^{-1}(y) &= \frac{\pi b}{2} + a \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2 \pi} \right] - \\
 &2 i \pi \left( \left[ \frac{-\arg\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} - \arg\left(\left(\sqrt{1 - \frac{1}{y^2}} + \frac{i}{y}\right)^{ib}\right) + \pi}{2 \pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(a \log\left(\frac{x-i}{x+i}\right)\right)}{2 \pi} \right] + \left[ \frac{\pi - \operatorname{Re}\left(b \log\left(\sqrt{1 - \frac{1}{y^2}} + \frac{i}{y}\right)\right)}{2 \pi} \right] \right) + \\
 &\log \left( \frac{x-i}{x+i} \right)^{\frac{ia}{2}} \left( \sqrt{1 - \frac{1}{y^2}} + \frac{i}{y} \right)^{ib}
 \end{aligned}$$

01.16.16.0274.01

$$\begin{aligned}
 a \cot^{-1}(x) + b \sec^{-1}(y) &= \frac{\pi b}{2} + a \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] - \\
 & 2 i \pi \left( \left[ \frac{-\arg\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}}\right) - \arg\left(\left(\sqrt{1 - \frac{1}{y^2}} + \frac{i}{y}\right)^{ib}\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(a \log\left(\frac{x-i}{x+i}\right)\right)}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Re}\left(b \log\left(\sqrt{1 - \frac{1}{y^2}} + \frac{i}{y}\right)\right)}{2\pi} \right] \right) + \\
 & i \pi \left( 1 - (-1)^{\left\lfloor \frac{\arg\left(\left(\sqrt{1 - \frac{1}{y^2}} + \frac{i}{y}\right)^{ib} \left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} + 1\right)}{2\pi} + \frac{1}{2} \right\rfloor} \right) + 2 i \cot^{-1} \left( \frac{i \left( \left(\sqrt{1 - \frac{1}{y^2}} + \frac{i}{y}\right)^{ib} \left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} + 1\right)}{\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} \left(\sqrt{1 - \frac{1}{y^2}} + \frac{i}{y}\right)^{ib} - 1} \right)
 \end{aligned}$$

### Involving $\sinh^{-1}(z)$

01.16.16.0275.01

$$\begin{aligned}
 a \cot^{-1}(x) + b \sinh^{-1}(y) &= a \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] - \\
 & 2 i \pi \left( \left[ \frac{-\arg\left(\left(y + \sqrt{y^2 + 1}\right)^b\right) - \arg\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}}\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(b \log\left(y + \sqrt{y^2 + 1}\right)\right)}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(a \log\left(\frac{x-i}{x+i}\right)\right)}{2\pi} \right] \right) + \\
 & \log\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} \left(y + \sqrt{y^2 + 1}\right)^b\right)
 \end{aligned}$$

01.16.16.0276.01

$$\begin{aligned}
 a \cot^{-1}(x) + b \sinh^{-1}(y) &= a \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] - \\
 & 2 i \pi \left( \left[ \frac{-\arg\left(\left(y + \sqrt{y^2 + 1}\right)^b\right) - \arg\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}}\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(b \log\left(y + \sqrt{y^2 + 1}\right)\right)}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(a \log\left(\frac{x-i}{x+i}\right)\right)}{2\pi} \right] \right) + \\
 & i \pi \left( 1 - (-1)^{\left\lfloor \frac{\arg\left(\left(y + \sqrt{y^2 + 1}\right)^b \left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} + 1\right)}{2\pi} + \frac{1}{2} \right\rfloor} \right) + 2 i \cot^{-1} \left( \frac{i \left( \left(y + \sqrt{y^2 + 1}\right)^b \left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} + 1 \right)}{\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} \left(y + \sqrt{y^2 + 1}\right)^b - 1} \right)
 \end{aligned}$$

### Involving $\cosh^{-1}(z)$

01.16.16.0277.01

$$\begin{aligned}
 a \cot^{-1}(x) + b \cosh^{-1}(y) &= a \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] - 2 i \pi \\
 & \left( \left[ \frac{-\arg\left(\left(y + \sqrt{y-1} \sqrt{y+1}\right)^b\right) - \arg\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}}\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(b \log\left(y + \sqrt{y-1} \sqrt{y+1}\right)\right)}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(a \log\left(\frac{x-i}{x+i}\right)\right)}{2\pi} \right] \right) + \\
 & \log \left( \left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} \left(y + \sqrt{y-1} \sqrt{y+1}\right)^b \right)
 \end{aligned}$$

01.16.16.0278.01

$$\begin{aligned}
 a \cot^{-1}(x) + b \cosh^{-1}(y) &= a \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] - 2i\pi \\
 &\left( \left[ \frac{-\arg\left((y + \sqrt{y-1}\sqrt{y+1})^b\right) - \arg\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}}\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}(b \log(y + \sqrt{y-1}\sqrt{y+1}))}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(a \log\left(\frac{x-i}{x+i}\right)\right)}{2\pi} \right] \right) \\
 &i\pi \left( 1 - (-1)^{\left\lfloor \frac{\arg\left((y + \sqrt{y-1}\sqrt{y+1})^b\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} + 1\right)}{2\pi} + \frac{1}{2} \right\rfloor} \right) + 2i \cot^{-1} \left( \frac{i \left( (y + \sqrt{y-1}\sqrt{y+1})^b \left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} + 1 \right)}{\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} (y + \sqrt{y-1}\sqrt{y+1})^b - 1} \right)
 \end{aligned}$$

### Involving $\tanh^{-1}(z)$

01.16.16.0279.01

$$\begin{aligned}
 a \cot^{-1}(x) + b \tanh^{-1}(y) &= a \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] - \\
 &2i\pi \left( \left[ \frac{-\arg\left((y+1)^{b/2}\right) - \arg\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} (1-y)^{-\frac{b}{2}}\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Im}(b \log(y+1))}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} (1-y)^{-\frac{b}{2}}\right)\right)}{2\pi} \right] \right) - \\
 &2i\pi \left( \left[ \frac{-\arg\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}}\right) - \arg\left((1-y)^{-\frac{b}{2}}\right) + \pi}{2\pi} \right] + \left[ \frac{\frac{1}{2} \operatorname{Im}(b \log(1-y)) + \pi}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(a \log\left(\frac{x-i}{x+i}\right)\right)}{2\pi} \right] \right) + \\
 &\log\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} (1-y)^{-\frac{b}{2}} (y+1)^{b/2}\right)
 \end{aligned}$$

01.16.16.0280.01

$$\begin{aligned}
 a \cot^{-1}(x) + b \tanh^{-1}(y) &= a \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] - \\
 & 2i\pi \left( \left[ \frac{-\arg\left((y+1)^{b/2}\right) - \arg\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} (1-y)^{-\frac{b}{2}}\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Im}(b \log(y+1))}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} (1-y)^{-\frac{b}{2}}\right)\right)}{2\pi} \right] \right) - \\
 & 2i\pi \left( \left[ \frac{-\arg\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}}\right) - \arg\left((1-y)^{-\frac{b}{2}}\right) + \pi}{2\pi} \right] + \left[ \frac{\frac{1}{2} \operatorname{Im}(b \log(1-y)) + \pi}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(a \log\left(\frac{x-i}{x+i}\right)\right)}{2\pi} \right] \right) + \\
 & i\pi \left( 1 - (-1)^{\left\lfloor \frac{\arg\left((y+1)^{b/2} (1-y)^{-\frac{b}{2}} \left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} + 1\right)}{2\pi} + \frac{1}{2} \right\rfloor} \right) + 2i \cot^{-1} \left( \frac{i \left( (y+1)^{b/2} (1-y)^{-\frac{b}{2}} \left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} + 1 \right)}{\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} (1-y)^{-\frac{b}{2}} (y+1)^{b/2} - 1} \right)
 \end{aligned}$$

### Involving $\coth^{-1}(z)$

01.16.16.0281.01

$$\begin{aligned}
 a \cot^{-1}(x) + b \coth^{-1}(y) &= a \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] - \\
 & 2i\pi \left( \left[ \frac{-\arg\left(\left(1 + \frac{1}{y}\right)^{b/2}\right) - \arg\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} \left(1 - \frac{1}{y}\right)^{-\frac{b}{2}}\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Im}(b \log\left(1 + \frac{1}{y}\right))}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} \left(1 - \frac{1}{y}\right)^{-\frac{b}{2}}\right)\right)}{2\pi} \right] \right) - \\
 & 2i\pi \left( \left[ \frac{-\arg\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}}\right) - \arg\left(\left(1 - \frac{1}{y}\right)^{-\frac{b}{2}}\right) + \pi}{2\pi} \right] + \left[ \frac{\frac{1}{2} \operatorname{Im}(b \log\left(1 - \frac{1}{y}\right)) + \pi}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(a \log\left(\frac{x-i}{x+i}\right)\right)}{2\pi} \right] \right) + \\
 & \log\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} \left(1 - \frac{1}{y}\right)^{-\frac{b}{2}} \left(1 + \frac{1}{y}\right)^{b/2}\right)
 \end{aligned}$$

01.16.16.0282.01

$$\begin{aligned}
 a \cot^{-1}(x) + b \coth^{-1}(y) &= a \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2 \pi} \right] - \\
 & 2 i \pi \left( \left[ \frac{-\arg\left(\left(1 + \frac{1}{y}\right)^{b/2}\right) - \arg\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} \left(1 - \frac{1}{y}\right)^{-\frac{b}{2}}\right) + \pi}{2 \pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Im}\left(b \log\left(1 + \frac{1}{y}\right)\right)}{2 \pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(\log\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} \left(1 - \frac{1}{y}\right)^{-\frac{b}{2}}\right)\right)}{2 \pi} \right] \right) - \\
 & 2 i \pi \left( \left[ \frac{-\arg\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}}\right) - \arg\left(\left(1 - \frac{1}{y}\right)^{-\frac{b}{2}}\right) + \pi}{2 \pi} \right] + \left[ \frac{\frac{1}{2} \operatorname{Im}\left(b \log\left(1 - \frac{1}{y}\right)\right) + \pi}{2 \pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(a \log\left(\frac{x-i}{x+i}\right)\right)}{2 \pi} \right] \right) + \\
 & i \pi \left( 1 - (-1)^{\lfloor \frac{\arg\left(\left(1 + \frac{1}{y}\right)^{b/2} \left(1 - \frac{1}{y}\right)^{-\frac{b}{2}} \left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} + 1\right)}{2 \pi} + \frac{1}{2} \rfloor} \right) + 2 i \cot^{-1} \left( \frac{i \left( \left(1 + \frac{1}{y}\right)^{b/2} \left(1 - \frac{1}{y}\right)^{-\frac{b}{2}} \left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} + 1 \right)}{\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} \left(1 - \frac{1}{y}\right)^{-\frac{b}{2}} \left(1 + \frac{1}{y}\right)^{b/2} - 1} \right)
 \end{aligned}$$

### Involving csch<sup>-1</sup>(z)

01.16.16.0283.01

$$\begin{aligned}
 a \cot^{-1}(x) + b \operatorname{csch}^{-1}(y) &= a \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2 \pi} \right] - \\
 & 2 i \pi \left( \left[ \frac{-\arg\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}}\right) - \arg\left(\left(\sqrt{1 + \frac{1}{y^2}} + \frac{1}{y}\right)^b\right) + \pi}{2 \pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(b \log\left(\sqrt{1 + \frac{1}{y^2}} + \frac{1}{y}\right)\right)}{2 \pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(a \log\left(\frac{x-i}{x+i}\right)\right)}{2 \pi} \right] \right) + \\
 & \log\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} \left(\sqrt{1 + \frac{1}{y^2}} + \frac{1}{y}\right)^b\right)
 \end{aligned}$$

01.16.16.0284.01

$$\begin{aligned}
 a \cot^{-1}(x) + b \operatorname{csch}^{-1}(y) &= a \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] - \\
 & 2i\pi \left( \left[ \frac{-\arg\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}}\right) - \arg\left(\left(\sqrt{1 + \frac{1}{y^2}} + \frac{1}{y}\right)^b\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(b \log\left(\sqrt{1 + \frac{1}{y^2}} + \frac{1}{y}\right)\right)}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(a \log\left(\frac{x-i}{x+i}\right)\right)}{2\pi} \right] \right) \\
 & i\pi \left( 1 - (-1)^{\left\lfloor \frac{\arg\left(\left(\sqrt{1 + \frac{1}{y^2}} + \frac{1}{y}\right)^b \left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} + 1\right)}{2\pi} \right\rfloor + \frac{1}{2}} \right) + 2i \cot^{-1} \left( \frac{i \left( \left(\sqrt{1 + \frac{1}{y^2}} + \frac{1}{y}\right)^b \left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} + 1\right)}{\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} \left(\sqrt{1 + \frac{1}{y^2}} + \frac{1}{y}\right)^b - 1} \right)
 \end{aligned}$$

### Involving $\operatorname{sech}^{-1}(z)$

01.16.16.0285.01

$$\begin{aligned}
 a \cot^{-1}(x) + b \operatorname{sech}^{-1}(y) &= a \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2\pi} \right] - \\
 & 2i\pi \left( \left[ \frac{-\arg\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}}\right) - \arg\left(\left(\sqrt{\frac{1}{y} - 1} \sqrt{1 + \frac{1}{y}} + \frac{1}{y}\right)^b\right) + \pi}{2\pi} \right] + \left[ \frac{\pi - \operatorname{Im}\left(b \log\left(\sqrt{\frac{1}{y} - 1} \sqrt{1 + \frac{1}{y}} + \frac{1}{y}\right)\right)}{2\pi} \right] + \left[ \frac{\pi - \frac{1}{2} \operatorname{Re}\left(a \log\left(\frac{x-i}{x+i}\right)\right)}{2\pi} \right] \right) \\
 & + \log \left( \left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} \left(\sqrt{\frac{1}{y} - 1} \sqrt{1 + \frac{1}{y}} + \frac{1}{y}\right)^b \right)
 \end{aligned}$$

01.16.16.0286.01

$$\begin{aligned}
 a \cot^{-1}(x) + b \operatorname{sech}^{-1}(y) &= a \pi \left[ \frac{\arg\left(1 + \frac{i}{x}\right) - \arg\left(1 - \frac{i}{x}\right) + \pi}{2 \pi} \right] - 2 i \pi \left( \frac{-\arg\left(\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}}\right) - \arg\left(\left(\sqrt{\frac{1}{y}-1} \sqrt{1 + \frac{1}{y} + \frac{1}{y}}\right)^b\right) + \pi}{2 \pi} \right) \\
 &\quad \left( \frac{\pi - \operatorname{Im}\left(b \log\left(\sqrt{\frac{1}{y}-1} \sqrt{1 + \frac{1}{y} + \frac{1}{y}}\right)\right)}{2 \pi} \right) + \left( \frac{\pi - \frac{1}{2} \operatorname{Re}\left(a \log\left(\frac{x-i}{x+i}\right)\right)}{2 \pi} \right) \\
 &\quad \left( \frac{\arg\left(\left(\sqrt{\frac{1}{y}-1} \sqrt{1 + \frac{1}{y} + \frac{1}{y}}\right)^b \left(\frac{x-i}{x+i}\right)^{\frac{ia}{2} + 1}\right)}{2 \pi} + \frac{1}{2} \right) + 2 i \cot^{-1} \left( \frac{i \left(\left(\sqrt{\frac{1}{y}-1} \sqrt{1 + \frac{1}{y} + \frac{1}{y}}\right)^b \left(\frac{x-i}{x+i}\right)^{\frac{ia}{2} + 1}\right)}{\left(\frac{x-i}{x+i}\right)^{\frac{ia}{2}} \left(\sqrt{\frac{1}{y}-1} \sqrt{1 + \frac{1}{y} + \frac{1}{y}}\right)^b - 1} \right)
 \end{aligned}$$

## Identities

### Functional identities

01.16.17.0001.01

$$\cot(w(z_1) + w(z_2)) = \frac{z_1 z_2 - 1}{z_1 + z_2} \quad ; \quad w(z) = \cot^{-1}(z)$$

## Complex characteristics

### Real part

01.16.19.0001.01

$$\operatorname{Re}(\cot^{-1}(x + i y)) = \frac{1}{2} \tan^{-1}\left(\frac{2 x}{x^2 + y^2 - 1}\right) + \frac{\pi}{4} (1 - \operatorname{sgn}(x^2 + y^2 - 1)) \operatorname{sgn}(x) \quad ; \quad x^2 + y^2 \neq 1$$

01.16.19.0002.01

$$\operatorname{Re}(\cot^{-1}(x + i y)) = \frac{1}{2} \left( \tan^{-1}\left(\frac{y}{x^2 + y^2} + 1, \frac{x}{x^2 + y^2}\right) - \tan^{-1}\left(1 - \frac{y}{x^2 + y^2}, -\frac{x}{x^2 + y^2}\right) \right)$$

### Imaginary part

01.16.19.0003.01

$$\operatorname{Im}(\cot^{-1}(x + i y)) = -\frac{1}{4} \log\left(\frac{x^2 + (y + 1)^2}{x^2 + (y - 1)^2}\right)$$



01.16.19.0004.01

$$\operatorname{Im}(\cot^{-1}(x + iy)) = \frac{1}{4} \left( \log \left( \frac{x^2 + (y-1)^2}{x^2 + y^2} \right) - \log \left( \frac{x^2 + (y+1)^2}{x^2 + y^2} \right) \right)$$

## Absolute value

01.16.19.0005.01

$$|\cot^{-1}(x + iy)| =$$

$$\frac{1}{2} \sqrt{\left( \left( \tan^{-1} \left( 1 - \frac{y}{x^2 + y^2}, -\frac{x}{x^2 + y^2} \right) - \tan^{-1} \left( \frac{y}{x^2 + y^2} + 1, \frac{x}{x^2 + y^2} \right) \right)^2 + \frac{1}{4} \left( \log \left( \frac{x^2 + (y-1)^2}{x^2 + y^2} \right) - \log \left( \frac{x^2 + (y+1)^2}{x^2 + y^2} \right) \right)^2 \right)}$$

## Argument

01.16.19.0006.01

$$\arg(\cot^{-1}(x + iy)) =$$

$$\tan^{-1} \left( 2 \tan^{-1} \left( \frac{y}{x^2 + y^2} + 1, \frac{x}{x^2 + y^2} \right) - 2 \tan^{-1} \left( 1 - \frac{y}{x^2 + y^2}, -\frac{x}{x^2 + y^2} \right), \log \left( \frac{x^2 + (y-1)^2}{x^2 + y^2} \right) - \log \left( \frac{x^2 + (y+1)^2}{x^2 + y^2} \right) \right)$$

## Conjugate value

01.16.19.0007.01

$$\overline{\cot^{-1}(x + iy)} = \frac{1}{4} \left( 2 \tan^{-1} \left( \frac{y}{x^2 + y^2} + 1, \frac{x}{x^2 + y^2} \right) - 2 \tan^{-1} \left( 1 - \frac{y}{x^2 + y^2}, -\frac{x}{x^2 + y^2} \right) - i \left( \log \left( \frac{x^2 + (y-1)^2}{x^2 + y^2} \right) - \log \left( \frac{x^2 + (y+1)^2}{x^2 + y^2} \right) \right) \right)$$

## Signum value

01.16.19.0008.01

$$\operatorname{sgn}(\cot^{-1}(x + iy)) =$$

$$\left( 2 \tan^{-1} \left( \frac{y}{x^2 + y^2} + 1, \frac{x}{x^2 + y^2} \right) - 2 \tan^{-1} \left( 1 - \frac{y}{x^2 + y^2}, -\frac{x}{x^2 + y^2} \right) + i \left( \log \left( \frac{x^2 + (y-1)^2}{x^2 + y^2} \right) - \log \left( \frac{x^2 + (y+1)^2}{x^2 + y^2} \right) \right) \right) /$$

$$\left( 2 \sqrt{\left( \left( \tan^{-1} \left( 1 - \frac{y}{x^2 + y^2}, -\frac{x}{x^2 + y^2} \right) - \tan^{-1} \left( \frac{y}{x^2 + y^2} + 1, \frac{x}{x^2 + y^2} \right) \right)^2 + \frac{1}{4} \left( \log \left( \frac{x^2 + (y-1)^2}{x^2 + y^2} \right) - \log \left( \frac{x^2 + (y+1)^2}{x^2 + y^2} \right) \right)^2 \right)}$$

## Differentiation

### Low-order differentiation

01.16.20.0001.01

$$\frac{\partial \cot^{-1}(z)}{\partial z} = -\frac{1}{1+z^2}$$

01.16.20.0002.01

$$\frac{\partial^2 \cot^{-1}(z)}{\partial z^2} = \frac{2z}{(1+z^2)^2}$$

## Symbolic differentiation

01.16.20.0005.01

$$\frac{\partial^n \cot^{-1}(z)}{\partial z^n} = \delta_n \cot^{-1}(z) - \sum_{k=0}^{n-1} \frac{(-1)^k k! (2k-n+2) {}_2F_2\left(\frac{1}{2}, 1, 1-n; 1-\frac{n}{2}, \frac{3-n}{2}; \frac{z^2}{z^2+1}\right)}{(-k+n-1)! (2z)^{-2k+n-1}} ; n \in \mathbb{N}$$

01.16.20.0006.01

$$\frac{\partial^n \cot^{-1}(z)}{\partial z^n} = -\frac{\sqrt{\pi} z^{1-n}}{z^2+1} {}_3\tilde{F}_2\left(1, 1, 1-n; 1-\frac{n}{2}, \frac{3-n}{2}; \frac{z^2}{z^2+1}\right) ; n \in \mathbb{N}^+$$

01.16.20.0007.01

$$\frac{\partial^n \cot^{-1}(z)}{\partial z^n} = \frac{i(-1)^n (n-1)!}{2} ((z+i)^{-n} - (z-i)^{-n}) ; n \in \mathbb{N}^+$$

01.16.20.0008.01

$$\frac{\partial^n \cot^{-1}(z)}{\partial z^n} = \frac{(n-1)!}{(z^2+1)^n} \sum_{k=0}^n \binom{n}{k} \cos\left(\frac{1}{2} \pi (k+n+1)\right) z^k ; n \in \mathbb{N}^+$$

01.16.20.0003.02

$$\frac{\partial^n \cot^{-1}(z)}{\partial z^n} = -\frac{\sqrt{\pi} z^{1-n}}{2^{1-n}} {}_3\tilde{F}_2\left(\frac{1}{2}, 1, 1; 1-\frac{n}{2}, \frac{3-n}{2}; -z^2\right) ; n \in \mathbb{N}$$

01.16.20.0009.01

$$\frac{\partial^{2n+1} \cot^{-1}(z)}{\partial z^{2n+1}} = (-1)^{n-1} (2n)! (z^2+1)^{-n-\frac{1}{2}} T_{2n+1}\left(\frac{1}{\sqrt{z^2+1}}\right) ; n \in \mathbb{N}$$

Brychkov Yu.A. (2006)

01.16.20.0010.01

$$\frac{\partial^{2n} \cot^{-1}(z)}{\partial z^{2n}} = (-1)^{n-1} (2n-1)! z (z^2+1)^{-n-\frac{1}{2}} U_{2n-1}\left(\frac{1}{\sqrt{z^2+1}}\right) ; n \in \mathbb{N}^+$$

Brychkov Yu.A. (2006)

## Fractional integro-differentiation

01.16.20.0004.02

$$\frac{\partial^\alpha \cot^{-1}(z)}{\partial z^\alpha} = 2^{\alpha-1} \left( \frac{\pi z^{1-\alpha}}{2\Gamma(1-\alpha)} \sqrt{\frac{1}{z^2}} - z^{1-\alpha} \sqrt{\pi} {}_3\tilde{F}_2\left(\frac{1}{2}, 1, 1; 1-\frac{\alpha}{2}, \frac{3}{2}-\frac{\alpha}{2}; -z^2\right) \right)$$

## Integration

### Indefinite integration

For the direct function itself

01.16.21.0001.01

$$\int \cot^{-1}(z) dz = z \cot^{-1}(z) + \frac{1}{2} \log(z^2 + 1)$$

01.16.21.0002.01

$$\int \frac{\cot^{-1}(z)}{z} dz = \frac{i}{2} \left( \text{Li}_2\left(\frac{i}{z}\right) - \text{Li}_2\left(-\frac{i}{z}\right) \right)$$

01.16.21.0003.01

$$\int \frac{\cot^{-1}(z)}{\sqrt{z}} dz = 2\sqrt{z} \cot^{-1}(z) + \frac{1}{\sqrt{2}} \left( 2 \tan^{-1}(\sqrt{2} \sqrt{z} + 1) - 2 \tan^{-1}(1 - \sqrt{2} \sqrt{z}) + \log(-z + \sqrt{2} \sqrt{z} - 1) - \log(z + \sqrt{2} \sqrt{z} + 1) \right)$$

01.16.21.0004.01

$$\int z^n \cot^{-1}(z) dz = \frac{z^{n+1}}{2(n+1)} \left( 2 \cot^{-1}(z) + z \Phi\left(-z^2, 1, \frac{n}{2} + 1\right) \right)$$

01.16.21.0005.01

$$\int z^{\alpha-1} \cot^{-1}(z) dz = \frac{\cot^{-1}(z) z^\alpha}{\alpha} + \frac{z^{\alpha+1}}{\alpha(\alpha+1)} {}_2F_1\left(\frac{\alpha+1}{2}, 1; \frac{\alpha+3}{2}; -z^2\right)$$

01.16.21.0006.01

$$\int \cot^{-1}(b + az) dz = \frac{(b + az) \cot^{-1}(b + az)}{a} + \frac{\log((b + az)^2 + 1)}{2a}$$

01.16.21.0007.01

$$\int z \cot^{-1}(b + az) dz = \frac{a^2 \cot^{-1}(b + az) z^2 + az + (b^2 - 1) \tan^{-1}(b + az) - b \log(b^2 + 2azb + a^2 z^2 + 1)}{2a^2}$$

01.16.21.0008.01

$$\int \frac{\cot^{-1}(az + b)}{z} dz = \frac{1}{2} \left( i \left( \tan^{-1}(b) - \tan^{-1}(b + az) \right)^2 + 2 \log\left(1 - e^{2i(\tan^{-1}(b+az) - \tan^{-1}(b))}\right) \left( \tan^{-1}(b) - \tan^{-1}(b + az) \right) + \frac{1}{4} i \left( \pi - 2 \tan^{-1}(b + az) \right)^2 - \right. \\ \left. (\pi - 2 \tan^{-1}(b + az)) \log\left(1 + e^{-2i \tan^{-1}(b+az)}\right) + \pi \log(z) + (\pi - 2 \tan^{-1}(b + az)) \log\left(\frac{2}{\sqrt{(b + az)^2 + 1}}\right) + \right. \\ \left. 2 \left( \tan^{-1}(b + az) - \tan^{-1}(b) \right) \log(-2 \sin(\tan^{-1}(b) - \tan^{-1}(b + az))) + 2 \tan^{-1}(b + az) \right. \\ \left. \left( \log\left(\frac{1}{\sqrt{(b + az)^2 + 1}}\right) - \log(-\sin(\tan^{-1}(b) - \tan^{-1}(b + az))) \right) + i \text{Li}_2\left(-e^{-2i \tan^{-1}(b+az)}\right) + i \text{Li}_2\left(e^{2i(\tan^{-1}(b+az) - \tan^{-1}(b))}\right) \right)$$

01.16.21.0009.01

$$\int \cot^{-1}(az^2 + bz + c) dz = \frac{1}{2} \left( 2z \cot^{-1}(c + z(b + az)) - \frac{b \tan^{-1}(c + z(b + az))}{a} + \frac{(a(4 + 4ic) - ib^2)}{a\sqrt{4a(c-i) - b^2}} \tan^{-1} \left( \frac{b + 2az}{\sqrt{4a(c-i) - b^2}} \right) + \frac{(ib^2 + a(4 - 4ic))}{a\sqrt{4a(c+i) - b^2}} \tan^{-1} \left( \frac{b + 2az}{\sqrt{4a(c+i) - b^2}} \right) \right)$$

**Involving the direct function**

01.16.21.0010.01

$$\int e^{az} \cot^{-1}(bz) dz = \frac{e^{az}}{a} \cot^{-1}(bz) + \frac{i}{2a} e^{-\frac{ia}{b}} \text{Ei} \left( \frac{ia}{b} + az \right) - \frac{i}{2a} e^{\frac{ia}{b}} \text{Ei} \left( -\frac{ia}{b} + az \right)$$

**Definite integration**

**For the direct function itself**

01.16.21.0011.01

$$\int_1^\infty \frac{\cot^{-1}(t)}{t} dt = C$$

01.16.21.0012.01

$$\int_0^\infty t^a \cot^{-1}(t) dt = -\frac{\pi}{2(a+1)} \csc \left( \frac{a\pi}{2} \right); -1 < \text{Re}(a) < 0$$

**Involving the direct function**

01.16.21.0013.01

$$\int_0^1 \log(t) \cot^{-1}(t) dt = -\frac{1}{48} (\pi^2 + 24 \text{Log}[2] + 12\pi)$$

01.16.21.0014.01

$$\int_0^\infty e^{-t} \cot^{-1}(t) dt = \frac{1}{2\sqrt{\pi}} G_{2,4}^{3,2} \left( \frac{1}{2}, \frac{1}{2} \middle| \frac{1}{2}, 1; \frac{1}{2}, \frac{1}{2}, 1, 0 \right)$$

**Integral transforms**

**Inverse Laplace transforms**

01.16.22.0001.01

$$\mathcal{L}_t^{-1}[\cot^{-1}(t)](z) = \frac{\sin(z)}{z}$$

**Summation**

**Infinite summation**

01.16.23.0001.01

$$\sum_{k=1}^{\infty} \cot^{-1}(k^2) = \cot^{-1} \left( \frac{\cot\left(\frac{\pi}{\sqrt{2}}\right) \tanh\left(\frac{\pi}{\sqrt{2}}\right) + 1}{1 - \cot\left(\frac{\pi}{\sqrt{2}}\right) \tanh\left(\frac{\pi}{\sqrt{2}}\right)} \right)$$

## Representations through more general functions

### Through hypergeometric functions

#### Involving ${}_2F_1$

01.16.26.0001.01

$$\cot^{-1}(z) = \frac{1}{z} {}_2F_1\left(1, \frac{1}{2}; \frac{3}{2}; -\frac{1}{z^2}\right)$$

01.16.26.0002.01

$$\cot^{-1}(z) = \frac{\pi}{2} \sqrt{\frac{1}{z^2}} {}_2F_1\left(\frac{1}{2}, 1; \frac{3}{2}; -z^2\right); i z \notin (-\infty, -1) \wedge i z \notin (1, \infty)$$

01.16.26.0003.01

$$\cot^{-1}(z) = -\frac{1}{4} (z - i) {}_2F_1\left(1, 1; 2; \frac{1}{2} i (z - i)\right) - \frac{i}{2} \log(2) + \frac{i}{2} \log(-i (z - i)); i z \notin (0, 1)$$

01.16.26.0004.01

$$\cot^{-1}(z) = -\frac{1}{4} (z + i) {}_2F_1\left(1, 1; 2; -\frac{i}{2} (z + i)\right) + \frac{i}{2} \log(2) - \frac{i}{2} \log(i (z + i)); i z \notin (-1, 0)$$

### Through Meijer G

#### Classical cases for the direct function itself

01.16.26.0005.01

$$\cot^{-1}(z) = \frac{1}{2z} G_{2,2}^{1,2} \left( \frac{1}{z^2} \left| \begin{matrix} 0, \frac{1}{2} \\ 0, -\frac{1}{2} \end{matrix} \right. \right)$$

01.16.26.0006.01

$$\cot^{-1}(z) = \frac{\sqrt{z^2}}{2z} G_{2,2}^{2,1} \left( z^2 \left| \begin{matrix} \frac{1}{2}, 1 \\ 0, \frac{1}{2} \end{matrix} \right. \right)$$

01.16.26.0007.01

$$\cot^{-1}(z) = \frac{1}{2} G_{2,2}^{2,1} \left( z^2 \left| \begin{matrix} \frac{1}{2}, 1 \\ 0, \frac{1}{2} \end{matrix} \right. \right); -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.16.26.0017.01

$$\cot^{-1}(z) - \frac{1}{4} \pi \left( \sqrt{\frac{1}{z^2}} z - \sqrt{-\frac{i}{-i+z}} \sqrt{iz+1} + \sqrt{1-\frac{i}{z}} \sqrt{\frac{z}{-i+z}} - \sqrt{1+\frac{i}{z}} \sqrt{\frac{z}{i+z}} + \sqrt{\frac{i}{i+z}} \sqrt{1-iz} + \frac{\sqrt{z^2}}{z} \right) + \sum_{k=0}^n \frac{(-1)^k z^{2k+1}}{2k+1} = \frac{(-1)^n z}{2\sqrt{z^2}} G_{3,3}^{1,3} \left( z^2 \left| \begin{matrix} 1, n + \frac{3}{2}, \frac{1}{2} \\ n + \frac{3}{2}, 0, \frac{1}{2} \end{matrix} \right. \right); n \in \mathbb{N}$$

01.16.26.0018.01

$$\cot^{-1}(z) - \sum_{k=0}^n \frac{(-1)^k z^{-2k-1}}{2k+1} = \frac{(-1)^{n-1} z}{2} \sqrt{\frac{1}{z^2}} G_{3,3}^{1,3} \left( \frac{1}{z^2} \left| \begin{matrix} 1, n + \frac{3}{2}, \frac{1}{2} \\ n + \frac{3}{2}, 0, \frac{1}{2} \end{matrix} \right. \right); n \in \mathbb{N}$$

01.16.26.0008.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} G_{2,2}^{2,1} \left( z \left| \begin{matrix} \frac{1}{2}, 1 \\ 0, \frac{1}{2} \end{matrix} \right. \right)$$

01.16.26.0019.01

$$\cot^{-1}(\sqrt{z}) + \sum_{k=0}^n \frac{(-1)^k z^{k+\frac{1}{2}}}{2k+1} - \frac{\pi}{2} = \frac{(-1)^n}{2} G_{3,3}^{1,3} \left( z \left| \begin{matrix} 1, n + \frac{3}{2}, \frac{1}{2} \\ n + \frac{3}{2}, 0, \frac{1}{2} \end{matrix} \right. \right); n \in \mathbb{N} \wedge z \notin (-1, 0)$$

01.16.26.0020.01

$$\cot^{-1}(\sqrt{z}) - \sum_{k=0}^n \frac{(-1)^k z^{-k-\frac{1}{2}}}{2k+1} = \frac{(-1)^{n-1} \sqrt{z}}{2} \sqrt{\frac{1}{z}} G_{3,3}^{1,3} \left( \frac{1}{z} \left| \begin{matrix} 1, n + \frac{3}{2}, \frac{1}{2} \\ n + \frac{3}{2}, 0, \frac{1}{2} \end{matrix} \right. \right); n \in \mathbb{N}$$

**Generalized cases for the direct function itself**

01.16.26.0009.01

$$\cot^{-1}(z) = \frac{z}{2} G_{2,2}^{1,2} \left( \sqrt{\frac{1}{z^2}}, \frac{1}{2} \left| \begin{matrix} 1, \frac{3}{2} \\ 1, \frac{1}{2} \end{matrix} \right. \right)$$

01.16.26.0010.01

$$\cot^{-1}(z) = \frac{1}{2} G_{2,2}^{2,1} \left( z, \frac{1}{2} \left| \begin{matrix} \frac{1}{2}, 1 \\ \frac{1}{2}, 0 \end{matrix} \right. \right)$$

01.16.26.0021.01

$$\cot^{-1}(z) - \frac{1}{4} \pi \left( \sqrt{\frac{1}{z^2}} z - \sqrt{-\frac{i}{-i+z}} \sqrt{iz+1} + \sqrt{1-\frac{i}{z}} \sqrt{\frac{z}{-i+z}} - \sqrt{1+\frac{i}{z}} \sqrt{\frac{z}{i+z}} + \sqrt{\frac{i}{i+z}} \sqrt{1-iz} + \frac{\sqrt{z^2}}{z} \right) + \sum_{k=0}^n \frac{(-1)^k z^{2k+1}}{2k+1} = \frac{(-1)^n}{2} G_{3,3}^{1,3} \left( z, \frac{1}{2} \left| \begin{matrix} 1, n + \frac{3}{2}, \frac{1}{2} \\ n + \frac{3}{2}, 0, \frac{1}{2} \end{matrix} \right. \right); n \in \mathbb{N}$$

01.16.26.0022.01

$$\cot^{-1}(z) - \frac{\pi z}{2} \sqrt{\frac{1}{z^2}} + \sum_{k=0}^n \frac{(-1)^k z^{2k+1}}{2k+1} = \frac{(-1)^n}{2} G_{3,3}^{1,3} \left( z, \frac{1}{2} \left| \begin{matrix} 1, n + \frac{3}{2}, \frac{1}{2} \\ n + \frac{3}{2}, 0, \frac{1}{2} \end{matrix} \right. \right); n \in \mathbb{N} \wedge iz \notin (-\infty, -1) \wedge iz \notin (1, \infty)$$

01.16.26.0023.01

$$\cot^{-1}(z) = \sum_{k=0}^n \frac{(-1)^k z^{-2k-1}}{2k+1} = \frac{(-1)^{n-1}}{2} G_{3,3}^{1,3} \left( \frac{1}{z}, \frac{1}{2} \left| \begin{matrix} 1, n + \frac{3}{2}, \frac{1}{2} \\ n + \frac{3}{2}, 0, \frac{1}{2} \end{matrix} \right. \right); n \in \mathbb{N}$$

## Through other functions

### Involving inverse Jacobi functions

01.16.26.0011.01

$$\cot^{-1}(z) = \operatorname{cs}^{-1}(z | 0)$$

01.16.26.0012.01

$$\cot^{-1}(z) = i \operatorname{ns}^{-1}(i z | 1)$$

01.16.26.0013.01

$$\cot^{-1}(z) = \operatorname{sc}^{-1} \left( \frac{1}{z} \middle| 0 \right)$$

01.16.26.0014.01

$$\cot^{-1}(z) = -i \operatorname{sn}^{-1} \left( \frac{i}{z} \middle| 1 \right)$$

### Involving some elliptic-type functions

01.16.26.0015.01

$$\cot^{-1}(z) = -i \sqrt{z-1} \operatorname{Pi} \left( z; i \operatorname{tanh}^{-1} \left( \frac{1}{z \sqrt{z-1}} \right) \middle| 0 \right)$$

### Involving some hypergeometric-type functions

01.16.26.0016.01

$$\cot^{-1}(z) = -\frac{z}{2} \sqrt{-\frac{1}{z^2}} \operatorname{B}_{-\frac{1}{2}} \left( \frac{1}{2}, 0 \right)$$

## Representations through equivalent functions

### With inverse function

#### Involving $\cot^{-1}(\cot(z))$

01.16.27.0001.01

$$\cot^{-1}(\cot(z)) = z /; -\frac{\pi}{2} < \operatorname{Re}(z) < \frac{\pi}{2} \vee \left( \operatorname{Re}(z) = -\frac{\pi}{2} \wedge \operatorname{Im}(z) < 0 \right) \vee \left( \operatorname{Re}(z) = \frac{\pi}{2} \wedge \operatorname{Im}(z) \geq 0 \right)$$

01.16.27.0002.01

$$\cot^{-1}(\cot(z)) = \pi + z /; -\frac{3\pi}{2} < \operatorname{Re}[z] < -\frac{\pi}{2} \vee \left( \operatorname{Re}(z) = -\frac{3\pi}{2} \wedge \operatorname{Im}(z) < 0 \right) \vee \left( \operatorname{Re}(z) = -\frac{\pi}{2} \wedge \operatorname{Im}(z) \geq 0 \right)$$

01.16.27.0003.01

$$\cot^{-1}(\cot(z)) = z - \pi /; \frac{\pi}{2} < \operatorname{Re}(z) < \frac{3\pi}{2} \vee \left( \operatorname{Re}(z) = \frac{\pi}{2} \wedge \operatorname{Im}(z) < 0 \right) \vee \left( \operatorname{Re}(z) = \frac{3\pi}{2} \wedge \operatorname{Im}(z) \geq 0 \right)$$

01.16.27.0004.01

$$\cot^{-1}(\cot(z)) = z - \pi k /; \left( k\pi - \frac{\pi}{2} < \operatorname{Re}(z) < k\pi + \frac{\pi}{2} \vee \left( \operatorname{Re}(z) = k\pi - \frac{\pi}{2} \wedge \operatorname{Im}(z) < 0 \right) \vee \left( \operatorname{Re}(z) = k\pi + \frac{\pi}{2} \wedge \operatorname{Im}(z) \geq 0 \right) \right) \wedge k \in \mathbb{Z}$$

01.16.27.0005.01

$$\cot^{-1}(\cot(z)) = z + \pi \left[ \frac{1}{2} - \frac{\operatorname{Re}(z)}{\pi} \right] - \frac{\pi}{2} \left( 1 + (-1)^{\lfloor \frac{\operatorname{Re}(z)}{\pi} + \frac{1}{2} \rfloor + \lfloor -\frac{\operatorname{Re}(z)}{\pi} - \frac{1}{2} \rfloor} \right) \theta(-\operatorname{Im}(z)) /; \frac{z}{\pi} - \frac{1}{2} \notin \mathbb{Z}$$

01.16.27.2801.01

$$\cot^{-1}(\cot(z)) = \begin{cases} z - \pi \left[ \frac{2\operatorname{Re}(z) - \pi}{2\pi} \right] & \frac{2\operatorname{Re}(z) + \pi}{2\pi} \in \mathbb{Z} \wedge \operatorname{Im}(z) \geq 0 \\ z - \pi \left[ \frac{2\operatorname{Re}(z) + \pi}{2\pi} \right] & \text{True} \end{cases}$$

01.16.27.2802.01

$$\cot^{-1}(\cot(z)) = \tan^{-1}(\tan(z)) /; \frac{2z + \pi}{2\pi} \notin \mathbb{Z}$$

### Involving $\cot(\cot^{-1}(z))$

01.16.27.0006.01

$$\cot(\cot^{-1}(z)) = z$$

01.16.27.0007.01

$$\cot(n \cot^{-1}(z)) = \frac{i((z-i)^n + (z+i)^n)}{(z+i)^n - (z-i)^n} /; n \in \mathbb{N}^+$$

### Involving $\cot^{-1}(\tan(z))$

01.16.27.2803.01

$$\cot^{-1}(\tan(z)) = \frac{\pi}{2} - z /; 0 < \operatorname{Re}(z) < \pi \vee (\operatorname{Re}(z) = \pi \wedge \operatorname{Im}(z) > 0) \vee (\operatorname{Re}(z) = 0 \wedge \operatorname{Im}(z) \leq 0)$$

01.16.27.2804.01

$$\cot^{-1}(\tan(z)) = -z - \frac{\pi}{2} /; -\pi < \operatorname{Re}(z) < 0 \vee (\operatorname{Re}(z) = 0 \wedge \operatorname{Im}(z) > 0) \vee (\operatorname{Re}(z) = -\pi \wedge \operatorname{Im}(z) \leq 0)$$

01.16.27.2805.01

$$\cot^{-1}(\tan(z)) = \pi k - z + \frac{\pi}{2} /; (k\pi < \operatorname{Re}(z) < \pi k + \pi \vee (\operatorname{Re}(z) = \pi k + \pi \wedge \operatorname{Im}(z) > 0) \vee (\operatorname{Re}(z) = k\pi \wedge \operatorname{Im}(z) \leq 0)) \wedge k \in \mathbb{Z}$$

01.16.27.2806.01

$$\cot^{-1}(\tan(z)) = \frac{\pi}{2} - z + \pi \left[ \frac{\operatorname{Re}(z)}{\pi} \right] - \frac{\pi}{2} \left( 1 + (-1)^{\lfloor \frac{\operatorname{Re}(z)}{\pi} \rfloor - \lfloor \frac{\operatorname{Re}(z)}{\pi} \rfloor} \right) \theta(\operatorname{Im}(z)) /; \frac{z}{\pi} \notin \mathbb{Z}$$

01.16.27.2807.01

$$\cot^{-1}(\tan(z)) = \begin{cases} -z + \pi \left[ \frac{\operatorname{Re}(z)}{\pi} \right] - \frac{\pi}{2} & \frac{\operatorname{Re}(z)}{\pi} \in \mathbb{Z} \wedge \operatorname{Im}(z) > 0 \\ -z + \pi \left[ \frac{\operatorname{Re}(z)}{\pi} \right] + \frac{\pi}{2} & \text{True} \end{cases}$$

01.16.27.2808.01

$$\cot^{-1}(\tan(z)) = \tan^{-1}(\cot(z)) /; \frac{z}{\pi} \notin \mathbb{Z}$$

## With related functions

### Involving log



01.16.27.0008.01

$$\cot^{-1}(z) = \frac{i}{2} \log\left(\frac{z-i}{z+i}\right); i z \notin (0, 1)$$

01.16.27.0009.01

$$\cot^{-1}(z) = -\frac{i}{2} \log\left(\frac{z+i}{z-i}\right); i z \notin (-1, 0)$$

01.16.27.0010.01

$$\cot^{-1}(z) = \frac{1}{2i} \log\left(\frac{iz-1}{iz+1}\right); i z \notin (-1, 0)$$

01.16.27.2809.01

$$\cot^{-1}(z) = \frac{1}{2} i \left( \log\left(\frac{z-i}{z}\right) - \log\left(\frac{z+i}{z}\right) \right)$$

01.16.27.2810.01

$$\cot^{-1}(z) = \frac{1}{2} i (-\log(-iz) + \log(iz) - \log(iz-1) + \log(-iz-1))$$

### Involving $\sin^{-1}$

#### Involving $\cot^{-1}(z)$

#### Involving $\cot^{-1}(z)$ and $\sin^{-1}\left(\frac{2z}{1+z^2}\right)$

01.16.27.0041.01

$$\cot^{-1}(z) = \frac{\pi}{2} - \frac{1}{2} \sin^{-1}\left(\frac{2z}{z^2+1}\right); |z| < 1 \wedge -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.0042.01

$$\cot^{-1}(z) = -\frac{1}{2} \sin^{-1}\left(\frac{2z}{z^2+1}\right) - \frac{\pi}{2}; |z| < 1 \wedge \left(\frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}\right)$$

01.16.27.0043.01

$$\cot^{-1}(z) = \frac{1}{2} \pi z \sqrt{\frac{1}{z^2}} - \frac{1}{2} \sin^{-1}\left(\frac{2z}{z^2+1}\right); |z| < 1$$

01.16.27.0044.01

$$\cot^{-1}(z) = \frac{1}{2} \sin^{-1}\left(\frac{2z}{z^2+1}\right); |z| > 1$$

01.16.27.0045.01

$$\cot^{-1}(z) = \frac{\pi z}{4} \left( \frac{1-z}{1+z} \sqrt{\frac{(z+1)^2}{(z-1)^2} + 1} \right) \sqrt{\frac{1}{z^2}} - \frac{1-z}{2(1+z)} \sqrt{\frac{(z+1)^2}{(z-1)^2}} \sin^{-1}\left(\frac{2z}{z^2+1}\right); |z| \neq 1$$

#### Involving $\cot^{-1}(z)$ and $\sin^{-1}\left(\frac{1-z^2}{1+z^2}\right)$

01.16.27.0046.01

$$\cot^{-1}(z) = \frac{1}{2} \sin^{-1}\left(\frac{1-z^2}{z^2+1}\right) + \frac{\pi}{4}; \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.0047.01

$$\cot^{-1}(z) = -\frac{1}{2} \sin^{-1}\left(\frac{1-z^2}{1+z^2}\right) - \frac{\pi}{4}; \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.0048.01

$$\cot^{-1}(z) = \frac{3\pi}{4} - \frac{1}{2} \sin^{-1}\left(\frac{1-z^2}{1+z^2}\right); (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.0049.01

$$\cot^{-1}(z) = -\frac{3\pi}{4} + \frac{1}{2} \sin^{-1}\left(\frac{1-z^2}{1+z^2}\right); (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.0050.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( z \sqrt{\frac{1}{z^2}} - \frac{\sqrt{z^2} \sqrt{z^2+1}}{2z} \sqrt{\frac{1}{z^2+1}} \right) + \frac{\sqrt{z^2} \sqrt{z^2+1}}{2z} \sqrt{\frac{1}{z^2+1}} \sin^{-1}\left(\frac{1-z^2}{z^2+1}\right)$$

Involving  $\cot^{-1}(z)$  and  $\sin^{-1}\left(\frac{z^2-1}{z^2+1}\right)$

01.16.27.0051.01

$$\cot^{-1}(z) = -\frac{1}{2} \sin^{-1}\left(\frac{z^2-1}{z^2+1}\right) + \frac{\pi}{4}; \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.0052.01

$$\cot^{-1}(z) = \frac{1}{2} \sin^{-1}\left(\frac{z^2-1}{z^2+1}\right) - \frac{\pi}{4}; \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.0053.01

$$\cot^{-1}(z) = \frac{3\pi}{4} + \frac{1}{2} \sin^{-1}\left(\frac{z^2-1}{z^2+1}\right); (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.0054.01

$$\cot^{-1}(z) = -\frac{3\pi}{4} - \frac{1}{2} \sin^{-1}\left(\frac{z^2-1}{z^2+1}\right); (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.0055.01

$$\cot^{-1}(z) = \frac{\pi}{4} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{z+i}{z}} \sqrt{\frac{z}{z+i}} + \sqrt{\frac{z}{z-i}} \sqrt{\frac{z-i}{z}} \right) - \frac{\sqrt{z^2} \sqrt{z^2+1}}{2z} \sqrt{\frac{1}{z^2+1}} \sin^{-1}\left(\frac{z^2-1}{z^2+1}\right)$$

Involving  $\cot^{-1}(z)$  and  $\sin^{-1}\left(\frac{1}{\sqrt{z^2+1}}\right)$

01.16.27.0056.01

$$\cot^{-1}(z) = \sin^{-1}\left(\frac{1}{\sqrt{z^2+1}}\right); \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.0057.01

$$\cot^{-1}(z) = -\sin^{-1}\left(\frac{1}{\sqrt{z^2+1}}\right); \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.0058.01

$$\cot^{-1}(z) = \pi - \sin^{-1}\left(\frac{1}{\sqrt{z^2+1}}\right); (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.0059.01

$$\cot^{-1}(z) = -\pi + \sin^{-1}\left(\frac{1}{\sqrt{z^2+1}}\right); (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.0060.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{z}{z-i}} \sqrt{\frac{z-i}{z}} - \sqrt{\frac{z}{z+i}} \sqrt{\frac{z+i}{z}} \right) + \frac{\sqrt{z^2}}{z} \sin^{-1}\left(\frac{1}{\sqrt{z^2+1}}\right)$$

Involving  $\cot^{-1}(z)$  and  $\sin^{-1}\left(\sqrt{\frac{1}{z^2+1}}\right)$

01.16.27.0061.01

$$\cot^{-1}(z) = \sin^{-1}\left(\sqrt{\frac{1}{z^2+1}}\right); \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.0062.01

$$\cot^{-1}(z) = -\sin^{-1}\left(\sqrt{\frac{1}{z^2+1}}\right); \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.0063.01

$$\cot^{-1}(z) = \pi - \sin^{-1}\left(\sqrt{\frac{1}{z^2+1}}\right); (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.0064.01

$$\cot^{-1}(z) = -\pi + \sin^{-1}\left(\sqrt{\frac{1}{z^2+1}}\right); (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.0065.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{z}{z-i}} \sqrt{\frac{z-i}{z}} - \sqrt{\frac{z}{z+i}} \sqrt{\frac{z+i}{z}} \right) + \frac{\sqrt{z^2} \sqrt{z^2+1}}{z} \sqrt{\frac{1}{z^2+1}} \sin^{-1}\left(\sqrt{\frac{1}{z^2+1}}\right)$$

Involving  $\cot^{-1}(z)$  and  $\sin^{-1}\left(\frac{z}{\sqrt{z^2+1}}\right)$

01.16.27.0066.01

$$\cot^{-1}(z) = \frac{\pi}{2} - \sin^{-1}\left(\frac{z}{\sqrt{z^2+1}}\right); \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.0067.01

$$\cot^{-1}(z) = -\frac{\pi}{2} - \sin^{-1}\left(\frac{z}{\sqrt{z^2+1}}\right); \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.0068.01

$$\cot^{-1}(z) = \sin^{-1}\left(\frac{z}{\sqrt{z^2+1}}\right) - \frac{\pi}{2}; (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.0069.01

$$\cot^{-1}(z) = \sin^{-1}\left(\frac{z}{\sqrt{z^2+1}}\right) + \frac{\pi}{2}; (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.0070.01

$$\cot^{-1}(z) = \frac{\pi z}{2} \sqrt{\frac{1}{z^2} - \sqrt{z^2+1}} - \sqrt{z^2+1} \sqrt{\frac{1}{z^2+1}} \sin^{-1}\left(\frac{z}{\sqrt{z^2+1}}\right)$$

Involving  $\cot^{-1}(z)$  and  $\sin^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2+1}}\right)$

01.16.27.0071.01

$$\cot^{-1}(z) = \frac{\pi}{2} - \sin^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2+1}}\right); \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.0072.01

$$\cot^{-1}(z) = -\frac{\pi}{2} + \sin^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2+1}}\right); \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.0073.01

$$\cot^{-1}(z) = -\sin^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2+1}}\right) - \frac{\pi}{2}; (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.0074.01

$$\cot^{-1}(z) = \sin^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2+1}}\right) + \frac{\pi}{2}; (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.0075.01

$$\cot^{-1}(z) = \frac{\pi z}{2} \sqrt{\frac{1}{z^2}} - \frac{\sqrt{z^2}}{z} \sqrt{z^2 + 1} \sqrt{\frac{1}{z^2 + 1}} \sin^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2 + 1}}\right)$$

Involving  $\cot^{-1}(z)$  and  $\sin^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{-1-z^2}}\right)$

01.16.27.0076.01

$$\cot^{-1}(z) = \frac{\pi}{2} - \sin^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{-1-z^2}}\right); -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.0077.01

$$\cot^{-1}(z) = -\frac{\pi}{2} + \sin^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{-1-z^2}}\right); \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.0078.01

$$\cot^{-1}(z) = \frac{\pi z}{2} \sqrt{\frac{1}{z^2}} - z \sqrt{\frac{1}{z^2}} \sin^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{-z^2-1}}\right)$$

Involving  $\cot^{-1}(z)$  and  $\sin^{-1}\left(\sqrt{\frac{z^2}{z^2+1}}\right)$

01.16.27.0079.01

$$\cot^{-1}(z) = \frac{\pi}{2} - \sin^{-1}\left(\sqrt{\frac{z^2}{z^2+1}}\right); \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.0080.01

$$\cot^{-1}(z) = -\frac{\pi}{2} + \sin^{-1}\left(\sqrt{\frac{z^2}{z^2+1}}\right); \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.0081.01

$$\cot^{-1}(z) = -\sin^{-1}\left(\sqrt{\frac{z^2}{z^2+1}}\right) - \frac{\pi}{2}; (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.0082.01

$$\cot^{-1}(z) = \sin^{-1}\left(\sqrt{\frac{z^2}{z^2+1}}\right) + \frac{\pi}{2}; (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.0083.01

$$\cot^{-1}(z) = \frac{\pi z}{2} \sqrt{\frac{1}{z^2}} - z \sqrt{\frac{1}{z^2}} \sqrt{\frac{z^2}{z^2+1}} \sqrt{\frac{z^2+1}{z^2}} \sin^{-1} \left( \sqrt{\frac{z^2}{z^2+1}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\sin^{-1} \left( \sqrt{\sqrt{1+z^2} + 1} / (\sqrt{2} (1+z^2)^{1/4}) \right)$

01.16.27.0084.01

$$\cot^{-1}(z) = 2 \sin^{-1} \left( \frac{\sqrt{\sqrt{z^2+1} + 1}}{\sqrt{2} \sqrt[4]{z^2+1}} \right) - \frac{\pi}{2} /; \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.0085.01

$$\cot^{-1}(z) = \frac{\pi}{2} - 2 \sin^{-1} \left( \frac{\sqrt{\sqrt{z^2+1} + 1}}{\sqrt{2} \sqrt[4]{z^2+1}} \right) /; \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.0086.01

$$\cot^{-1}(z) = -2 \sin^{-1} \left( \frac{\sqrt{\sqrt{z^2+1} + 1}}{\sqrt{2} \sqrt[4]{z^2+1}} \right) + \frac{3\pi}{2} /; (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.0087.01

$$\cot^{-1}(z) = 2 \sin^{-1} \left( \frac{\sqrt{\sqrt{z^2+1} + 1}}{\sqrt{2} \sqrt[4]{z^2+1}} \right) - \frac{3\pi}{2} /; (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.0088.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{z}{z-i}} \sqrt{\frac{z-i}{z}} - \sqrt{\frac{z}{z+i}} \sqrt{\frac{z+i}{z}} - \frac{\sqrt{z^2}}{z} \right) + \frac{2\sqrt{z^2}}{z} \sin^{-1} \left( \frac{\sqrt{\sqrt{z^2+1} + 1}}{\sqrt{2} \sqrt[4]{z^2+1}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\sin^{-1} \left( \sqrt{\sqrt{1+z^2} - 1} / (\sqrt{2} (1+z^2)^{1/4}) \right)$

01.16.27.0089.01

$$\cot^{-1}(z) = \frac{\pi}{2} - 2 \sin^{-1} \left( \frac{\sqrt{\sqrt{z^2+1}-1}}{\sqrt{2} \sqrt[4]{z^2+1}} \right) ; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.0090.01

$$\cot^{-1}(z) = 2 \sin^{-1} \left( \frac{\sqrt{\sqrt{z^2+1}-1}}{\sqrt{2} \sqrt[4]{z^2+1}} \right) - \frac{\pi}{2} ; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.0091.01

$$\cot^{-1}(z) = 2 \sin^{-1} \left( \frac{\sqrt{\sqrt{z^2+1}-1}}{\sqrt{2} \sqrt[4]{z^2+1}} \right) + \frac{\pi}{2} ; (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.0092.01

$$\cot^{-1}(z) = -2 \sin^{-1} \left( \frac{\sqrt{\sqrt{z^2+1}-1}}{\sqrt{2} \sqrt[4]{z^2+1}} \right) - \frac{\pi}{2} ; (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.0093.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{z}{z-i}} \sqrt{\frac{z-i}{z}} - \sqrt{\frac{z}{z+i}} \sqrt{\frac{z+i}{z}} + \frac{\sqrt{z^2}}{z} \right) - \frac{2\sqrt{z^2}}{z} \sin^{-1} \left( \frac{\sqrt{\sqrt{z^2+1}-1}}{\sqrt{2} \sqrt[4]{z^2+1}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\sin^{-1} \left( \sqrt{\frac{\sqrt{1+z^2}+1}{2\sqrt{1+z^2}}} \right)$

01.16.27.0094.01

$$\cot^{-1}(z) = 2 \sin^{-1} \left( \sqrt{\frac{\sqrt{1+z^2}+1}{2\sqrt{1+z^2}}} \right) - \frac{\pi}{2} ; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.0095.01

$$\cot^{-1}(z) = \frac{\pi}{2} - 2 \sin^{-1} \left( \sqrt{\frac{\sqrt{1+z^2}+1}{2\sqrt{1+z^2}}} \right) ; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.0096.01

$$\cot^{-1}(z) = -2 \sin^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} + 1}{2\sqrt{1+z^2}}} \right) + \frac{3\pi}{2}; (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.0097.01

$$\cot^{-1}(z) = 2 \sin^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} + 1}{2\sqrt{1+z^2}}} \right) - \frac{3\pi}{2}; (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.0098.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{z}{z-i}} \sqrt{\frac{z-i}{z}} - \sqrt{\frac{z}{z+i}} \sqrt{\frac{z+i}{z}} - \frac{\sqrt{z^2}}{z} \right) + \frac{2\sqrt{z^2}}{z} \sin^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} + 1}{2\sqrt{1+z^2}}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\sin^{-1} \left( \sqrt{\frac{(\sqrt{1+z^2} - 1)}{(2\sqrt{1+z^2})}} \right)$

01.16.27.0099.01

$$\cot^{-1}(z) = \frac{\pi}{2} - 2 \sin^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} - 1}{2\sqrt{1+z^2}}} \right); \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.0100.01

$$\cot^{-1}(z) = 2 \sin^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} - 1}{2\sqrt{1+z^2}}} \right) - \frac{\pi}{2}; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.0101.01

$$\cot^{-1}(z) = 2 \sin^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} - 1}{2\sqrt{1+z^2}}} \right) + \frac{\pi}{2}; (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.0102.01

$$\cot^{-1}(z) = -2 \sin^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} - 1}{2\sqrt{1+z^2}}} \right) - \frac{\pi}{2}; (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.0103.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{z}{z-i}} \sqrt{\frac{z-i}{z}} - \sqrt{\frac{z}{z+i}} \sqrt{\frac{z+i}{z}} + \frac{\sqrt{z^2}}{z} \right) - \frac{2\sqrt{z^2}}{z} \sin^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} - 1}{2\sqrt{1+z^2}}} \right)$$



Involving  $\cot^{-1}(z)$  and  $\sin^{-1}\left(\frac{\sqrt{\sqrt{1+z^2}+z}}{\sqrt{2}(1+z^2)^{1/4}}\right)$

01.16.27.0104.01

$$\cot^{-1}(z) = \pi - 2 \sin^{-1}\left(\frac{\sqrt{\sqrt{1+z^2}+z}}{\sqrt{2}(1+z^2)^{1/4}}\right) /; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.0105.01

$$\cot^{-1}(z) = -2 \sin^{-1}\left(\frac{\sqrt{z+\sqrt{z^2+1}}}{\sqrt{2}\sqrt[4]{z^2+1}}\right) /; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge -1 < iz < 0) \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.0106.01

$$\cot^{-1}(z) = 2 \sin^{-1}\left(\frac{\sqrt{z+\sqrt{z^2+1}}}{\sqrt{2}\sqrt[4]{z^2+1}}\right) - \pi /; (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.0107.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z + \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} + \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} - 1 \right) - 2 \sqrt{iz+1} \sqrt{\frac{1}{iz+1}} \sin^{-1}\left(\frac{\sqrt{z+\sqrt{z^2+1}}}{\sqrt{2}\sqrt[4]{z^2+1}}\right)$$

Involving  $\cot^{-1}(z)$  and  $\sin^{-1}\left(\frac{\sqrt{\sqrt{1+z^2}-z}}{\sqrt{2}(1+z^2)^{1/4}}\right)$

01.16.27.0108.01

$$\cot^{-1}(z) = 2 \sin^{-1}\left(\frac{\sqrt{\sqrt{z^2+1}-z}}{\sqrt{2}\sqrt[4]{z^2+1}}\right) /; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1) \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.0109.01

$$\cot^{-1}(z) = 2 \sin^{-1}\left(\frac{\sqrt{\sqrt{z^2+1}-z}}{\sqrt{2}\sqrt[4]{z^2+1}}\right) - \pi /; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.0110.01

$$\cot^{-1}(z) = -2 \sin^{-1} \left( \frac{\sqrt{\sqrt{z^2+1} - z}}{\sqrt{2} \sqrt[4]{z^2+1}} \right) + \pi /; (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.0111.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{z}{z-i}} \sqrt{\frac{z-i}{z}} - \sqrt{\frac{z}{z+i}} \sqrt{\frac{z+i}{z}} + \frac{\sqrt{z^2}}{z} - 2 \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} + 1 \right) + 2 \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} \sin^{-1} \left( \frac{\sqrt{\sqrt{z^2+1} - z}}{\sqrt{2} \sqrt[4]{z^2+1}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\sin^{-1} \left( \sqrt{\left( \sqrt{1+z^2} + z \right) / \left( 2 \sqrt{1+z^2} \right)} \right)$

01.16.27.0112.01

$$\cot^{-1}(z) = \pi - 2 \sin^{-1} \left( \sqrt{\frac{z + \sqrt{z^2+1}}{2 \sqrt{z^2+1}}} \right) /; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.0113.01

$$\cot^{-1}(z) = -2 \sin^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} + z}{2 \sqrt{1+z^2}}} \right) /; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.0114.01

$$\cot^{-1}(z) = 2 \sin^{-1} \left( \sqrt{\frac{z + \sqrt{z^2+1}}{2 \sqrt{z^2+1}}} \right) /; (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.0115.01

$$\cot^{-1}(z) = 2 \sin^{-1} \left( \sqrt{\frac{z + \sqrt{z^2+1}}{2 \sqrt{z^2+1}}} \right) - \pi /; (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.0116.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z + \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} \right) - 2 \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} \sin^{-1} \left( \sqrt{\frac{z + \sqrt{z^2+1}}{2 \sqrt{z^2+1}}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\sin^{-1}\left(\sqrt{\frac{\sqrt{1+z^2}-z}{2\sqrt{1+z^2}}}\right)$

01.16.27.0117.01

$$\cot^{-1}(z) = 2 \sin^{-1}\left(\sqrt{\frac{\sqrt{1+z^2}-z}{2\sqrt{1+z^2}}}\right) /; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.0118.01

$$\cot^{-1}(z) = 2 \sin^{-1}\left(\sqrt{\frac{\sqrt{1+z^2}-z}{2\sqrt{1+z^2}}}\right) - \pi /; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.0119.01

$$\cot^{-1}(z) = \pi - 2 \sin^{-1}\left(\sqrt{\frac{\sqrt{z^2+1}-z}{2\sqrt{z^2+1}}}\right) /; (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.0120.01

$$\cot^{-1}(z) = -2 \sin^{-1}\left(\sqrt{\frac{\sqrt{z^2+1}-z}{2\sqrt{z^2+1}}}\right) /; (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.0121.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} \right) + 2 \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} \sin^{-1}\left(\sqrt{\frac{\sqrt{z^2+1}-z}{2\sqrt{z^2+1}}}\right)$$

**Involving  $\cot^{-1}(\sqrt{z})$**

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sin^{-1}\left(\frac{1-z}{1+z}\right)$

01.16.27.0122.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{4} + \frac{1}{2} \sin^{-1}\left(\frac{1-z}{1+z}\right) /; |\arg(z)| < \pi$$

01.16.27.0123.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} \sin^{-1}\left(\frac{1-z}{1+z}\right) - \frac{3\pi}{4} /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0124.01

$$\cot^{-1}(\sqrt{z}) = -\frac{1}{2} \sin^{-1}\left(\frac{1-z}{1+z}\right) - \frac{\pi}{4} /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0125.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{4} \left( 2\sqrt{z} \sqrt{\frac{1}{z}} - \sqrt{z+1} \sqrt{\frac{1}{z+1}} \right) + \frac{z\sqrt{-z-1}}{2\sqrt{-z}(z+1)} \sqrt{\frac{1}{z}} \sin^{-1}\left(\frac{1-z}{1+z}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sin^{-1}\left(\frac{z-1}{z+1}\right)$

01.16.27.0126.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{4} - \frac{1}{2} \sin^{-1}\left(\frac{z-1}{z+1}\right); |\arg(z)| < \pi$$

01.16.27.0127.01

$$\cot^{-1}(\sqrt{z}) = -\frac{1}{2} \sin^{-1}\left(\frac{z-1}{z+1}\right) - \frac{3\pi}{4}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0128.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} \sin^{-1}\left(\frac{z-1}{z+1}\right) - \frac{\pi}{4}; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0129.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{4} \left( 2\sqrt{z} \sqrt{\frac{1}{z}} - \sqrt{z+1} \sqrt{\frac{1}{z+1}} \right) - \frac{z\sqrt{-z-1}}{2\sqrt{-z}(z+1)} \sqrt{\frac{1}{z}} \sin^{-1}\left(\frac{z-1}{z+1}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sin^{-1}\left(\frac{2\sqrt{z}}{1+z}\right)$

01.16.27.0130.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - \frac{1}{2} \sin^{-1}\left(\frac{2\sqrt{z}}{z+1}\right); |z| < 1 \wedge z \notin (-1, 0)$$

01.16.27.0131.01

$$\cot^{-1}(\sqrt{z}) = -\frac{1}{2} \sin^{-1}\left(\frac{2\sqrt{z}}{z+1}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0132.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \sqrt{z} \sqrt{\frac{1}{z}} - \frac{1}{2} \sin^{-1}\left(\frac{2\sqrt{z}}{z+1}\right); |z| < 1$$

01.16.27.0133.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} \sin^{-1}\left(\frac{2\sqrt{z}}{z+1}\right); |z| > 1$$

01.16.27.0134.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{4} \left( -\frac{z-1}{z+1} \sqrt{\left(\frac{z+1}{z-1}\right)^2} + 2\sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - 1 \right) - \frac{1-z}{2(z+1)} \sqrt{\left(\frac{z+1}{z-1}\right)^2} \sin^{-1}\left(\frac{2\sqrt{z}}{z+1}\right); |z| \neq 1$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sin^{-1}\left(\frac{1}{\sqrt{1+z}}\right)$

01.16.27.0135.01

$$\cot^{-1}(\sqrt{z}) = \sin^{-1}\left(\frac{1}{\sqrt{1+z}}\right); z \notin (-1, 0)$$

01.16.27.0136.01

$$\cot^{-1}(\sqrt{z}) = \sin^{-1}\left(\frac{1}{\sqrt{z+1}}\right) - \pi; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0137.01

$$\cot^{-1}(\sqrt{z}) = \sin^{-1}\left(\frac{1}{\sqrt{z+1}}\right) - \frac{\pi}{2} \left(1 - \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sin^{-1}\left(\sqrt{\frac{1}{1+z}}\right)$

01.16.27.0138.01

$$\cot^{-1}(\sqrt{z}) = \sin^{-1}\left(\sqrt{\frac{1}{1+z}}\right); |\arg(z)| < \pi$$

01.16.27.0139.01

$$\cot^{-1}(\sqrt{z}) = \sin^{-1}\left(\sqrt{\frac{1}{1+z}}\right) - \pi; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0140.01

$$\cot^{-1}(\sqrt{z}) = -\sin^{-1}\left(\sqrt{\frac{1}{1+z}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0141.01

$$\cot^{-1}(\sqrt{z}) = \sqrt{1+z} \sqrt{\frac{1}{1+z}} \sin^{-1}\left(\sqrt{\frac{1}{1+z}}\right) - \frac{\pi}{2} \left(1 - \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sin^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right)$

01.16.27.0142.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - \sin^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right); |\arg(z)| < \pi$$

01.16.27.0143.01

$$\cot^{-1}(\sqrt{z}) = -\sin^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0144.01

$$\cot^{-1}(\sqrt{z}) = \sin^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0145.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} \sqrt{z} \sqrt{\frac{1}{z}} \pi - \sqrt{z+1} \sqrt{\frac{1}{z+1}} \sin^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sin^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-z-1}}\right)$

01.16.27.0146.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - \sin^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-z-1}}\right); |\arg(z)| < \pi$$

01.16.27.0147.01

$$\cot^{-1}(\sqrt{z}) = \sin^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-z-1}}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.0148.01

$$\cot^{-1}(\sqrt{z}) = \frac{\sqrt{-z} \sqrt{-z-1}}{\sqrt{z}} \sqrt{\frac{1}{z+1}} \sin^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-z-1}}\right) + \frac{\pi}{2} \sqrt{\frac{1}{z}} \sqrt{z}$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sin^{-1}\left(\sqrt{\frac{z}{z+1}}\right)$

01.16.27.0149.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - \sin^{-1}\left(\sqrt{\frac{z}{z+1}}\right); |\arg(z)| < \pi$$

01.16.27.0150.01

$$\cot^{-1}(\sqrt{z}) = -\sin^{-1}\left(\sqrt{\frac{z}{z+1}}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0151.01

$$\cot^{-1}(\sqrt{z}) = \sin^{-1}\left(\sqrt{\frac{z}{z+1}}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0152.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} \sqrt{z} \sqrt{\frac{1}{z}} \pi - \sqrt{z+1} \sqrt{\frac{1}{z+1}} \sin^{-1}\left(\sqrt{\frac{z}{z+1}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sin^{-1}\left(\sqrt{\sqrt{1+z} + 1} / (\sqrt{2} (1+z)^{1/4})\right)$

01.16.27.0153.01

$$\cot^{-1}(\sqrt{z}) = 2 \sin^{-1}\left(\frac{\sqrt{1 + \sqrt{z+1}}}{\sqrt{2} \sqrt[4]{z+1}}\right) - \frac{\pi}{2}; z \notin (-1, 0)$$

01.16.27.0154.01

$$\cot^{-1}(\sqrt{z}) = 2 \sin^{-1} \left( \frac{\sqrt{1 + \sqrt{z+1}}}{\sqrt{2} \sqrt[4]{z+1}} \right) - \frac{3\pi}{2} ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0155.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \left( \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - 2 \right) + 2 \sin^{-1} \left( \frac{\sqrt{\sqrt{z+1} + 1}}{\sqrt{2} \sqrt[4]{z+1}} \right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sin^{-1} \left( \sqrt{\sqrt{1+z} - 1} / (\sqrt{2} (1+z)^{1/4}) \right)$

01.16.27.0156.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - 2 \sin^{-1} \left( \frac{\sqrt{\sqrt{z+1} - 1}}{\sqrt{2} \sqrt[4]{z+1}} \right) ; z \notin (-1, 0)$$

01.16.27.0157.01

$$\cot^{-1}(\sqrt{z}) = -\frac{\pi}{2} - 2 \sin^{-1} \left( \frac{\sqrt{\sqrt{z+1} - 1}}{\sqrt{2} \sqrt[4]{z+1}} \right) ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0158.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - 2 \sin^{-1} \left( \frac{\sqrt{\sqrt{z+1} - 1}}{\sqrt{2} \sqrt[4]{z+1}} \right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sin^{-1} \left( \sqrt{(\sqrt{1+z} + 1) / (2\sqrt{1+z})} \right)$

01.16.27.0159.01

$$\cot^{-1}(\sqrt{z}) = 2 \sin^{-1} \left( \sqrt{\frac{\sqrt{1+z} + 1}{2\sqrt{1+z}}} \right) - \frac{\pi}{2} ; z \notin (-1, 0)$$

01.16.27.0160.01

$$\cot^{-1}(\sqrt{z}) = 2 \sin^{-1} \left( \sqrt{\frac{\sqrt{1+z} + 1}{2\sqrt{1+z}}} \right) - \frac{3\pi}{2} ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0161.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \left( \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - 2 \right) + 2 \sin^{-1} \left( \sqrt{\frac{\sqrt{1+z} + 1}{2\sqrt{1+z}}} \right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sin^{-1} \left( \sqrt{(\sqrt{1+z} - 1) / (2\sqrt{1+z})} \right)$

01.16.27.0162.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - 2 \sin^{-1} \left( \sqrt{\frac{\sqrt{1+z} - 1}{2\sqrt{1+z}}} \right) ; z \notin (-1, 0)$$

01.16.27.0163.01

$$\cot^{-1}(\sqrt{z}) = -\frac{\pi}{2} - 2 \sin^{-1} \left( \sqrt{\frac{\sqrt{1+z} - 1}{2\sqrt{1+z}}} \right) ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0164.01

$$\cot^{-1}(\sqrt{z}) = \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} \frac{\pi}{2} - 2 \sin^{-1} \left( \sqrt{\frac{\sqrt{1+z} - 1}{2\sqrt{1+z}}} \right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sin^{-1} \left( \frac{\sqrt{\sqrt{1+z} + \sqrt{z}}}{\sqrt{2} (1+z)^{1/4}} \right)$

01.16.27.0165.01

$$\cot^{-1}(\sqrt{z}) = \pi - 2 \sin^{-1} \left( \frac{\sqrt{\sqrt{1+z} + \sqrt{z}}}{\sqrt{2} (1+z)^{1/4}} \right) ; |\arg(z)| < \pi$$

01.16.27.0166.01

$$\cot^{-1}(\sqrt{z}) = -2 \sin^{-1} \left( \frac{\sqrt{\sqrt{1+z} + \sqrt{z}}}{\sqrt{2} (1+z)^{1/4}} \right) ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0167.01

$$\cot^{-1}(\sqrt{z}) = 2 \sin^{-1} \left( \frac{\sqrt{\sqrt{z} + \sqrt{z+1}}}{\sqrt{2} \sqrt[4]{z+1}} \right) - \pi ; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0168.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \left( -\sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} + 2\sqrt{\frac{1}{z}} \sqrt{z+1} \right) - 2\sqrt{z+1} \sqrt{\frac{1}{z+1}} \sin^{-1} \left( \frac{\sqrt{\sqrt{z} + \sqrt{z+1}}}{\sqrt{2} \sqrt[4]{z+1}} \right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sin^{-1} \left( \frac{\sqrt{\sqrt{1+z} - \sqrt{z}}}{\sqrt{2} (1+z)^{1/4}} \right)$

01.16.27.0169.01

$$\cot^{-1}(\sqrt{z}) = 2 \sin^{-1} \left( \frac{\sqrt{\sqrt{z+1} - \sqrt{z}}}{\sqrt{2} \sqrt[4]{z+1}} \right) ; z \notin (-1, 0)$$

01.16.27.0170.01

$$\cot^{-1}(\sqrt{z}) = 2 \sin^{-1} \left( \frac{\sqrt{\sqrt{z+1} - \sqrt{z}}}{\sqrt{2} \sqrt[4]{z+1}} \right) - \pi ; (z \in \mathbb{R} \wedge -1 < z < 0)$$



01.16.27.0171.01

$$\cot^{-1}(\sqrt{z}) = 2 \sin^{-1} \left( \frac{\sqrt{\sqrt{z+1} - \sqrt{z}}}{\sqrt{2} \sqrt[4]{z+1}} \right) - \frac{\pi}{2} \left( 1 - \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} \right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sin^{-1} \left( \sqrt{(\sqrt{1+z} + \sqrt{z}) / (2\sqrt{1+z})} \right)$

01.16.27.0172.01

$$\cot^{-1}(\sqrt{z}) = \pi - 2 \sin^{-1} \left( \sqrt{\frac{\sqrt{z} + \sqrt{z+1}}{2\sqrt{z+1}}} \right) /; |\arg(z)| < \pi$$

01.16.27.0173.01

$$\cot^{-1}(\sqrt{z}) = -2 \sin^{-1} \left( \sqrt{\frac{\sqrt{z} + \sqrt{z+1}}{2\sqrt{z+1}}} \right) /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0174.01

$$\cot^{-1}(\sqrt{z}) = 2 \sin^{-1} \left( \sqrt{\frac{\sqrt{z} + \sqrt{z+1}}{2\sqrt{z+1}}} \right) - \pi /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0175.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \left( -\sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} + 2\sqrt{\frac{1}{z}} \sqrt{z+1} \right) - 2\sqrt{z+1} \sqrt{\frac{1}{z+1}} \sin^{-1} \left( \sqrt{\frac{\sqrt{z} + \sqrt{z+1}}{2\sqrt{z+1}}} \right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sin^{-1} \left( \sqrt{(\sqrt{1+z} - \sqrt{z}) / (2\sqrt{1+z})} \right)$

01.16.27.0176.01

$$\cot^{-1}(\sqrt{z}) = 2 \sin^{-1} \left( \sqrt{\frac{\sqrt{z+1} - \sqrt{z}}{2\sqrt{z+1}}} \right) /; |\arg(z)| < \pi$$

01.16.27.0177.01

$$\cot^{-1}(\sqrt{z}) = 2 \sin^{-1} \left( \sqrt{\frac{\sqrt{z+1} - \sqrt{z}}{2\sqrt{z+1}}} \right) - \pi /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0178.01

$$\cot^{-1}(\sqrt{z}) = -2 \sin^{-1} \left( \sqrt{\frac{\sqrt{z+1} - \sqrt{z}}{2\sqrt{z+1}}} \right) /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0179.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \left( \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - 1 \right) + 2\sqrt{\frac{1}{z+1}} \sqrt{z+1} \sin^{-1} \left( \sqrt{\frac{\sqrt{z+1} - \sqrt{z}}{2\sqrt{z+1}}} \right)$$

### Involving $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$

#### Involving $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$ and $\sin^{-1}\left(\frac{1-z}{1+z}\right)$

01.16.27.0180.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\frac{1}{2} \sin^{-1}\left(\frac{1-z}{1+z}\right) + \frac{\pi}{4} \quad ; \quad z \notin (-\infty, -1)$$

01.16.27.0181.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{3\pi}{4} + \frac{1}{2} \sin^{-1}\left(\frac{1-z}{1+z}\right) \quad ; \quad (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0182.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{1}{4} \pi \left(2 - \sqrt{z+1} \sqrt{\frac{1}{z+1}}\right) - \frac{1}{2} \sqrt{\frac{1}{z+1}} \sqrt{z+1} \sin^{-1}\left(\frac{1-z}{1+z}\right)$$

#### Involving $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$ and $\sin^{-1}\left(\frac{z-1}{z+1}\right)$

01.16.27.0183.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{1}{2} \sin^{-1}\left(\frac{z-1}{z+1}\right) + \frac{\pi}{4} \quad ; \quad z \notin (-\infty, -1)$$

01.16.27.0184.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{3\pi}{4} - \frac{1}{2} \sin^{-1}\left(\frac{z-1}{z+1}\right) \quad ; \quad (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0185.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{1}{4} \pi \left(2 - \sqrt{z+1} \sqrt{\frac{1}{z+1}}\right) + \frac{1}{2} \sqrt{\frac{1}{z+1}} \sqrt{z+1} \sin^{-1}\left(\frac{z-1}{z+1}\right)$$

#### Involving $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$ and $\sin^{-1}\left(\frac{2\sqrt{z}}{1+z}\right)$

01.16.27.0186.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{1}{2} \sin^{-1}\left(\frac{2\sqrt{z}}{z+1}\right) \quad ; \quad |z| < 1$$

01.16.27.0187.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - \frac{1}{2} \sin^{-1}\left(\frac{2\sqrt{z}}{z+1}\right) \quad ; \quad |z| > 1$$

01.16.27.0188.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \left(1 - \frac{1-z}{1+z} \sqrt{\left(\frac{1+z}{-1+z}\right)^2}\right) \frac{\pi}{4} + \frac{1-z}{2(z+1)} \sqrt{\left(\frac{z+1}{z-1}\right)^2} \sin^{-1}\left(\frac{2\sqrt{z}}{z+1}\right) \quad ; \quad |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sin^{-1}\left(\frac{1}{\sqrt{z+1}}\right)$

01.16.27.0189.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - \sin^{-1}\left(\frac{1}{\sqrt{z+1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sin^{-1}\left(\sqrt{\frac{1}{z+1}}\right)$

01.16.27.0190.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - \sin^{-1}\left(\sqrt{\frac{1}{z+1}}\right) /; z \notin (-\infty, -1)$$

01.16.27.0191.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} + \sin^{-1}\left(\sqrt{\frac{1}{z+1}}\right) /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0192.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - \sqrt{z+1} \sqrt{\frac{1}{z+1}} \sin^{-1}\left(\sqrt{\frac{1}{z+1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sin^{-1}\left(\frac{\sqrt{z}}{\sqrt{1+z}}\right)$

01.16.27.0193.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \sin^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right) /; z \notin (-\infty, -1)$$

01.16.27.0194.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \pi - \sin^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right) /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0195.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} \left(1 - \sqrt{z+1} \sqrt{\frac{1}{z+1}}\right) + \sqrt{\frac{1}{z+1}} \sqrt{z+1} \sin^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sin^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-1-z}}\right)$

01.16.27.0196.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \sin^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-z-1}}\right) /; |\arg(z)| < \pi$$

01.16.27.0197.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\sin^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-z-1}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0198.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \pi - \sin^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-z-1}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0199.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} \left(1 - \sqrt{z+1} \sqrt{\frac{1}{z+1}}\right) + \sqrt{\frac{1}{z}} \sqrt{z} \sin^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-z-1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sin^{-1}\left(\sqrt{\frac{z}{z+1}}\right)$

01.16.27.0200.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \sin^{-1}\left(\sqrt{\frac{z}{z+1}}\right); z \notin (-\infty, -1)$$

01.16.27.0201.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \pi - \sin^{-1}\left(\sqrt{\frac{z}{z+1}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0202.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} \left(1 - \sqrt{z+1} \sqrt{\frac{1}{z+1}}\right) + \sqrt{\frac{1}{z+1}} \sqrt{z+1} \sin^{-1}\left(\sqrt{\frac{z}{z+1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sin^{-1}\left(\frac{\sqrt{\sqrt{1+z} + 1}}{(\sqrt{2} (1+z)^{1/4})}\right)$

01.16.27.0203.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \pi - 2 \sin^{-1}\left(\frac{\sqrt{\sqrt{z+1} + 1}}{\sqrt{2} \sqrt[4]{z+1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sin^{-1}\left(\frac{\sqrt{\sqrt{1+z} - 1}}{(\sqrt{2} (1+z)^{1/4})}\right)$

01.16.27.0204.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2 \sin^{-1}\left(\frac{\sqrt{\sqrt{z+1} - 1}}{\sqrt{2} \sqrt[4]{z+1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sin^{-1}\left(\frac{\sqrt{(\sqrt{1+z} + 1)}}{(2\sqrt{1+z})}\right)$

01.16.27.0205.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \pi - 2 \sin^{-1}\left(\sqrt{\frac{\sqrt{z+1} + 1}{2\sqrt{z+1}}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sin^{-1}\left(\sqrt{(\sqrt{1+z} - 1)/(2\sqrt{1+z})}\right)$

01.16.27.0206.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2 \sin^{-1}\left(\sqrt{\frac{\sqrt{z+1} - 1}{2\sqrt{z+1}}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sin^{-1}\left(\sqrt{\sqrt{1+z} + \sqrt{z}} / (\sqrt{2} (1+z)^{1/4})\right)$

01.16.27.0207.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2 \sin^{-1}\left(\frac{\sqrt{\sqrt{z} + \sqrt{z+1}}}{\sqrt{2} \sqrt[4]{z+1}}\right) - \frac{\pi}{2}; z \notin (-\infty, -1)$$

01.16.27.0208.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{3\pi}{2} - 2 \sin^{-1}\left(\frac{\sqrt{\sqrt{z} + \sqrt{z+1}}}{\sqrt{2} \sqrt[4]{z+1}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0209.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \left(\frac{1}{z} - \sqrt{z+1} \sqrt{\frac{1}{z+1}}\right) \pi + 2 \sqrt{\frac{1}{z+1}} \sqrt{z+1} \sin^{-1}\left(\frac{\sqrt{\sqrt{z} + \sqrt{z+1}}}{\sqrt{2} \sqrt[4]{z+1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sin^{-1}\left(\sqrt{\sqrt{1+z} - \sqrt{z}} / (\sqrt{2} (1+z)^{1/4})\right)$

01.16.27.0210.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - 2 \sin^{-1}\left(\frac{\sqrt{\sqrt{z+1} - \sqrt{z}}}{\sqrt{2} \sqrt[4]{z+1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sin^{-1}\left(\sqrt{(\sqrt{1+z} + \sqrt{z})/(2\sqrt{1+z})}\right)$

01.16.27.0211.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2 \sin^{-1}\left(\sqrt{\frac{\sqrt{1+z} + \sqrt{z}}{2\sqrt{1+z}}}\right) - \frac{\pi}{2}; z \notin (-\infty, -1)$$

01.16.27.0212.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{3\pi}{2} - 2 \sin^{-1}\left(\sqrt{\frac{\sqrt{z} + \sqrt{z+1}}{2\sqrt{z+1}}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0213.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \pi \left(-\sqrt{z+1} \sqrt{\frac{1}{z+1} + \frac{1}{2}}\right) + 2\sqrt{\frac{1}{z+1}} \sqrt{z+1} \sin^{-1}\left(\sqrt{\frac{\sqrt{z} + \sqrt{z+1}}{2\sqrt{z+1}}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sin^{-1}\left(\sqrt{(\sqrt{1+z} - \sqrt{z})/(2\sqrt{1+z})}\right)$

01.16.27.0214.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - 2 \sin^{-1}\left(\sqrt{\frac{\sqrt{1+z} - \sqrt{z}}{2\sqrt{1+z}}}\right); z \notin (-\infty, -1)$$

01.16.27.0215.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} + 2 \sin^{-1}\left(\sqrt{\frac{\sqrt{1+z} - \sqrt{z}}{2\sqrt{1+z}}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0216.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - 2\sqrt{z+1} \sqrt{\frac{1}{z+1}} \sin^{-1}\left(\sqrt{\frac{\sqrt{z+1} - \sqrt{z}}{2\sqrt{z+1}}}\right)$$

Involving  $\cot^{-1}(\sqrt{z-1})$

Involving  $\cot^{-1}(\sqrt{z-1})$  and  $\sin^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.0217.01

$$\cot^{-1}(\sqrt{z-1}) = \sin^{-1}\left(\frac{1}{\sqrt{z}}\right); z \notin (0, 1)$$

01.16.27.0218.01

$$\cot^{-1}(\sqrt{z-1}) = \sin^{-1}\left(\frac{1}{\sqrt{z}}\right) - \pi; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.0219.01

$$\cot^{-1}(\sqrt{z-1}) = \frac{\pi}{2} \left(\sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} - 1\right) + \sin^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z-1}}\right)$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z-1}}\right)$  and  $\sin^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.0220.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z-1}}\right) = \frac{\pi}{2} - \sin^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right)$

Involving  $\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right)$  and  $\sin^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.0221.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right) = \frac{\pi}{2} - \sin^{-1}\left(\frac{1}{\sqrt{z}}\right); z \notin (-\infty, 1)$$

01.16.27.0222.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right) = \sin^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge z < 1)$$

01.16.27.0223.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right) = \sqrt{z-1} \sqrt{\frac{1}{z-1}} \left(\frac{\pi}{2} - \sin^{-1}\left(\frac{1}{\sqrt{z}}\right)\right)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right)$  and  $\sin^{-1}(\sqrt{z})$

01.16.27.0224.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right) = \sin^{-1}(\sqrt{z}); z \notin (1, \infty)$$

01.16.27.0225.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right) = \sin^{-1}(\sqrt{z}) - \pi; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0226.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right) = \sin^{-1}(\sqrt{z}) + \frac{\pi}{2} \left(\sqrt{1-z} \sqrt{\frac{1}{1-z}} - 1\right)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right)$  and  $\sin^{-1}(\sqrt{z})$

01.16.27.0227.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right) = -\sin^{-1}(\sqrt{z}) /; z \notin (0, \infty)$$

01.16.27.0228.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right) = \sin^{-1}(\sqrt{z}) /; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.0229.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right) = \pi - \sin^{-1}(\sqrt{z}) /; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0230.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right) = \frac{\pi}{2} \left( 1 - \sqrt{1-z} \sqrt{\frac{1}{1-z}} \right) + \frac{\sqrt{1-z} \sqrt{-z}}{\sqrt{z-1} \sqrt{z}} \sin^{-1}(\sqrt{z})$$

### Involving $\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right)$

Involving  $\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right)$  and  $\sin^{-1}(\sqrt{z})$

01.16.27.0231.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right) = \sin^{-1}(\sqrt{z}) /; z \notin (1, \infty) \wedge z \notin (-\infty, 0)$$

01.16.27.0232.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right) = -\sin^{-1}(\sqrt{z}) /; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.0233.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right) = -\pi + \sin^{-1}(\sqrt{z}) /; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0234.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right) = \frac{\pi}{2} \left( \sqrt{1-z} \sqrt{\frac{1}{1-z}} - 1 \right) + \sqrt{\frac{1}{z}} \sqrt{z} \sin^{-1}(\sqrt{z})$$



### Involving $\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right)$  and  $\sin^{-1}(\sqrt{z})$

01.16.27.0235.01

$$\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right) = \frac{\pi}{2} - \sin^{-1}(\sqrt{z}) ; |\arg(z)| < \pi$$

01.16.27.0236.01

$$\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right) = -\frac{\pi}{2} - \sin^{-1}(\sqrt{z}) ; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.0012.01

$$\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right) = \frac{\pi}{2} \sqrt{z} \sqrt{\frac{1}{z}} - \sin^{-1}(\sqrt{z})$$

### Involving $\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right)$  and  $\sin^{-1}(\sqrt{z})$

01.16.27.0237.01

$$\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right) = \sin^{-1}(\sqrt{z}) - \frac{\pi}{2} ; z \notin (-\infty, 1)$$

01.16.27.0238.01

$$\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right) = \sin^{-1}(\sqrt{z}) + \frac{\pi}{2} ; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.0239.01

$$\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right) = \frac{\pi}{2} - \sin^{-1}(\sqrt{z}) ; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.0240.01

$$\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right) = \frac{\sqrt{z} \sqrt{z-1}}{\sqrt{1-z} \sqrt{-z}} \left( \frac{1}{2} \pi \sqrt{z} \sqrt{\frac{1}{z}} - \sin^{-1}(\sqrt{z}) \right)$$

### Involving $\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right)$

Involving  $\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right)$  and  $\sin^{-1}(\sqrt{z})$

01.16.27.0241.01

$$\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right) = \frac{\pi}{2} - \sin^{-1}(\sqrt{z}) ; z \notin (-\infty, 0) \wedge z \notin (1, \infty)$$

01.16.27.0242.01

$$\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right) = -\sin^{-1}(\sqrt{z}) - \frac{\pi}{2} ; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.0243.01

$$\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right) = \sin^{-1}(\sqrt{z}) - \frac{\pi}{2} ; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0011.01

$$\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right) = \sqrt{1-z} \sqrt{\frac{1}{1-z}} \left( \frac{\pi}{2} \sqrt{z} \sqrt{\frac{1}{z}} - \sin^{-1}(\sqrt{z}) \right)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{1+cz}}{\sqrt{1-cz}}\right)$

#### Involving $\cot^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right)$ and $\sin^{-1}(z)$

01.16.27.0244.01

$$\cot^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right) = \frac{\pi}{4} - \frac{1}{2} \sin^{-1}(z) ; z \notin (-\infty, -1)$$

01.16.27.0245.01

$$\cot^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right) = -\frac{1}{2} \sin^{-1}(z) - \frac{3\pi}{4} ; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0246.01

$$\cot^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right) = \frac{\pi}{4} \left( 2 \sqrt{\frac{1}{z+1}} \sqrt{z+1} - 1 \right) - \frac{1}{2} \sin^{-1}(z)$$

#### Involving $\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right)$ and $\sin^{-1}(z)$

01.16.27.0247.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right) = \frac{\pi}{4} + \frac{1}{2} \sin^{-1}(z) ; z \notin (1, \infty)$$

01.16.27.0248.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right) = \frac{1}{2} \sin^{-1}(z) - \frac{3\pi}{4} ; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0249.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right) = \frac{\pi}{4} \left( 2 \sqrt{\frac{1}{1-z}} \sqrt{1-z} - 1 \right) + \frac{1}{2} \sin^{-1}(z)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{-1+cz}}{\sqrt{-1-cz}}\right)$

#### Involving $\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right)$ and $\sin^{-1}(z)$

01.16.27.0250.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right) = -\frac{\pi}{4} - \frac{1}{2} \sin^{-1}(z) ; z \notin (-1, \infty)$$

01.16.27.0251.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right) = \frac{3\pi}{4} - \frac{1}{2} \sin^{-1}(z) ; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0252.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right) = \frac{\pi}{4} + \frac{1}{2} \sin^{-1}(z) ; (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.16.27.0253.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right) = \frac{\sqrt{-z-1} \sqrt{1-z}}{\sqrt{z-1} \sqrt{z+1}} \left( \frac{\pi}{4} \left( 2 \sqrt{\frac{1}{1-z}} \sqrt{1-z} - 1 \right) + \frac{1}{2} \sin^{-1}(z) \right)$$

#### Involving $\cot^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right)$ and $\sin^{-1}(z)$

01.16.27.0254.01

$$\cot^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right) = -\frac{\pi}{4} + \frac{1}{2} \sin^{-1}(z) ; z \notin (-\infty, 1)$$

01.16.27.0255.01

$$\cot^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right) = \frac{3\pi}{4} + \frac{1}{2} \sin^{-1}(z) ; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0256.01

$$\cot^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right) = \frac{\pi}{4} - \frac{1}{2} \sin^{-1}(z) ; (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.16.27.0257.01

$$\cot^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right) = \frac{\sqrt{z-1} \sqrt{z+1}}{\sqrt{-z-1} \sqrt{1-z}} \left( \frac{\pi}{4} \left( 2 \sqrt{\frac{1}{z+1}} \sqrt{z+1} - 1 \right) - \frac{1}{2} \sin^{-1}(z) \right)$$

### Involving $\cot^{-1}\left(\sqrt{\frac{1+cz}{1-cz}}\right)$

Involving  $\cot^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right)$  and  $\sin^{-1}(z)$

01.16.27.0258.01

$$\cot^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right) = \frac{\pi}{4} - \frac{1}{2} \sin^{-1}(z); z \notin (-\infty, -1) \wedge z \notin (1, \infty)$$

01.16.27.0259.01

$$\cot^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right) = -\frac{3\pi}{4} - \frac{1}{2} \sin^{-1}(z); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0260.01

$$\cot^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right) = -\frac{\pi}{4} + \frac{1}{2} \sin^{-1}(z); (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0261.01

$$\cot^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right) = \frac{\pi}{4} \left( \sqrt{\frac{1}{z+1}} \sqrt{z+1} + \sqrt{\frac{1}{1-z^2}} \sqrt{1-z^2} - 1 \right) - \frac{1}{2} \sqrt{1-z} \sqrt{\frac{1}{1-z}} \sin^{-1}(z)$$

Involving  $\cot^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right)$  and  $\sin^{-1}(z)$

01.16.27.0262.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right) = \frac{\pi}{4} + \frac{1}{2} \sin^{-1}(z); z \notin (-\infty, -1) \wedge z \notin (1, \infty)$$

01.16.27.0263.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right) = -\frac{3\pi}{4} + \frac{1}{2} \sin^{-1}(z); (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0264.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right) = -\frac{1}{2} \sin^{-1}(z) - \frac{\pi}{4}; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0265.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right) = \frac{\pi}{4} \sqrt{\frac{1+z}{1-z}} \sqrt{\frac{1-z}{1+z}} \left( 2 - \sqrt{1-z} \sqrt{\frac{1}{1-z}} \right) + \frac{1}{2} \sqrt{\frac{1}{z+1}} \sqrt{z+1} \sin^{-1}(z)$$

Involving  $\cot^{-1}\left(\sqrt{z^2 - 1}\right)$

Involving  $\cot^{-1}\left(\sqrt{z^2 - 1}\right)$  and  $\sin^{-1}\left(\frac{1}{z}\right)$

01.16.27.0266.01

$$\cot^{-1}\left(\sqrt{z^2-1}\right) = \sin^{-1}\left(\frac{1}{z}\right) /; -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0267.01

$$\cot^{-1}\left(\sqrt{z^2-1}\right) = -\sin^{-1}\left(\frac{1}{z}\right) /; \frac{\pi}{2} < \arg(z) < \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0268.01

$$\cot^{-1}\left(\sqrt{z^2-1}\right) = \sin^{-1}\left(\frac{1}{z}\right) - \pi /; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.0269.01

$$\cot^{-1}\left(\sqrt{z^2-1}\right) = -\pi - \sin^{-1}\left(\frac{1}{z}\right) /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0270.01

$$\cot^{-1}\left(\sqrt{z^2-1}\right) = \frac{\sqrt{z^2}}{z} \sin^{-1}\left(\frac{1}{z}\right) + \frac{\pi i}{2} \left( \frac{\sqrt{-z-1}}{\sqrt{z+1}} + \frac{\sqrt{z-1}}{\sqrt{1-z}} \right)$$

### Involving $\cot^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right)$

#### Involving $\cot^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right)$ and $\sin^{-1}\left(\frac{1}{z}\right)$

01.16.27.0271.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right) = \frac{\pi}{2} - \sin^{-1}\left(\frac{1}{z}\right) /; -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.16.27.0272.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right) = \sin^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2} /; \frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.16.27.0273.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right) = \frac{\pi}{2} - \frac{\sqrt{z^2}}{z} \sin^{-1}\left(\frac{1}{z}\right)$$

### Involving $\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right)$

#### Involving $\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right)$ and $\sin^{-1}\left(\frac{1}{z}\right)$

01.16.27.0274.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right) = \frac{\pi}{2} - \sin^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0275.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right) = \sin^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2}; \frac{\pi}{2} < \arg(z) < \pi \vee -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0276.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right) = \sin^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge 0 < z < 1) \vee (iz \in \mathbb{R} \wedge iz < 0)$$

01.16.27.0277.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right) = -\sin^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0) \vee (iz \in \mathbb{R} \wedge iz > 0)$$

01.16.27.0278.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right) = \sqrt{\frac{1}{z^2-1}} \sqrt{z^2-1} \left( \frac{\pi}{2} - \frac{\sqrt{z^2}}{z} \sin^{-1}\left(\frac{1}{z}\right) \right)$$

Involving  $\tan^{-1}\left(\frac{1}{z} \sqrt{\frac{z^2}{z^2-1}}\right)$

Involving  $\cot^{-1}\left(\frac{1}{z} \sqrt{\frac{z^2}{z^2-1}}\right)$  and  $\sin^{-1}\left(\frac{1}{z}\right)$

01.16.27.0279.01

$$\cot^{-1}\left(\frac{1}{z} \sqrt{\frac{z^2}{z^2-1}}\right) = \frac{\pi}{2} - \sin^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0280.01

$$\cot^{-1}\left(\frac{1}{z} \sqrt{\frac{z^2}{z^2-1}}\right) = -\sin^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2}; \frac{\pi}{2} < \arg(z) < \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0281.01

$$\cot^{-1}\left(\frac{1}{z} \sqrt{\frac{z^2}{z^2-1}}\right) = \sin^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.0282.01

$$\cot^{-1}\left(\frac{1}{z} \sqrt{\frac{z^2}{z^2-1}}\right) = \sin^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0283.01

$$\cot^{-1}\left(\frac{1}{z}\sqrt{\frac{z^2}{z^2-1}}\right) = \frac{\sqrt{z^2-1}}{z}\sqrt{\frac{z^2}{z^2-1}}\left(\frac{\pi}{2} - \frac{\sqrt{z^2}}{z}\sin^{-1}\left(\frac{1}{z}\right)\right)$$

Involving  $\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}}\right)$

Involving  $\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}}\right)$  and  $\sin^{-1}(z)$

01.16.27.0284.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}}\right) = \frac{\pi}{2} - \sin^{-1}(z) /; -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.0285.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}}\right) = -\sin^{-1}(z) - \frac{\pi}{2} /; \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.0286.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}}\right) = \frac{\pi}{2}\sqrt{\frac{1}{z^2}}z - \sin^{-1}(z)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right)$  and  $\sin^{-1}(z)$

01.16.27.0287.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right) = \frac{\pi}{2} - \sin^{-1}(z) /; \operatorname{Re}(z) > 0$$

01.16.27.0288.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right) = \frac{\pi}{2} + \sin^{-1}(z) /; \operatorname{Re}(z) < 0$$

01.16.27.0289.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right) = \sin^{-1}(z) - \frac{\pi}{2} /; (i z \in \mathbb{R} \wedge i z > 0)$$

01.16.27.0290.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right) = -\sin^{-1}(z) - \frac{\pi}{2}; (i z \in \mathbb{R} \wedge i z < 0)$$

01.16.27.0291.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right) = \frac{\pi}{2} \sqrt{\frac{1}{z^2}} \sqrt{z^2} - \frac{z \sin^{-1}(z)}{\sqrt{z^2}}$$

**Involving  $\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right)$**

Involving  $\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right)$  and  $\sin^{-1}(z)$

01.16.27.0292.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) = \sin^{-1}(z) - \frac{\pi}{2}; -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0293.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) = -\sin^{-1}(z) - \frac{\pi}{2}; \frac{\pi}{2} < \arg(z) < \pi \vee -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0294.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) = \sin^{-1}(z) + \frac{\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0) \vee (i z \in \mathbb{R} \wedge i z < 0)$$

01.16.27.0295.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) = \frac{\pi}{2} - \sin^{-1}(z); (z \in \mathbb{R} \wedge 0 < z < 1) \vee (i z \in \mathbb{R} \wedge i z > 0)$$

01.16.27.0296.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) = \frac{\sqrt{-z^2}}{\sqrt{z^2-1}} \sqrt{\frac{1}{z^2}-1} \left(\frac{\pi}{2} - z \sqrt{\frac{1}{z^2}} \sin^{-1}(z)\right)$$

**Involving  $\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right)$**

Involving  $\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right)$  and  $\sin^{-1}(z)$



01.16.27.0297.01

$$\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) = \frac{\pi}{2} - \sin^{-1}(z) /; -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.0298.01

$$\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) = \sin^{-1}(z) + \frac{\pi}{2} /; \frac{\pi}{2} < \arg(z) < \pi \vee -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0299.01

$$\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) = \sin^{-1}(z) - \frac{\pi}{2} /; (z \in \mathbb{R} \wedge z > 1) \vee (iz \in \mathbb{R} \wedge iz > 0)$$

01.16.27.0300.01

$$\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) = -\sin^{-1}(z) - \frac{\pi}{2} /; (z \in \mathbb{R} \wedge z < -1) \vee (iz \in \mathbb{R} \wedge iz < 0)$$

01.16.27.0301.01

$$\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) = \sqrt{\frac{z^2}{1-z^2}} \sqrt{\frac{1-z^2}{z^2}} \left(\frac{\pi}{2} - z \sqrt{\frac{1}{z^2}} \sin^{-1}(z)\right)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right)$  and  $\sin^{-1}(z)$

01.16.27.0013.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right) = \sin^{-1}(z) /; z \notin (-\infty, -1) \wedge z \notin (1, \infty)$$

01.16.27.0302.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right) = \pi + \sin^{-1}(z) /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0303.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right) = -\pi + \sin^{-1}(z) /; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0014.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right) = \sin^{-1}(z) + \frac{\pi}{2} \left(\sqrt{\frac{1}{1-z}} \sqrt{1-z} - \sqrt{\frac{1}{z+1}} \sqrt{z+1}\right)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right)$

#### Involving $\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right)$ and $\sin^{-1}(z)$

01.16.27.0304.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right) = \sin^{-1}(z) /; -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.0305.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right) = -\sin^{-1}(z) /; \frac{\pi}{2} < \arg(z) < \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0306.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right) = -\pi - \sin^{-1}(z) /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0307.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right) = -\pi + \sin^{-1}(z) /; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0308.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right) = \frac{z}{\sqrt{z^2}} \left( \frac{\pi}{2} \left( \sqrt{\frac{1}{1-z}} \sqrt{1-z} - \sqrt{\frac{1}{z+1}} \sqrt{z+1} \right) + \sin^{-1}(z) \right)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right)$

#### Involving $\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right)$ and $\sin^{-1}(z)$

01.16.27.0309.01

$$\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) = -\sin^{-1}(z) /; -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0310.01

$$\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) = \sin^{-1}(z) /; \frac{\pi}{2} < \arg(z) < \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.0311.01

$$\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) = \pi + \sin^{-1}(z) ; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0312.01

$$\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) = \pi - \sin^{-1}(z) ; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0313.01

$$\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) = \frac{z\sqrt{z^2-1}}{\sqrt{-z^2}\sqrt{1-z^2}} \left( \frac{\pi}{2} \left( \sqrt{\frac{1}{1-z}} \sqrt{1-z} - \sqrt{\frac{1}{z+1}} \sqrt{z+1} \right) + \sin^{-1}(z) \right)$$

Involving  $\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right)$

Involving  $\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right)$  and  $\sin^{-1}(z)$

01.16.27.0314.01

$$\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) = \sin^{-1}(z) ; -\frac{\pi}{2} \leq \arg(z) < 0 \vee 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.0315.01

$$\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) = -\sin^{-1}(z) ; \frac{\pi}{2} \leq \arg(z) < \pi \vee -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0316.01

$$\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) = -\pi - \sin^{-1}(z) ; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0317.01

$$\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) = -\pi + \sin^{-1}(z) ; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0318.01

$$\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) = \sqrt{\frac{1}{z^2}} z \left( \frac{\pi}{2} \left( \sqrt{\frac{1}{1-z}} \sqrt{1-z} - \sqrt{\frac{1}{z+1}} \sqrt{z+1} \right) + \sin^{-1}(z) \right)$$

Involving  $\cot^{-1}\left(\frac{1+c\sqrt{1-z^2}}{z}\right)$

Involving  $\cot^{-1}\left(\frac{1+\sqrt{1-z^2}}{z}\right)$  and  $\sin^{-1}(z)$

01.16.27.0319.01

$$\cot^{-1}\left(\frac{1+\sqrt{1-z^2}}{z}\right) = \frac{1}{2} \sin^{-1}(z)$$

Involving  $\cot^{-1}\left(\frac{1-\sqrt{1-z^2}}{z}\right)$  and  $\sin^{-1}(z)$

01.16.27.0320.01

$$\cot^{-1}\left(\frac{1-\sqrt{1-z^2}}{z}\right) = \frac{\pi}{2} - \frac{1}{2} \sin^{-1}(z) ; -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.0321.01

$$\cot^{-1}\left(\frac{1-\sqrt{1-z^2}}{z}\right) = -\frac{\pi}{2} - \frac{1}{2} \sin^{-1}(z) ; \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.0322.01

$$\cot^{-1}\left(\frac{1-\sqrt{1-z^2}}{z}\right) = \frac{\pi z}{2} \sqrt{\frac{1}{z^2}} - \frac{1}{2} \sin^{-1}(z)$$

Involving  $\cot^{-1}\left(\frac{z}{1+c\sqrt{1-z^2}}\right)$

Involving  $\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}+1}\right)$  and  $\sin^{-1}(z)$

01.16.27.0323.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}+1}\right) = \frac{\pi}{2} - \frac{1}{2} \sin^{-1}(z) ; -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.0324.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}+1}\right) = -\frac{\pi}{2} - \frac{1}{2} \sin^{-1}(z) ; \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.0325.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}+1}\right) = \frac{\pi z}{2} \sqrt{\frac{1}{z^2}} - \frac{1}{2} \sin^{-1}(z)$$

Involving  $\cot^{-1}\left(\frac{z}{1-\sqrt{1-z^2}}\right)$  and  $\sin^{-1}(z)$

01.16.27.0326.01

$$\cot^{-1}\left(\frac{z}{1-\sqrt{1-z^2}}\right) = \frac{1}{2} \sin^{-1}(z)$$

Involving  $\cot^{-1}\left(\frac{2\sqrt{z^2-1}}{-2+z^2}\right)$

Involving  $\cot^{-1}\left(\frac{2\sqrt{z^2-1}}{-2+z^2}\right)$  and  $\sin^{-1}\left(\frac{1}{z}\right)$

01.16.27.0327.01

$$\cot^{-1}\left(\frac{2\sqrt{z^2-1}}{-2+z^2}\right) = \frac{\pi}{2} - 2 \sin^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0328.01

$$\cot^{-1}\left(\frac{2\sqrt{z^2-1}}{-2+z^2}\right) = \frac{\pi}{2} + 2 \sin^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} < \arg(z) < \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0329.01

$$\cot^{-1}\left(\frac{2\sqrt{z^2-1}}{-2+z^2}\right) = 2 \sin^{-1}\left(\frac{1}{z}\right) + \frac{3\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0330.01

$$\cot^{-1}\left(\frac{2\sqrt{z^2-1}}{-2+z^2}\right) = \frac{3\pi}{2} - 2 \sin^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.0331.01

$$\cot^{-1}\left(\frac{2\sqrt{z^2-1}}{-2+z^2}\right) = \frac{\pi z}{2\sqrt{z^2-1}} \sqrt{1-\frac{1}{z^2}} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} + \sqrt{\frac{i}{z}} \sqrt{-iz} - \sqrt{-\frac{i}{z}} \sqrt{iz} + \sqrt{1+\frac{1}{z}} \sqrt{\frac{z}{z+1}} \right) - \frac{2z}{\sqrt{z^2-1}} \sqrt{1-\frac{1}{z^2}} \sin^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{-2+z^2}{2\sqrt{z^2-1}}\right)$

Involving  $\cot^{-1}\left(\frac{-2+z^2}{2\sqrt{z^2-1}}\right)$  and  $\sin^{-1}\left(\frac{1}{z}\right)$

01.16.27.0332.01

$$\cot^{-1}\left(\frac{-2+z^2}{2\sqrt{z^2-1}}\right) = 2 \sin^{-1}\left(\frac{1}{z}\right); \frac{\pi}{4} \leq |\arg(z)| < \frac{\pi}{2} \vee |z| > \sqrt{2} \wedge \operatorname{Re}(z) > 0$$

01.16.27.0333.01

$$\cot^{-1}\left(\frac{-2+z^2}{2\sqrt{z^2-1}}\right) = -2 \sin^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} < |\arg(z)| \leq \frac{3\pi}{4} \vee |z| > \sqrt{2} \wedge \operatorname{Re}(z) < 0$$

01.16.27.0334.01

$$\cot^{-1}\left(\frac{-2+z^2}{2\sqrt{z^2-1}}\right) = \pi \left( \theta \left( \left| \sqrt{z^2-1} \right| - 1 \right) - 1 \right) + \frac{2\sqrt{z^2}}{z} \sin^{-1}\left(\frac{1}{z}\right)$$

01.16.27.0335.01

$$\cot^{-1}\left(\frac{-2+z^2}{2\sqrt{z^2-1}}\right) = \frac{\pi}{2\sqrt{z^2-1}} \left( (z^2-2) \sqrt{\frac{z^4}{z^2-1}} \sqrt{\frac{z^2-1}{z^4}} \sqrt{\frac{z^2-1}{(z^2-2)^2}} - \sqrt{1-\frac{1}{z^2}} z \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} + \sqrt{\frac{i}{z}} \sqrt{-iz} - \sqrt{-\frac{i}{z}} \sqrt{iz} + \sqrt{1+\frac{1}{z}} \sqrt{\frac{z}{z+1}} \right) \right) + \frac{2z}{\sqrt{z^2-1}} \sqrt{1-\frac{1}{z^2}} \sin^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{2z\sqrt{1-z^2}}{1-2z^2}\right)$

Involving  $\cot^{-1}\left(\frac{2z\sqrt{1-z^2}}{1-2z^2}\right)$  and  $\sin^{-1}(z)$

01.16.27.0336.01

$$\cot^{-1}\left(\frac{2z\sqrt{1-z^2}}{1-2z^2}\right) = \frac{\pi}{2} - 2\sin^{-1}(z) /; -\frac{\pi}{2} \leq \arg(z) < 0 \vee 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.0337.01

$$\cot^{-1}\left(\frac{2z\sqrt{1-z^2}}{1-2z^2}\right) = -\frac{\pi}{2} - 2\sin^{-1}(z) /; \frac{\pi}{2} \leq \arg(z) < 0 \vee -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0338.01

$$\cot^{-1}\left(\frac{2z\sqrt{1-z^2}}{1-2z^2}\right) = \frac{3\pi}{2} - 2\sin^{-1}(z) /; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0339.01

$$\cot^{-1}\left(\frac{2z\sqrt{1-z^2}}{1-2z^2}\right) = -\frac{3\pi}{2} - 2\sin^{-1}(z) /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0340.01

$$\cot^{-1}\left(\frac{2z\sqrt{1-z^2}}{1-2z^2}\right) = \frac{1}{2} \left( -\sqrt{\frac{1}{1-z}} \sqrt{1-z} + \sqrt{\frac{1}{z+1}} \sqrt{z+1} - \sqrt{-iz} \sqrt{\frac{i}{z}} + \sqrt{-\frac{i}{z}} \sqrt{iz} + \frac{\sqrt{z^2}}{z} \right) \pi - 2\sin^{-1}(z)$$

Involving  $\cot^{-1}\left(\frac{1-2z^2}{2z\sqrt{1-z^2}}\right)$

Involving  $\cot^{-1}\left(\frac{1-2z^2}{2z\sqrt{1-z^2}}\right)$  and  $\sin^{-1}(z)$

01.16.27.0341.01

$$\cot^{-1}\left(\frac{1-2z^2}{2z\sqrt{1-z^2}}\right) = 2\sin^{-1}(z) /; \frac{\pi}{4} \leq |\arg(z)| < \frac{3\pi}{4}$$

01.16.27.0342.01

$$\cot^{-1}\left(\frac{1-2z^2}{2z\sqrt{1-z^2}}\right) = 2\sin^{-1}(z) -$$

$$\frac{1}{2} \pi \left( \frac{\sqrt{z^2-1} z}{\sqrt{z^4-z^2}} + \sqrt{\frac{1}{z}} \sqrt{\frac{1}{\sqrt{2} z-1}} \sqrt{\sqrt{2} z-1} \sqrt{z} - \sqrt{-\frac{1}{z}} \sqrt{-z} \sqrt{-\sqrt{2} z-1} \sqrt{-\frac{1}{\sqrt{2} z+1}} + \frac{\sqrt{z^2}}{z} \right)$$

Involving  $\cos^{-1}$

## Involving $\cot^{-1}(z)$

### Involving $\cot^{-1}(z)$ and $\cos^{-1}\left(\frac{2z}{1+z^2}\right)$

01.16.27.0343.01

$$\cot^{-1}(z) = \frac{\pi}{4} + \frac{1}{2} \cos^{-1}\left(\frac{2z}{z^2+1}\right); |z| < 1 \wedge -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.0344.01

$$\cot^{-1}(z) = \frac{1}{2} \cos^{-1}\left(\frac{2z}{z^2+1}\right) - \frac{3\pi}{4}; |z| < 1 \wedge \left(\frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}\right)$$

01.16.27.0345.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( z \sqrt{\frac{1}{z^2} - \frac{1}{2}} \right) + \frac{1}{2} \cos^{-1}\left(\frac{2z}{z^2+1}\right); |z| < 1$$

01.16.27.0346.01

$$\cot^{-1}(z) = \frac{\pi}{4} - \frac{1}{2} \cos^{-1}\left(\frac{2z}{z^2+1}\right); |z| > 1$$

01.16.27.0347.01

$$\cot^{-1}(z) = \frac{\pi}{4} \left( \sqrt{\frac{1}{z^2}} z - \frac{z-1}{z+1} \sqrt{\frac{(z+1)^2}{(z-1)^2}} \left( \sqrt{\frac{1}{z^2}} z - 1 \right) \right) + \frac{1-z}{2(z+1)} \sqrt{\frac{(z+1)^2}{(z-1)^2}} \cos^{-1}\left(\frac{2z}{z^2+1}\right); |z| \neq 1$$

### Involving $\cot^{-1}(z)$ and $\cos^{-1}\left(\frac{1-z^2}{1+z^2}\right)$

01.16.27.0348.01

$$\cot^{-1}(z) = -\frac{1}{2} \cos^{-1}\left(\frac{1-z^2}{1+z^2}\right) + \frac{\pi}{2}; \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.0349.01

$$\cot^{-1}(z) = \frac{1}{2} \cos^{-1}\left(\frac{1-z^2}{1+z^2}\right) - \frac{\pi}{2}; \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.0350.01

$$\cot^{-1}(z) = \frac{\pi}{2} + \frac{1}{2} \cos^{-1}\left(\frac{1-z^2}{1+z^2}\right); (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.0351.01

$$\cot^{-1}(z) = -\frac{\pi}{2} - \frac{1}{2} \cos^{-1}\left(\frac{1-z^2}{1+z^2}\right); (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.0352.01

$$\cot^{-1}(z) = \frac{1}{2} z \sqrt{\frac{1}{z^2}} \pi - \frac{\sqrt{z^2} \sqrt{z^2+1}}{2z} \sqrt{\frac{1}{z^2+1}} \cos^{-1}\left(\frac{1-z^2}{z^2+1}\right)$$



Involving  $\cot^{-1}(z)$  and  $\cos^{-1}\left(\frac{z^2-1}{z^2+1}\right)$

01.16.27.0353.01

$$\cot^{-1}(z) = \frac{1}{2} \cos^{-1}\left(\frac{z^2-1}{z^2+1}\right); \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.0354.01

$$\cot^{-1}(z) = -\frac{1}{2} \cos^{-1}\left(\frac{z^2-1}{z^2+1}\right); \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.0355.01

$$\cot^{-1}(z) = \pi - \frac{1}{2} \cos^{-1}\left(\frac{z^2-1}{z^2+1}\right); (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.0356.01

$$\cot^{-1}(z) = -\pi + \frac{1}{2} \cos^{-1}\left(\frac{z^2-1}{z^2+1}\right); (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.0357.01

$$\cot^{-1}(z) = \left( \sqrt{\frac{z-i}{z}} \sqrt{\frac{z}{z-i}} - \sqrt{\frac{z+i}{z}} \sqrt{\frac{z}{z+i}} \right) \frac{\pi}{2} + \frac{\sqrt{z^2} \sqrt{z^2+1}}{2z} \sqrt{\frac{1}{z^2+1}} \cos^{-1}\left(\frac{z^2-1}{z^2+1}\right)$$

Involving  $\cot^{-1}(z)$  and  $\cos^{-1}\left(\frac{1}{\sqrt{z^2+1}}\right)$

01.16.27.0358.01

$$\cot^{-1}(z) = \frac{\pi}{2} - \cos^{-1}\left(\frac{1}{\sqrt{z^2+1}}\right); \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.0359.01

$$\cot^{-1}(z) = \cos^{-1}\left(\frac{1}{\sqrt{z^2+1}}\right) - \frac{\pi}{2}; \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.0360.01

$$\cot^{-1}(z) = \frac{\pi}{2} + \cos^{-1}\left(\frac{1}{\sqrt{z^2+1}}\right); (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.0361.01

$$\cot^{-1}(z) = -\frac{\pi}{2} - \cos^{-1}\left(\frac{1}{\sqrt{z^2+1}}\right); (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.0362.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{z}{z-i}} \sqrt{\frac{z-i}{z}} - \sqrt{\frac{z}{z+i}} \sqrt{\frac{z+i}{z}} + \frac{\sqrt{z^2}}{z} \right) - \frac{\sqrt{z^2}}{z} \cos^{-1}\left(\frac{1}{\sqrt{z^2+1}}\right)$$

Involving  $\cot^{-1}(z)$  and  $\cos^{-1}\left(\sqrt{\frac{1}{z^2+1}}\right)$

01.16.27.0363.01

$$\cot^{-1}(z) = \frac{\pi}{2} - \cos^{-1}\left(\sqrt{\frac{1}{z^2+1}}\right) /; \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.0364.01

$$\cot^{-1}(z) = \cos^{-1}\left(\sqrt{\frac{1}{z^2+1}}\right) - \frac{\pi}{2} /; \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.0365.01

$$\cot^{-1}(z) = \frac{\pi}{2} + \cos^{-1}\left(\sqrt{\frac{1}{z^2+1}}\right) /; (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.0366.01

$$\cot^{-1}(z) = -\frac{\pi}{2} - \cos^{-1}\left(\sqrt{\frac{1}{z^2+1}}\right) /; (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.0367.01

$$\cot^{-1}(z) = \frac{1}{2} z \sqrt{\frac{1}{z^2}} \pi - \frac{\sqrt{z^2} \sqrt{z^2+1}}{z} \sqrt{\frac{1}{z^2+1}} \cos^{-1}\left(\sqrt{\frac{1}{z^2+1}}\right)$$

Involving  $\cot^{-1}(z)$  and  $\cos^{-1}\left(\frac{z}{\sqrt{z^2+1}}\right)$

01.16.27.0368.01

$$\cot^{-1}(z) = \cos^{-1}\left(\frac{z}{\sqrt{z^2+1}}\right) /; \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.0369.01

$$\cot^{-1}(z) = -\pi + \cos^{-1}\left(\frac{z}{\sqrt{z^2+1}}\right) /; \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.0370.01

$$\cot^{-1}(z) = -\cos^{-1}\left(\frac{z}{\sqrt{z^2+1}}\right) /; (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.0371.01

$$\cot^{-1}(z) = -\cos^{-1}\left(\frac{z}{\sqrt{z^2+1}}\right) + \pi /; (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.0372.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( z \sqrt{\frac{1}{z^2}} - \sqrt{z^2+1} \sqrt{\frac{1}{z^2+1}} \right) + \sqrt{z^2+1} \sqrt{\frac{1}{z^2+1}} \cos^{-1} \left( \frac{z}{\sqrt{z^2+1}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\cos^{-1} \left( \frac{\sqrt{z^2}}{\sqrt{z^2+1}} \right)$

01.16.27.0373.01

$$\cot^{-1}(z) = \cos^{-1} \left( \frac{\sqrt{z^2}}{\sqrt{z^2+1}} \right) /; \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.0374.01

$$\cot^{-1}(z) = -\cos^{-1} \left( \frac{\sqrt{z^2}}{\sqrt{z^2+1}} \right) /; \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.0375.01

$$\cot^{-1}(z) = \cos^{-1} \left( \frac{\sqrt{z^2}}{\sqrt{z^2+1}} \right) - \pi /; (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.0376.01

$$\cot^{-1}(z) = -\cos^{-1} \left( \frac{\sqrt{z^2}}{\sqrt{z^2+1}} \right) + \pi /; (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.0377.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( z \sqrt{\frac{1}{z^2}} - \frac{\sqrt{z^2} \sqrt{z^2+1}}{z} \sqrt{\frac{1}{z^2+1}} \right) + \frac{\sqrt{z^2+1} \sqrt{z^2}}{z} \sqrt{\frac{1}{z^2+1}} \cos^{-1} \left( \frac{\sqrt{z^2}}{\sqrt{z^2+1}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\cos^{-1} \left( \frac{\sqrt{-z^2}}{\sqrt{-1-z^2}} \right)$

01.16.27.0378.01

$$\cot^{-1}(z) = \cos^{-1} \left( \frac{\sqrt{-z^2}}{\sqrt{-1-z^2}} \right) /; -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.0379.01

$$\cot^{-1}(z) = -\cos^{-1} \left( \frac{\sqrt{-z^2}}{\sqrt{-1-z^2}} \right) /; \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.0380.01

$$\cot^{-1}(z) = z \sqrt{\frac{1}{z^2}} \cos^{-1} \left( \frac{\sqrt{-z^2}}{\sqrt{-z^2-1}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\cos^{-1}\left(\sqrt{\frac{z^2}{z^2+1}}\right)$

01.16.27.0381.01

$$\cot^{-1}(z) = \cos^{-1}\left(\sqrt{\frac{z^2}{z^2+1}}\right) /; \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.0382.01

$$\cot^{-1}(z) = -\cos^{-1}\left(\sqrt{\frac{z^2}{z^2+1}}\right) /; \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.0383.01

$$\cot^{-1}(z) = \cos^{-1}\left(\sqrt{\frac{z^2}{z^2+1}}\right) - \pi /; (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.0384.01

$$\cot^{-1}(z) = -\cos^{-1}\left(\sqrt{\frac{z^2}{z^2+1}}\right) + \pi /; (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.0385.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( z \sqrt{\frac{1}{z^2}} - \frac{\sqrt{-z} \sqrt{-z^2-1}}{\sqrt{-z}} \sqrt{\frac{1}{z^2}} \sqrt{\frac{z^2}{z^2+1}} \right) + \frac{\sqrt{-z} \sqrt{-z^2-1}}{\sqrt{-z}} \sqrt{\frac{1}{z^2}} \sqrt{\frac{z^2}{z^2+1}} \cos^{-1}\left(\sqrt{\frac{z^2}{z^2+1}}\right)$$

Involving  $\cot^{-1}(z)$  and  $\cos^{-1}\left(\sqrt{\sqrt{1+z^2}+1} / (\sqrt{2} (1+z^2)^{1/4})\right)$

01.16.27.0386.01

$$\cot^{-1}(z) = -2 \cos^{-1}\left(\frac{\sqrt{\sqrt{z^2+1}+1}}{\sqrt{2} \sqrt[4]{z^2+1}}\right) + \frac{\pi}{2} /; \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.0387.01

$$\cot^{-1}(z) = -\frac{\pi}{2} + 2 \cos^{-1}\left(\frac{\sqrt{\sqrt{z^2+1}+1}}{\sqrt{2} \sqrt[4]{z^2+1}}\right) /; \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.0388.01

$$\cot^{-1}(z) = 2 \cos^{-1} \left( \frac{\sqrt{\sqrt{z^2+1}+1}}{\sqrt{2} \sqrt[4]{z^2+1}} \right) + \frac{\pi}{2} /; (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.0389.01

$$\cot^{-1}(z) = -2 \cos^{-1} \left( \frac{\sqrt{\sqrt{z^2+1}+1}}{\sqrt{2} \sqrt[4]{z^2+1}} \right) - \frac{\pi}{2} /; (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.0390.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{z}{z-i}} \sqrt{\frac{z-i}{z}} - \sqrt{\frac{z}{z+i}} \sqrt{\frac{z+i}{z}} + \frac{\sqrt{z^2}}{z} \right) - \frac{2\sqrt{z^2}}{z} \cos^{-1} \left( \frac{\sqrt{\sqrt{z^2+1}+1}}{\sqrt{2} \sqrt[4]{z^2+1}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\cos^{-1} \left( \frac{\sqrt{\sqrt{1+z^2}-1}}{\sqrt{2}(1+z^2)^{1/4}} \right)$

01.16.27.0391.01

$$\cot^{-1}(z) = -\frac{\pi}{2} + 2 \cos^{-1} \left( \frac{\sqrt{\sqrt{z^2+1}-1}}{\sqrt{2} \sqrt[4]{z^2+1}} \right) /; \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.0392.01

$$\cot^{-1}(z) = -2 \cos^{-1} \left( \frac{\sqrt{\sqrt{z^2+1}-1}}{\sqrt{2} \sqrt[4]{z^2+1}} \right) + \frac{\pi}{2} /; \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.0393.01

$$\cot^{-1}(z) = -2 \cos^{-1} \left( \frac{\sqrt{\sqrt{z^2+1}-1}}{\sqrt{2} \sqrt[4]{z^2+1}} \right) + \frac{3\pi}{2} /; (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.0394.01

$$\cot^{-1}(z) = 2 \cos^{-1} \left( \frac{\sqrt{\sqrt{z^2+1}-1}}{\sqrt{2} \sqrt[4]{z^2+1}} \right) - \frac{3\pi}{2} /; (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.0395.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{z}{z-i}} \sqrt{\frac{z-i}{z}} - \sqrt{\frac{z}{z+i}} \sqrt{\frac{z+i}{z}} - \frac{\sqrt{z^2}}{z} \right) + \frac{2\sqrt{z^2}}{z} \cos^{-1} \left( \frac{\sqrt{\sqrt{z^2+1}-1}}{\sqrt{2}\sqrt{z^2+1}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\cos^{-1} \left( \sqrt{\left( \sqrt{1+z^2} + 1 \right) / \left( 2\sqrt{1+z^2} \right)} \right)$

01.16.27.0396.01

$$\cot^{-1}(z) = -2 \cos^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} + 1}{2\sqrt{1+z^2}}} \right) + \frac{\pi}{2} /; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.0397.01

$$\cot^{-1}(z) = -\frac{\pi}{2} + 2 \cos^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} + 1}{2\sqrt{1+z^2}}} \right) /; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.0398.01

$$\cot^{-1}(z) = 2 \cos^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} + 1}{2\sqrt{1+z^2}}} \right) + \frac{\pi}{2} /; (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.0399.01

$$\cot^{-1}(z) = -2 \cos^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} + 1}{2\sqrt{1+z^2}}} \right) - \frac{\pi}{2} /; (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.0400.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{z}{z-i}} \sqrt{\frac{z-i}{z}} - \sqrt{\frac{z}{z+i}} \sqrt{\frac{z+i}{z}} + \frac{\sqrt{z^2}}{z} \right) - \frac{2\sqrt{z^2}}{z} \cos^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} + 1}{2\sqrt{1+z^2}}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\cos^{-1} \left( \sqrt{\left( \sqrt{1+z^2} - 1 \right) / \left( 2\sqrt{1+z^2} \right)} \right)$

01.16.27.0401.01

$$\cot^{-1}(z) = -\frac{\pi}{2} + 2 \cos^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} - 1}{2\sqrt{1+z^2}}} \right) /; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.0402.01

$$\cot^{-1}(z) = -2 \cos^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} - 1}{2\sqrt{1+z^2}}} \right) + \frac{\pi}{2} /; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.0403.01

$$\cot^{-1}(z) = -2 \cos^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} - 1}{2\sqrt{1+z^2}}} \right) + 3 \frac{\pi}{2} /; (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.0404.01

$$\cot^{-1}(z) = 2 \cos^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} - 1}{2\sqrt{1+z^2}}} \right) - \frac{3\pi}{2} /; (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.0405.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{z}{z-i}} \sqrt{\frac{z-i}{z}} - \sqrt{\frac{z}{z+i}} \sqrt{\frac{z+i}{z}} - \frac{\sqrt{z^2}}{z} \right) + \frac{2\sqrt{z^2}}{z} \cos^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} - 1}{2\sqrt{1+z^2}}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\cos^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} + z}{\sqrt{2}(1+z^2)^{1/4}}} \right)$

01.16.27.0406.01

$$\cot^{-1}(z) = 2 \cos^{-1} \left( \frac{\sqrt{\sqrt{1+z^2} + z}}{\sqrt{2}(1+z^2)^{1/4}} \right) /; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.0407.01

$$\cot^{-1}(z) = 2 \cos^{-1} \left( \frac{\sqrt{z + \sqrt{z^2 + 1}}}{\sqrt{2} \sqrt[4]{z^2 + 1}} \right) - \pi /; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge -1 < iz < 0) \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.0408.01

$$\cot^{-1}(z) = -2 \cos^{-1} \left( \frac{\sqrt{z + \sqrt{z^2 + 1}}}{\sqrt{2} \sqrt[4]{z^2 + 1}} \right) /; (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.0409.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{iz+1} \sqrt{\frac{1}{iz+1}} + \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} - 1 \right) + 2 \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} \cos^{-1} \left( \frac{\sqrt{z + \sqrt{z^2+1}}}{\sqrt{2} \sqrt[4]{z^2+1}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\cos^{-1} \left( \sqrt{\sqrt{1+z^2} - z} / (\sqrt{2} (1+z^2)^{1/4}) \right)$

01.16.27.0410.01

$$\cot^{-1}(z) = \pi - 2 \cos^{-1} \left( \frac{\sqrt{\sqrt{z^2+1} - z}}{\sqrt{2} \sqrt[4]{z^2+1}} \right) /; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1) \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.0411.01

$$\cot^{-1}(z) = -2 \cos^{-1} \left( \frac{\sqrt{\sqrt{z^2+1} - z}}{\sqrt{2} \sqrt[4]{z^2+1}} \right) /; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.0412.01

$$\cot^{-1}(z) = 2 \cos^{-1} \left( \frac{\sqrt{\sqrt{z^2+1} - z}}{\sqrt{2} \sqrt[4]{z^2+1}} \right) /; (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.0413.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{z}{z-i}} \sqrt{\frac{z-i}{z}} - \sqrt{\frac{z}{z+i}} \sqrt{\frac{z+i}{z}} + \frac{\sqrt{z^2}}{z} + 1 \right) - 2 \sqrt{\frac{1}{1-zi}} \sqrt{1-zi} \cos^{-1} \left( \frac{\sqrt{\sqrt{z^2+1} - z}}{\sqrt{2} \sqrt[4]{z^2+1}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\cos^{-1} \left( \sqrt{(\sqrt{1+z^2} + z) / (2\sqrt{1+z^2})} \right)$

01.16.27.0414.01

$$\cot^{-1}(z) = 2 \cos^{-1} \left( \sqrt{\frac{z + \sqrt{z^2+1}}{2\sqrt{z^2+1}}} \right) /; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$



01.16.27.0415.01

$$\cot^{-1}(z) = 2 \cos^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} + z}{2\sqrt{1+z^2}}} \right) - \pi /; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.0416.01

$$\cot^{-1}(z) = \pi - 2 \cos^{-1} \left( \sqrt{\frac{z + \sqrt{z^2 + 1}}{2\sqrt{z^2 + 1}}} \right) /; (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.0417.01

$$\cot^{-1}(z) = -2 \cos^{-1} \left( \sqrt{\frac{z + \sqrt{z^2 + 1}}{2\sqrt{z^2 + 1}}} \right) /; (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.0418.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{1}{z^2 + 1}} \sqrt{z^2 + 1} \right) + 2 \sqrt{\frac{1}{z^2 + 1}} \sqrt{z^2 + 1} \cos^{-1} \left( \sqrt{\frac{z + \sqrt{z^2 + 1}}{2\sqrt{z^2 + 1}}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\cos^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} - z}{2\sqrt{1+z^2}}} \right)$

01.16.27.0419.01

$$\cot^{-1}(z) = \pi - 2 \cos^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} - z}{2\sqrt{1+z^2}}} \right) /; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.0420.01

$$\cot^{-1}(z) = -2 \cos^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} - z}{2\sqrt{1+z^2}}} \right) /; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.0421.01

$$\cot^{-1}(z) = 2 \cos^{-1} \left( \sqrt{\frac{\sqrt{z^2 + 1} - z}{2\sqrt{z^2 + 1}}} \right) /; (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.0422.01

$$\cot^{-1}(z) = 2 \cos^{-1} \left( \sqrt{\frac{\sqrt{z^2 + 1} - z}{2\sqrt{z^2 + 1}}} \right) - \pi /; (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.0423.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z + \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} \right) - 2 \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} \cos^{-1} \left( \sqrt{\frac{\sqrt{z^2+1}-z}{2\sqrt{z^2+1}}} \right)$$

### Involving $\cot^{-1}(\sqrt{z})$

#### Involving $\cot^{-1}(\sqrt{z})$ and $\cos^{-1}\left(\frac{1-z}{1+z}\right)$

01.16.27.0424.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - \frac{1}{2} \cos^{-1}\left(\frac{1-z}{1+z}\right); |\arg(z)| < \pi$$

01.16.27.0425.01

$$\cot^{-1}(\sqrt{z}) = -\frac{1}{2} \cos^{-1}\left(\frac{1-z}{1+z}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0426.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} \cos^{-1}\left(\frac{1-z}{1+z}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0427.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{4} \left( 2\sqrt{z} \sqrt{\frac{1}{z}} - \sqrt{z+1} \sqrt{\frac{1}{z+1}} + \frac{z\sqrt{-1-z}}{\sqrt{-z(1+z)}} \sqrt{\frac{1}{z}} \right) - \frac{z\sqrt{-z-1}}{2\sqrt{-z(z+1)}} \sqrt{\frac{1}{z}} \cos^{-1}\left(\frac{1-z}{1+z}\right)$$

#### Involving $\cot^{-1}(\sqrt{z})$ and $\cos^{-1}\left(\frac{z-1}{z+1}\right)$

01.16.27.0428.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} \cos^{-1}\left(\frac{z-1}{z+1}\right); |\arg(z)| < \pi$$

01.16.27.0429.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} \cos^{-1}\left(\frac{z-1}{z+1}\right) - \pi; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0430.01

$$\cot^{-1}(\sqrt{z}) = -\frac{1}{2} \cos^{-1}\left(\frac{z-1}{z+1}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0431.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{4} \left( 2\sqrt{z} \sqrt{\frac{1}{z}} - \sqrt{z+1} \sqrt{\frac{1}{z+1}} - \frac{z\sqrt{-1-z}}{\sqrt{-z(1+z)}} \sqrt{\frac{1}{z}} \right) + \frac{z\sqrt{-z-1}}{2\sqrt{-z(z+1)}} \sqrt{\frac{1}{z}} \cos^{-1}\left(\frac{z-1}{z+1}\right)$$

#### Involving $\cot^{-1}(\sqrt{z})$ and $\cos^{-1}\left(\frac{2\sqrt{z}}{1+z}\right)$

01.16.27.0432.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{4} + \frac{1}{2} \cos^{-1}\left(\frac{2\sqrt{z}}{z+1}\right); |z| < 1 \wedge z \notin (-1, 0)$$

01.16.27.0433.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} \cos^{-1}\left(\frac{2\sqrt{z}}{z+1}\right) - \frac{3\pi}{4}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0434.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \left( \sqrt{z} \sqrt{\frac{1}{z} - \frac{1}{2}} \right) + \frac{1}{2} \cos^{-1}\left(\frac{2\sqrt{z}}{z+1}\right); |z| < 1$$

01.16.27.0435.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{4} - \frac{1}{2} \cos^{-1}\left(\frac{2\sqrt{z}}{z+1}\right); |z| > 1$$

01.16.27.0436.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{4} \left( 2 \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1} - 1} \right) + \frac{1-z}{2(z+1)} \sqrt{\left(\frac{z+1}{z-1}\right)^2} \cos^{-1}\left(\frac{2\sqrt{z}}{z+1}\right); |z| \neq 1$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\cos^{-1}\left(\frac{1}{\sqrt{1+z}}\right)$

01.16.27.0437.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - \cos^{-1}\left(\frac{1}{\sqrt{1+z}}\right); z \notin (-1, 0)$$

01.16.27.0438.01

$$\cot^{-1}(\sqrt{z}) = -\cos^{-1}\left(\frac{1}{\sqrt{z+1}}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0439.01

$$\cot^{-1}(\sqrt{z}) = -\cos^{-1}\left(\frac{1}{\sqrt{z+1}}\right) + \frac{\pi}{2} \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}}$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\cos^{-1}\left(\sqrt{\frac{1}{1+z}}\right)$

01.16.27.0440.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - \cos^{-1}\left(\sqrt{\frac{1}{1+z}}\right); |\arg(z)| < \pi$$

01.16.27.0441.01

$$\cot^{-1}(\sqrt{z}) = -\cos^{-1}\left(\sqrt{\frac{1}{1+z}}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0442.01

$$\cot^{-1}(\sqrt{z}) = \cos^{-1}\left(\sqrt{\frac{1}{1+z}}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0443.01

$$\cot^{-1}(\sqrt{z}) = -\sqrt{1+z} \sqrt{\frac{1}{1+z}} \cos^{-1}\left(\sqrt{\frac{1}{1+z}}\right) - \frac{\pi}{2} \left(1 - \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - \sqrt{1+z} \sqrt{\frac{1}{1+z}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\cos^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right)$

01.16.27.0444.01

$$\cot^{-1}(\sqrt{z}) = \cos^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right); |\arg(z)| < \pi$$

01.16.27.0445.01

$$\cot^{-1}(\sqrt{z}) = \cos^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right) - \pi; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0446.01

$$\cot^{-1}(\sqrt{z}) = -\cos^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0447.01

$$\cot^{-1}(\sqrt{z}) = \left(\sqrt{z} \sqrt{\frac{1}{z}} - \sqrt{z+1} \sqrt{\frac{1}{z+1}}\right) \frac{\pi}{2} + \sqrt{z+1} \sqrt{\frac{1}{z+1}} \cos^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\cos^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-z-1}}\right)$

01.16.27.0448.01

$$\cot^{-1}(\sqrt{z}) = \cos^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-z-1}}\right); |\arg(z)| < \pi$$

01.16.27.0449.01

$$\cot^{-1}(\sqrt{z}) = -\cos^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-z-1}}\right); (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.0450.01

$$\cot^{-1}(\sqrt{z}) = -\frac{\sqrt{-z} \sqrt{-z-1}}{\sqrt{z}} \sqrt{\frac{1}{z+1}} \cos^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-z-1}}\right) + \left(\sqrt{z} \sqrt{\frac{1}{z}} + \frac{\sqrt{-z} \sqrt{-1-z}}{\sqrt{z}} \sqrt{\frac{1}{1+z}}\right) \frac{\pi}{2}$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\cos^{-1}\left(\sqrt{\frac{z}{z+1}}\right)$

01.16.27.0451.01

$$\cot^{-1}(\sqrt{z}) = \cos^{-1}\left(\sqrt{\frac{z}{z+1}}\right); |\arg(z)| < \pi$$

01.16.27.0452.01

$$\cot^{-1}(\sqrt{z}) = \cos^{-1}\left(\sqrt{\frac{z}{z+1}}\right) - \pi /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0453.01

$$\cot^{-1}(\sqrt{z}) = -\cos^{-1}\left(\sqrt{\frac{z}{z+1}}\right) /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0454.01

$$\cot^{-1}(\sqrt{z}) = \left(\sqrt{z} \sqrt{\frac{1}{z}} - \sqrt{z+1} \sqrt{\frac{1}{z+1}}\right) \frac{\pi}{2} + \sqrt{z+1} \sqrt{\frac{1}{z+1}} \cos^{-1}\left(\sqrt{\frac{z}{z+1}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\cos^{-1}\left(\frac{\sqrt{\sqrt{1+z} + 1}}{(\sqrt{2} (1+z)^{1/4})}\right)$

01.16.27.0455.01

$$\cot^{-1}(\sqrt{z}) = -2 \cos^{-1}\left(\frac{\sqrt{1 + \sqrt{z+1}}}{\sqrt{2} \sqrt[4]{z+1}}\right) + \frac{\pi}{2} /; z \notin (-1, 0)$$

01.16.27.0456.01

$$\cot^{-1}(\sqrt{z}) = -2 \cos^{-1}\left(\frac{\sqrt{1 + \sqrt{z+1}}}{\sqrt{2} \sqrt[4]{z+1}}\right) - \frac{\pi}{2} /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0457.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - 2 \cos^{-1}\left(\frac{\sqrt{\sqrt{z+1} + 1}}{\sqrt{2} \sqrt[4]{z+1}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\cos^{-1}\left(\frac{\sqrt{\sqrt{1+z} - 1}}{(\sqrt{2} (1+z)^{1/4})}\right)$

01.16.27.0458.01

$$\cot^{-1}(\sqrt{z}) = -\frac{\pi}{2} + 2 \cos^{-1}\left(\frac{\sqrt{\sqrt{z+1} - 1}}{\sqrt{2} \sqrt[4]{z+1}}\right) /; z \notin (-1, 0)$$

01.16.27.0459.01

$$\cot^{-1}(\sqrt{z}) = -\frac{3\pi}{2} + 2 \cos^{-1}\left(\frac{\sqrt{\sqrt{z+1} - 1}}{\sqrt{2} \sqrt[4]{z+1}}\right) /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0460.01

$$\cot^{-1}(\sqrt{z}) = \left(\sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - 2\right) \frac{\pi}{2} + 2 \cos^{-1}\left(\frac{\sqrt{\sqrt{z+1} - 1}}{\sqrt{2} \sqrt[4]{z+1}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\cos^{-1}\left(\sqrt{(\sqrt{1+z} + 1)/(2\sqrt{1+z})}\right)$

01.16.27.0461.01

$$\cot^{-1}(\sqrt{z}) = -2 \cos^{-1}\left(\sqrt{\frac{\sqrt{1+z} + 1}{2\sqrt{1+z}}}\right) + \frac{\pi}{2}; z \notin (-1, 0)$$

01.16.27.0462.01

$$\cot^{-1}(\sqrt{z}) = -2 \cos^{-1}\left(\sqrt{\frac{\sqrt{1+z} + 1}{2\sqrt{1+z}}}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0463.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - 2 \cos^{-1}\left(\sqrt{\frac{\sqrt{1+z} + 1}{2\sqrt{1+z}}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\cos^{-1}\left(\sqrt{(\sqrt{1+z} - 1)/(2\sqrt{1+z})}\right)$

01.16.27.0464.01

$$\cot^{-1}(\sqrt{z}) = -\frac{\pi}{2} + 2 \cos^{-1}\left(\sqrt{\frac{\sqrt{1+z} - 1}{2\sqrt{1+z}}}\right); z \notin (-1, 0)$$

01.16.27.0465.01

$$\cot^{-1}(\sqrt{z}) = -\frac{3\pi}{2} + 2 \cos^{-1}\left(\sqrt{\frac{\sqrt{1+z} - 1}{2\sqrt{1+z}}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0466.01

$$\cot^{-1}(\sqrt{z}) = \left(\sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - 2\right) \frac{\pi}{2} + 2 \cos^{-1}\left(\sqrt{\frac{\sqrt{1+z} - 1}{2\sqrt{1+z}}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\cos^{-1}\left(\sqrt{\sqrt{1+z} + \sqrt{z}} / (\sqrt{2} (1+z)^{1/4})\right)$

01.16.27.0467.01

$$\cot^{-1}(\sqrt{z}) = 2 \cos^{-1}\left(\frac{\sqrt{\sqrt{1+z} + \sqrt{z}}}{\sqrt{2} (1+z)^{1/4}}\right); |\arg(z)| < \pi$$

01.16.27.0468.01

$$\cot^{-1}(\sqrt{z}) = 2 \cos^{-1}\left(\frac{\sqrt{\sqrt{1+z} + \sqrt{z}}}{\sqrt{2} (1+z)^{1/4}}\right) - \pi; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0469.01

$$\cot^{-1}(\sqrt{z}) = -2 \cos^{-1} \left( \frac{\sqrt{\sqrt{z} + \sqrt{z+1}}}{\sqrt{2} \sqrt[4]{z+1}} \right) ; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0470.01

$$\cot^{-1}(\sqrt{z}) = \left( 2 \sqrt{\frac{1}{z}} \sqrt{z} - \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} + 1 - 2 \sqrt{z+1} \sqrt{\frac{1}{z+1}} \right) \frac{\pi}{2} + 2 \sqrt{z+1} \sqrt{\frac{1}{z+1}} \cos^{-1} \left( \frac{\sqrt{\sqrt{z} + \sqrt{z+1}}}{\sqrt{2} \sqrt[4]{z+1}} \right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\cos^{-1} \left( \frac{\sqrt{\sqrt{1+z} - \sqrt{z}}}{(\sqrt{2} (1+z)^{1/4})} \right)$

01.16.27.0471.01

$$\cot^{-1}(\sqrt{z}) = \pi - 2 \cos^{-1} \left( \frac{\sqrt{\sqrt{z+1} - \sqrt{z}}}{\sqrt{2} \sqrt[4]{z+1}} \right) ; z \notin (-1, 0)$$

01.16.27.0472.01

$$\cot^{-1}(\sqrt{z}) = -2 \cos^{-1} \left( \frac{\sqrt{\sqrt{z+1} - \sqrt{z}}}{\sqrt{2} \sqrt[4]{z+1}} \right) ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0473.01

$$\cot^{-1}(\sqrt{z}) = -2 \cos^{-1} \left( \frac{\sqrt{\sqrt{z+1} - \sqrt{z}}}{\sqrt{2} \sqrt[4]{z+1}} \right) + \frac{\pi}{2} \left( 1 + \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} \right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\cos^{-1} \left( \frac{\sqrt{(\sqrt{1+z} + \sqrt{z})}}{(2 \sqrt{1+z})} \right)$

01.16.27.0474.01

$$\cot^{-1}(\sqrt{z}) = 2 \cos^{-1} \left( \sqrt{\frac{\sqrt{z} + \sqrt{z+1}}{2 \sqrt{z+1}}} \right) ; |\arg(z)| < \pi$$

01.16.27.0475.01

$$\cot^{-1}(\sqrt{z}) = 2 \cos^{-1} \left( \sqrt{\frac{\sqrt{z} + \sqrt{z+1}}{2 \sqrt{z+1}}} \right) - \pi ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0476.01

$$\cot^{-1}(\sqrt{z}) = -2 \cos^{-1} \left( \sqrt{\frac{\sqrt{z} + \sqrt{z+1}}{2 \sqrt{z+1}}} \right) ; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0477.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \left( -\sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} + 2\sqrt{\frac{1}{z}} \sqrt{z+1} - 2\sqrt{z+1} \sqrt{\frac{1}{z+1}} \right) + 2\sqrt{z+1} \sqrt{\frac{1}{z+1}} \cos^{-1} \left( \sqrt{\frac{\sqrt{z} + \sqrt{z+1}}{2\sqrt{z+1}}} \right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\cos^{-1}\left(\sqrt{(\sqrt{1+z} - \sqrt{z})/(2\sqrt{1+z})}\right)$

01.16.27.0478.01

$$\cot^{-1}(\sqrt{z}) = \pi - 2 \cos^{-1} \left( \sqrt{\frac{\sqrt{z+1} - \sqrt{z}}{2\sqrt{z+1}}} \right) ; |\arg(z)| < \pi$$

01.16.27.0479.01

$$\cot^{-1}(\sqrt{z}) = -2 \cos^{-1} \left( \sqrt{\frac{\sqrt{z+1} - \sqrt{z}}{2\sqrt{z+1}}} \right) ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0480.01

$$\cot^{-1}(\sqrt{z}) = 2 \cos^{-1} \left( \sqrt{\frac{\sqrt{z+1} - \sqrt{z}}{2\sqrt{z+1}}} \right) - \pi ; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0481.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \left( \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} + 2\sqrt{z+1} \sqrt{\frac{1}{z+1}} - 1 \right) - 2\sqrt{\frac{1}{z+1}} \sqrt{z+1} \cos^{-1} \left( \sqrt{\frac{\sqrt{z+1} - \sqrt{z}}{2\sqrt{z+1}}} \right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cos^{-1}\left(\frac{1-z}{1+z}\right)$

01.16.27.0482.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{1}{2} \cos^{-1}\left(\frac{1-z}{1+z}\right) ; z \notin (-\infty, -1)$$

01.16.27.0483.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \pi - \frac{1}{2} \cos^{-1}\left(\frac{1-z}{1+z}\right) ; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0484.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} \left( 1 - \sqrt{z+1} \sqrt{\frac{1}{z+1}} \right) + \frac{1}{2} \sqrt{\frac{1}{z+1}} \sqrt{z+1} \cos^{-1}\left(\frac{1-z}{1+z}\right)$$



Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cos^{-1}\left(\frac{z-1}{z+1}\right)$

01.16.27.0485.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\frac{1}{2} \cos^{-1}\left(\frac{z-1}{z+1}\right) + \frac{\pi}{2} /; z \notin (-\infty, -1)$$

01.16.27.0486.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} + \frac{1}{2} \cos^{-1}\left(\frac{z-1}{z+1}\right) /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0487.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - \frac{1}{2} \sqrt{\frac{1}{z+1}} \sqrt{z+1} \cos^{-1}\left(\frac{z-1}{z+1}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cos^{-1}\left(\frac{2\sqrt{z}}{1+z}\right)$

01.16.27.0488.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{4} - \frac{1}{2} \cos^{-1}\left(\frac{2\sqrt{z}}{z+1}\right) /; |z| < 1$$

01.16.27.0489.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{4} + \frac{1}{2} \cos^{-1}\left(\frac{2\sqrt{z}}{z+1}\right) /; |z| > 1$$

01.16.27.0490.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{4} - \frac{1-z}{2(z+1)} \sqrt{\left(\frac{z+1}{z-1}\right)^2} \cos^{-1}\left(\frac{2\sqrt{z}}{z+1}\right) /; |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cos^{-1}\left(\frac{1}{\sqrt{z+1}}\right)$

01.16.27.0491.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \cos^{-1}\left(\frac{1}{\sqrt{z+1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cos^{-1}\left(\sqrt{\frac{1}{z+1}}\right)$

01.16.27.0492.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \cos^{-1}\left(\sqrt{\frac{1}{z+1}}\right) /; z \notin (-\infty, -1)$$

01.16.27.0493.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \pi - \cos^{-1}\left(\sqrt{\frac{1}{z+1}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0494.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} \left(1 - \sqrt{z+1} \sqrt{\frac{1}{z+1}}\right) + \sqrt{z+1} \sqrt{\frac{1}{z+1}} \cos^{-1}\left(\sqrt{\frac{1}{z+1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cos^{-1}\left(\frac{\sqrt{z}}{\sqrt{1+z}}\right)$

01.16.27.0495.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - \cos^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right); z \notin (-\infty, -1)$$

01.16.27.0496.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} + \cos^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0497.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - \sqrt{\frac{1}{z+1}} \sqrt{z+1} \cos^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cos^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-1-z}}\right)$

01.16.27.0498.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - \cos^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-z-1}}\right); |\arg(z)| < \pi$$

01.16.27.0499.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \cos^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-z-1}}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0500.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} + \cos^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-z-1}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0501.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} \left(1 + \sqrt{\frac{1}{z}} \sqrt{z} - \sqrt{z+1} \sqrt{\frac{1}{z+1}}\right) - \sqrt{\frac{1}{z}} \sqrt{z} \cos^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-z-1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cos^{-1}\left(\sqrt{\frac{z}{z+1}}\right)$

01.16.27.0502.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - \cos^{-1}\left(\sqrt{\frac{z}{z+1}}\right); z \notin (-\infty, -1)$$

01.16.27.0503.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} + \cos^{-1}\left(\sqrt{\frac{z}{z+1}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0504.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - \sqrt{\frac{1}{z+1}} \sqrt{z+1} \cos^{-1}\left(\sqrt{\frac{z}{z+1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cos^{-1}\left(\frac{\sqrt{\sqrt{1+z} + 1}}{(\sqrt{2} (1+z)^{1/4})}\right)$

01.16.27.0505.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2 \cos^{-1}\left(\frac{\sqrt{\sqrt{z+1} + 1}}{\sqrt{2} \sqrt[4]{z+1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cos^{-1}\left(\frac{\sqrt{\sqrt{1+z} - 1}}{(\sqrt{2} (1+z)^{1/4})}\right)$

01.16.27.0506.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \pi - 2 \cos^{-1}\left(\frac{\sqrt{\sqrt{z+1} - 1}}{\sqrt{2} \sqrt[4]{z+1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cos^{-1}\left(\frac{\sqrt{(\sqrt{1+z} + 1)/(2\sqrt{1+z})}}\right)$

01.16.27.0507.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2 \cos^{-1}\left(\sqrt{\frac{\sqrt{z+1} + 1}{2\sqrt{z+1}}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cos^{-1}\left(\frac{\sqrt{(\sqrt{1+z} - 1)/(2\sqrt{1+z})}}\right)$

01.16.27.0508.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \pi - 2 \cos^{-1}\left(\sqrt{\frac{\sqrt{z+1} - 1}{2\sqrt{z+1}}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cos^{-1}\left(\frac{\sqrt{\sqrt{1+z} + \sqrt{z}}}{(\sqrt{2} (1+z)^{1/4})}\right)$

01.16.27.0509.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - 2 \cos^{-1}\left(\frac{\sqrt{\sqrt{z} + \sqrt{z+1}}}{\sqrt{2} \sqrt[4]{z+1}}\right); z \notin (-\infty, -1)$$

01.16.27.0510.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} + 2 \cos^{-1}\left(\frac{\sqrt{\sqrt{z} + \sqrt{z+1}}}{\sqrt{2} \sqrt[4]{z+1}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0511.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - 2 \sqrt{\frac{1}{z+1}} \sqrt{z+1} \cos^{-1}\left(\frac{\sqrt{\sqrt{z} + \sqrt{z+1}}}{\sqrt{2} \sqrt[4]{z+1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cos^{-1}\left(\frac{\sqrt{\sqrt{1+z} - \sqrt{z}}}{(\sqrt{2} (1+z)^{1/4})}\right)$

01.16.27.0512.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\frac{\pi}{2} + 2 \cos^{-1}\left(\frac{\sqrt{\sqrt{z+1} - \sqrt{z}}}{\sqrt{2} \sqrt[4]{z+1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cos^{-1}\left(\frac{\sqrt{(\sqrt{1+z} + \sqrt{z})/(2\sqrt{1+z})}}{\sqrt{2} \sqrt[4]{z+1}}\right)$

01.16.27.0513.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -2 \cos^{-1}\left(\sqrt{\frac{\sqrt{1+z} + \sqrt{z}}{2\sqrt{1+z}}}\right) + \frac{\pi}{2}; z \notin (-\infty, -1)$$

01.16.27.0514.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} + 2 \cos^{-1}\left(\sqrt{\frac{\sqrt{z} + \sqrt{z+1}}{2\sqrt{z+1}}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0515.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - 2 \sqrt{\frac{1}{z+1}} \sqrt{z+1} \cos^{-1}\left(\sqrt{\frac{\sqrt{z} + \sqrt{z+1}}{2\sqrt{z+1}}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cos^{-1}\left(\frac{\sqrt{(\sqrt{1+z} - \sqrt{z})/(2\sqrt{1+z})}}{\sqrt{2} \sqrt[4]{z+1}}\right)$

01.16.27.0516.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\frac{\pi}{2} + 2 \cos^{-1}\left(\sqrt{\frac{\sqrt{1+z} - \sqrt{z}}{2\sqrt{1+z}}}\right); z \notin (-\infty, -1)$$

01.16.27.0517.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{3\pi}{2} - 2 \cos^{-1}\left(\sqrt{\frac{\sqrt{1+z} - \sqrt{z}}{2\sqrt{1+z}}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0518.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \pi\left(\frac{1}{2} - \sqrt{z+1} \sqrt{\frac{1}{z+1}}\right) + 2\sqrt{\frac{1}{z+1}} \sqrt{z+1} \cos^{-1}\left(\sqrt{\frac{\sqrt{z+1} - \sqrt{z}}{2\sqrt{z+1}}}\right)$$

### Involving $\cot^{-1}(\sqrt{z-1})$

Involving  $\cot^{-1}(\sqrt{z-1})$  and  $\cos^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.0519.01

$$\cot^{-1}(\sqrt{z-1}) = \frac{\pi}{2} - \cos^{-1}\left(\frac{1}{\sqrt{z}}\right); z \notin (0, 1)$$

01.16.27.0520.01

$$\cot^{-1}(\sqrt{z-1}) = -\cos^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.0521.01

$$\cot^{-1}(\sqrt{z-1}) = \frac{\pi}{2} \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} - \cos^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

### Involving $\cot^{-1}\left(\frac{1}{\sqrt{z-1}}\right)$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z-1}}\right)$  and  $\cos^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.0522.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z-1}}\right) = \cos^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

### Involving $\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right)$

Involving  $\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right)$  and  $\cos^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.0523.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right) = \cos^{-1}\left(\frac{1}{\sqrt{z}}\right); z \notin (-\infty, 1)$$

01.16.27.0524.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right) = -\cos^{-1}\left(\frac{1}{\sqrt{z}}\right); (z \in \mathbb{R} \wedge z < 1)$$

01.16.27.0525.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right) = \sqrt{z-1} \sqrt{\frac{1}{z-1}} \cos^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right)$

#### Involving $\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right)$ and $\cos^{-1}(\sqrt{z})$

01.16.27.0526.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right) = \frac{\pi}{2} - \cos^{-1}(\sqrt{z}); z \notin (1, \infty)$$

01.16.27.0527.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right) = -\cos^{-1}(\sqrt{z}) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0528.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right) = \frac{\pi}{2} \sqrt{1-z} \sqrt{\frac{1}{1-z}} - \cos^{-1}(\sqrt{z})$$

### Involving $\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right)$

#### Involving $\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right)$ and $\cos^{-1}(\sqrt{z})$

01.16.27.0529.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right) = \cos^{-1}(\sqrt{z}) - \frac{\pi}{2}; z \notin (0, \infty)$$

01.16.27.0530.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right) = \frac{\pi}{2} - \cos^{-1}(\sqrt{z}); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.0531.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right) = \frac{\pi}{2} + \cos^{-1}(\sqrt{z}); (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0532.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right) = \frac{\pi}{2} \left(1 - \sqrt{1-z} \sqrt{\frac{1}{1-z}} + \frac{\sqrt{1-z} \sqrt{-z}}{\sqrt{-1+z} \sqrt{z}}\right) - \frac{\sqrt{1-z} \sqrt{-z}}{\sqrt{z-1} \sqrt{z}} \cos^{-1}(\sqrt{z})$$

### Involving $\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right)$

#### Involving $\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right)$ and $\cos^{-1}(\sqrt{z})$

01.16.27.0533.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right) = \frac{\pi}{2} - \cos^{-1}(\sqrt{z}) /; z \notin (1, \infty) \wedge z \notin (-\infty, 0)$$

01.16.27.0534.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right) = \cos^{-1}(\sqrt{z}) - \frac{\pi}{2} /; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.0535.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right) = -\frac{\pi}{2} - \cos^{-1}(\sqrt{z}) /; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0536.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z}} \sqrt{z} + \sqrt{1-z} \sqrt{\frac{1}{1-z}} - 1 \right) - \sqrt{\frac{1}{z}} \sqrt{z} \cos^{-1}(\sqrt{z})$$

### Involving $\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right)$

#### Involving $\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right)$ and $\cos^{-1}(\sqrt{z})$

01.16.27.0537.01

$$\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right) = \cos^{-1}(\sqrt{z}) /; |\arg(z)| < \pi$$

01.16.27.0538.01

$$\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right) = -\pi + \cos^{-1}(\sqrt{z}) /; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.0015.01

$$\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right) = \cos^{-1}(\sqrt{z}) - \frac{\pi}{2} \left( 1 - \sqrt{z} \sqrt{\frac{1}{z}} \right)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right)$  and  $\cos^{-1}(\sqrt{z})$

01.16.27.0539.01

$$\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right) = -\cos^{-1}(\sqrt{z}) /; z \notin (-\infty, 1)$$

01.16.27.0540.01

$$\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right) = -\cos^{-1}(\sqrt{z}) + \pi /; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.0541.01

$$\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right) = \cos^{-1}(\sqrt{z}) /; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.0542.01

$$\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right) = \frac{\sqrt{z} \sqrt{z-1}}{\sqrt{1-z} \sqrt{-z}} \left( \frac{\pi}{2} \left( \sqrt{z} \sqrt{\frac{1}{z}} - 1 \right) + \cos^{-1}(\sqrt{z}) \right)$$

Involving  $\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right)$

Involving  $\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right)$  and  $\cos^{-1}(\sqrt{z})$

01.16.27.0543.01

$$\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right) = \cos^{-1}(\sqrt{z}) /; z \notin (-\infty, 0) \wedge z \notin (1, \infty)$$

01.16.27.0544.01

$$\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right) = \cos^{-1}(\sqrt{z}) - \pi /; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.0545.01

$$\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right) = -\cos^{-1}(\sqrt{z}) /; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0546.01

$$\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right) = \sqrt{1-z} \sqrt{\frac{1}{1-z}} \left( \frac{\pi}{2} \left( \sqrt{z} \sqrt{\frac{1}{z}} - 1 \right) + \cos^{-1}(\sqrt{z}) \right)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{1+cz}}{\sqrt{1-cz}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right)$  and  $\cos^{-1}(z)$



01.16.27.0018.01

$$\cot^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right) = \frac{1}{2} \cos^{-1}(z) ; z \notin (-\infty, -1)$$

01.16.27.0547.01

$$\cot^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right) = \frac{1}{2} \cos^{-1}(z) - \pi ; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0019.01

$$\cot^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right) = \frac{1}{2} \cos^{-1}(z) + \frac{\pi}{2} \left(1 - \sqrt{z+1} \sqrt{\frac{1}{z+1}}\right)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right)$  and  $\cos^{-1}(z)$

01.16.27.0548.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right) = \frac{\pi}{2} - \frac{1}{2} \cos^{-1}(z) ; z \notin (1, \infty)$$

01.16.27.0549.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right) = -\frac{1}{2} \cos^{-1}(z) - \frac{\pi}{2} ; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0550.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right) = \frac{\pi}{2} \sqrt{\frac{1}{1-z}} \sqrt{1-z} - \frac{1}{2} \cos^{-1}(z)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{-1+cz}}{\sqrt{-1-cz}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right)$  and  $\cos^{-1}(z)$

01.16.27.0551.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right) = -\frac{\pi}{2} + \frac{1}{2} \cos^{-1}(z) ; z \notin (-1, \infty)$$

01.16.27.0552.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right) = \frac{\pi}{2} + \frac{1}{2} \cos^{-1}(z) ; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0553.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right) = \frac{\pi}{2} - \frac{1}{2} \cos^{-1}(z) ; (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.16.27.0554.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right) = \frac{\sqrt{-z-1}\sqrt{1-z}}{2\sqrt{z-1}\sqrt{z+1}} \left( \pi \sqrt{\frac{1}{1-z}} \sqrt{1-z} - \cos^{-1}(z) \right)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right)$  and  $\cos^{-1}(z)$

01.16.27.0555.01

$$\cot^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right) = -\frac{1}{2} \cos^{-1}(z) ; z \notin (-\infty, 1)$$

01.16.27.0556.01

$$\cot^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right) = \pi - \frac{1}{2} \cos^{-1}(z) ; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0557.01

$$\cot^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right) = \frac{1}{2} \cos^{-1}(z) ; (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.16.27.0558.01

$$\cot^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right) = \frac{\sqrt{z-1}\sqrt{z+1}}{2\sqrt{-z-1}\sqrt{1-z}} \left( \pi \left( \sqrt{\frac{1}{z+1}} \sqrt{z+1} - 1 \right) + \cos^{-1}(z) \right)$$

Involving  $\cot^{-1}\left(\sqrt{\frac{1+c z}{1-c z}}\right)$

Involving  $\cot^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right)$  and  $\cos^{-1}(z)$

01.16.27.0016.01

$$\cot^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right) = \frac{1}{2} \cos^{-1}(z) ; z \notin (-\infty, -1) \wedge z \notin (1, \infty)$$

01.16.27.0559.01

$$\cot^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right) = -\pi + \frac{1}{2} \cos^{-1}(z) ; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0560.01

$$\cot^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right) = -\frac{1}{2} \cos^{-1}(z) ; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0017.01

$$\cot^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right) = \frac{1}{2} \sqrt{\frac{1}{1-z}} \sqrt{1-z} \left( \cos^{-1}(z) - \pi \left( 1 - \sqrt{z+1} \sqrt{\frac{1}{z+1}} \right) \right)$$

Involving  $\cot^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right)$  and  $\cos^{-1}(z)$

01.16.27.0561.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right) = \frac{\pi}{2} - \frac{1}{2} \cos^{-1}(z) ; z \notin (-\infty, -1) \wedge z \notin (1, \infty)$$

01.16.27.0562.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right) = -\frac{\pi}{2} - \frac{1}{2} \cos^{-1}(z) ; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0563.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right) = \frac{1}{2} \cos^{-1}(z) - \frac{\pi}{2} ; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0564.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right) = \frac{\pi}{2} \sqrt{\frac{1}{1-z^2}} \sqrt{1-z^2} - \frac{1}{2} \sqrt{\frac{1}{z+1}} \sqrt{z+1} \cos^{-1}(z)$$

Involving  $\cot^{-1}\left(\sqrt{z^2 - 1}\right)$

Involving  $\cot^{-1}\left(\sqrt{z^2 - 1}\right)$  and  $\cos^{-1}\left(\frac{1}{z}\right)$

01.16.27.0565.01

$$\cot^{-1}\left(\sqrt{z^2 - 1}\right) = \frac{\pi}{2} - \cos^{-1}\left(\frac{1}{z}\right) ; -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0566.01

$$\cot^{-1}\left(\sqrt{z^2 - 1}\right) = \cos^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2} ; \frac{\pi}{2} < \arg(z) < \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0567.01

$$\cot^{-1}\left(\sqrt{z^2 - 1}\right) = -\cos^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2} ; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.0568.01

$$\cot^{-1}\left(\sqrt{z^2 - 1}\right) = -\frac{3\pi}{2} + \cos^{-1}\left(\frac{1}{z}\right) ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0569.01

$$\cot^{-1}\left(\sqrt{z^2 - 1}\right) = \frac{i\pi}{2} \left( \frac{\sqrt{z-1}}{\sqrt{1-z}} + \frac{\sqrt{-z-1}}{\sqrt{z+1}} - \frac{i\sqrt{z^2}}{z} \right) - \frac{\sqrt{z^2}}{z} \cos^{-1}\left(\frac{1}{z}\right)$$

### Involving $\cot^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right)$

#### Involving $\cot^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right)$ and $\cos^{-1}\left(\frac{1}{z}\right)$

01.16.27.0570.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right) = \cos^{-1}\left(\frac{1}{z}\right) /; -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.16.27.0571.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right) = -\cos^{-1}\left(\frac{1}{z}\right) + \pi /; \frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.16.27.0572.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right) = \frac{\pi}{2} \left(1 - \frac{\sqrt{z^2}}{z}\right) + \frac{\sqrt{z^2}}{z} \cos^{-1}\left(\frac{1}{z}\right)$$

### Involving $\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right)$

#### Involving $\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right)$ and $\cos^{-1}\left(\frac{1}{z}\right)$

01.16.27.0573.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right) = \cos^{-1}\left(\frac{1}{z}\right) /; -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0574.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right) = -\cos^{-1}\left(\frac{1}{z}\right) + \pi /; \frac{\pi}{2} < \arg(z) < \pi \vee -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0575.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right) = -\cos^{-1}\left(\frac{1}{z}\right) /; (z \in \mathbb{R} \wedge 0 < z < 1) \vee (i z \in \mathbb{R} \wedge i z < 0)$$

01.16.27.0576.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right) = \cos^{-1}\left(\frac{1}{z}\right) - \pi /; (z \in \mathbb{R} \wedge -1 < z < 0) \vee (i z \in \mathbb{R} \wedge i z > 0)$$

01.16.27.0577.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right) = \sqrt{\frac{1}{z^2-1}} \sqrt{z^2-1} \left(\frac{\pi}{2} \left(1 - \frac{\sqrt{z^2}}{z}\right) + \frac{\sqrt{z^2}}{z} \cos^{-1}\left(\frac{1}{z}\right)\right)$$

Involving  $\tan^{-1}\left(\frac{1}{z} \sqrt{\frac{z^2}{z^2-1}}\right)$

Involving  $\cot^{-1}\left(\frac{1}{z} \sqrt{\frac{z^2}{z^2-1}}\right)$  and  $\cos^{-1}\left(\frac{1}{z}\right)$

01.16.27.0578.01

$$\cot^{-1}\left(\frac{1}{z} \sqrt{\frac{z^2}{z^2-1}}\right) = \cos^{-1}\left(\frac{1}{z}\right) /; -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0579.01

$$\cot^{-1}\left(\frac{1}{z} \sqrt{\frac{z^2}{z^2-1}}\right) = \cos^{-1}\left(\frac{1}{z}\right) - \pi /; \frac{\pi}{2} < \arg(z) < \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0580.01

$$\cot^{-1}\left(\frac{1}{z} \sqrt{\frac{z^2}{z^2-1}}\right) = -\cos^{-1}\left(\frac{1}{z}\right) /; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.0581.01

$$\cot^{-1}\left(\frac{1}{z} \sqrt{\frac{z^2}{z^2-1}}\right) = -\cos^{-1}\left(\frac{1}{z}\right) + \pi /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0582.01

$$\cot^{-1}\left(\frac{1}{z} \sqrt{\frac{z^2}{z^2-1}}\right) = \frac{\sqrt{z^2-1}}{z} \sqrt{\frac{z^2}{z^2-1}} \left(\frac{\pi}{2} \left(1 - \frac{\sqrt{z^2}}{z}\right) + \frac{\sqrt{z^2}}{z} \cos^{-1}\left(\frac{1}{z}\right)\right)$$

Involving  $\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}}\right)$

Involving  $\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}}\right)$  and  $\cos^{-1}(z)$

01.16.27.0583.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}}\right) = \cos^{-1}(z) /; -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.0584.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}}\right) = \cos^{-1}(z) - \pi ; \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.0020.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}}\right) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z - 1 \right) + \cos^{-1}(z)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right)$

#### Involving $\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right)$ and $\cos^{-1}(z)$

01.16.27.0585.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right) = \cos^{-1}(z) ; \operatorname{Re}(z) > 0$$

01.16.27.0586.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right) = \pi - \cos^{-1}(z) ; \operatorname{Re}(z) < 0$$

01.16.27.0587.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right) = -\cos^{-1}(z) ; (i z \in \mathbb{R} \wedge i z > 0)$$

01.16.27.0588.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right) = \cos^{-1}(z) - \pi ; (i z \in \mathbb{R} \wedge i z < 0)$$

01.16.27.0589.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} \sqrt{z^2} - \frac{z}{\sqrt{z^2}} \right) + \frac{z}{\sqrt{z^2}} \cos^{-1}(z)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right)$

#### Involving $\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right)$ and $\cos^{-1}(z)$

01.16.27.0590.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) = -\cos^{-1}(z) /; -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0591.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) = \cos^{-1}(z) - \pi /; \frac{\pi}{2} < \arg(z) < \pi \vee -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0592.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) = -\cos^{-1}(z) + \pi /; (z \in \mathbb{R} \wedge -1 < z < 0) \vee (i z \in \mathbb{R} \wedge i z < 0)$$

01.16.27.0593.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) = \cos^{-1}(z) /; (z \in \mathbb{R} \wedge 0 < z < 1) \vee (i z \in \mathbb{R} \wedge i z > 0)$$

01.16.27.0594.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) = \frac{\sqrt{-z^2}}{\sqrt{z^2-1}} \sqrt{\frac{1}{z^2}-1} \left(\frac{\pi}{2} \left(1 - z \sqrt{\frac{1}{z^2}}\right) + z \sqrt{\frac{1}{z^2}} \cos^{-1}(z)\right)$$

Involving  $\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right)$

Involving  $\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right)$  and  $\cos^{-1}(z)$

01.16.27.0595.01

$$\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) = \cos^{-1}(z) /; -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.0596.01

$$\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) = -\cos^{-1}(z) + \pi /; \frac{\pi}{2} < \arg(z) < \pi \vee -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0597.01

$$\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) = -\cos^{-1}(z) /; (z \in \mathbb{R} \wedge z > 1) \vee (i z \in \mathbb{R} \wedge i z > 0)$$

01.16.27.0598.01

$$\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) = \cos^{-1}(z) - \pi /; (z \in \mathbb{R} \wedge z < -1) \vee (i z \in \mathbb{R} \wedge i z < 0)$$

01.16.27.0599.01

$$\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) = \sqrt{\frac{z^2}{1-z^2}} \sqrt{\frac{1-z^2}{z^2}} \left(\frac{\pi}{2} \left(1 - z \sqrt{\frac{1}{z^2}}\right) + z \sqrt{\frac{1}{z^2}} \cos^{-1}(z)\right)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right)$  and  $\cos^{-1}(z)$

01.16.27.0600.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right) = \frac{\pi}{2} - \cos^{-1}(z) /; z \notin (-\infty, -1) \wedge z \notin (1, \infty)$$

01.16.27.0601.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right) = \frac{3\pi}{2} - \cos^{-1}(z) /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0602.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right) = -\frac{\pi}{2} - \cos^{-1}(z) /; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0603.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right) = -\cos^{-1}(z) + \frac{\pi}{2} \left(1 + \sqrt{\frac{1}{1-z}} \sqrt{1-z} - \sqrt{\frac{1}{z+1}} \sqrt{z+1}\right)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right)$  and  $\cos^{-1}(z)$

01.16.27.0604.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right) = \frac{\pi}{2} - \cos^{-1}(z) /; -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$



01.16.27.0605.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right) = \cos^{-1}(z) - \frac{\pi}{2} /; \frac{\pi}{2} < \arg(z) < \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0606.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right) = \cos^{-1}(z) - \frac{3\pi}{2} /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0607.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right) = -\frac{\pi}{2} - \cos^{-1}(z) /; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0608.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right) = \frac{z}{\sqrt{z^2}} \left( \frac{\pi}{2} \left( 1 + \sqrt{\frac{1}{1-z}} \sqrt{1-z} - \sqrt{\frac{1}{z+1}} \sqrt{z+1} \right) - \cos^{-1}(z) \right)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right)$

### Involving $\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right)$ and $\cos^{-1}(z)$

01.16.27.0609.01

$$\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) = \cos^{-1}(z) - \frac{\pi}{2} /; -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0610.01

$$\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) = \frac{\pi}{2} - \cos^{-1}(z) /; \frac{\pi}{2} < \arg(z) < \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.0611.01

$$\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) = \frac{3\pi}{2} - \cos^{-1}(z) /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0612.01

$$\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) = \frac{\pi}{2} + \cos^{-1}(z) /; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0613.01

$$\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) = \frac{z\sqrt{z^2-1}}{\sqrt{-z^2}\sqrt{1-z^2}} \left( \frac{\pi}{2} \left( 1 + \sqrt{\frac{1}{1-z}} \sqrt{1-z} - \sqrt{\frac{1}{z+1}} \sqrt{z+1} \right) - \cos^{-1}(z) \right)$$

Involving  $\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right)$

Involving  $\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right)$  and  $\cos^{-1}(z)$

01.16.27.0614.01

$$\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) = \frac{\pi}{2} - \cos^{-1}(z) \text{ ; } -\frac{\pi}{2} \leq \arg(z) < 0 \vee 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.0615.01

$$\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) = \cos^{-1}(z) - \frac{\pi}{2} \text{ ; } \frac{\pi}{2} \leq \arg(z) < \pi \vee -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0616.01

$$\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) = \cos^{-1}(z) - \frac{3\pi}{2} \text{ ; } (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0617.01

$$\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) = -\frac{\pi}{2} - \cos^{-1}(z) \text{ ; } (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0618.01

$$\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) = \sqrt{\frac{1}{z^2}} z \left( \frac{\pi}{2} \left( 1 + \sqrt{\frac{1}{1-z}} \sqrt{1-z} - \sqrt{\frac{1}{z+1}} \sqrt{z+1} \right) - \cos^{-1}(z) \right)$$

Involving  $\cot^{-1}\left(\frac{1+c\sqrt{1-z^2}}{z}\right)$

Involving  $\cot^{-1}\left(\frac{1+\sqrt{1-z^2}}{z}\right)$  and  $\cos^{-1}(z)$

01.16.27.0619.01

$$\cot^{-1}\left(\frac{1+\sqrt{1-z^2}}{z}\right) = \frac{\pi}{4} - \frac{1}{2} \cos^{-1}(z)$$

Involving  $\cot^{-1}\left(\frac{1-\sqrt{1-z^2}}{z}\right)$  and  $\cos^{-1}(z)$

01.16.27.0620.01

$$\cot^{-1}\left(\frac{1-\sqrt{1-z^2}}{z}\right) = \frac{\pi}{4} + \frac{1}{2} \cos^{-1}(z) ; -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.0621.01

$$\cot^{-1}\left(\frac{1-\sqrt{1-z^2}}{z}\right) = -\frac{3\pi}{4} + \frac{1}{2} \cos^{-1}(z) ; \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.0622.01

$$\cot^{-1}\left(\frac{1-\sqrt{1-z^2}}{z}\right) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z - \frac{1}{2} \right) + \frac{1}{2} \cos^{-1}(z)$$

Involving  $\cot^{-1}\left(\frac{z}{1+c\sqrt{1-z^2}}\right)$

Involving  $\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}+1}\right)$  and  $\cos^{-1}(z)$

01.16.27.0623.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}+1}\right) = \frac{\pi}{4} + \frac{1}{2} \cos^{-1}(z) ; -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.0624.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}+1}\right) = -\frac{3\pi}{4} + \frac{1}{2} \cos^{-1}(z) ; \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.0625.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}+1}\right) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z - \frac{1}{2} \right) + \frac{1}{2} \cos^{-1}(z)$$

Involving  $\cot^{-1}\left(\frac{z}{1-\sqrt{1-z^2}}\right)$  and  $\cos^{-1}(z)$

01.16.27.0626.01

$$\cot^{-1}\left(\frac{z}{1-\sqrt{1-z^2}}\right) = \frac{\pi}{4} - \frac{1}{2} \cos^{-1}(z)$$

Involving  $\cot^{-1}\left(\frac{2\sqrt{z^2-1}}{-2+z^2}\right)$

Involving  $\cot^{-1}\left(\frac{2\sqrt{z^2-1}}{-2+z^2}\right)$  and  $\cos^{-1}\left(\frac{1}{z}\right)$

01.16.27.0627.01

$$\cot^{-1}\left(\frac{2\sqrt{z^2-1}}{-2+z^2}\right) = -\frac{\pi}{2} + 2\cos^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0628.01

$$\cot^{-1}\left(\frac{2\sqrt{z^2-1}}{-2+z^2}\right) = \frac{3\pi}{2} - 2\cos^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} < \arg(z) < \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0629.01

$$\cot^{-1}\left(\frac{2\sqrt{z^2-1}}{-2+z^2}\right) = -2\cos^{-1}\left(\frac{1}{z}\right) + \frac{5\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0630.01

$$\cot^{-1}\left(\frac{2\sqrt{z^2-1}}{-2+z^2}\right) = \frac{\pi}{2} + 2\cos^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.0631.01

$$\cot^{-1}\left(\frac{2\sqrt{z^2-1}}{-2+z^2}\right) = \frac{\pi z}{2\sqrt{z^2-1}} \sqrt{1-\frac{1}{z^2}} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} + \sqrt{\frac{i}{z}} \sqrt{-iz} - \sqrt{-\frac{i}{z}} \sqrt{iz} + \sqrt{1+\frac{1}{z}} \sqrt{\frac{z}{z+1}} - 2 \right) + \frac{2z}{\sqrt{z^2-1}} \sqrt{1-\frac{1}{z^2}} \cos^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{-2+z^2}{2\sqrt{z^2-1}}\right)$

Involving  $\cot^{-1}\left(\frac{-2+z^2}{2\sqrt{z^2-1}}\right)$  and  $\cos^{-1}\left(\frac{1}{z}\right)$

01.16.27.0632.01

$$\cot^{-1}\left(\frac{-2+z^2}{2\sqrt{z^2-1}}\right) = \pi - 2\cos^{-1}\left(\frac{1}{z}\right); \frac{\pi}{4} \leq |\arg(z)| < \frac{\pi}{2} \vee |z| > \sqrt{2} \wedge \text{Re}(z) > 0$$

01.16.27.0633.01

$$\cot^{-1}\left(\frac{-2+z^2}{2\sqrt{z^2-1}}\right) = 2 \cos^{-1}\left(\frac{1}{z}\right) - \pi ; \frac{\pi}{2} < |\arg(z)| \leq \frac{3\pi}{4} \vee |z| > \sqrt{2} \wedge \operatorname{Re}(z) < 0$$

01.16.27.0634.01

$$\cot^{-1}\left(\frac{-2+z^2}{2\sqrt{z^2-1}}\right) = \pi \left( \frac{\sqrt{z^2}}{z} + \theta\left(\left|\sqrt{z^2-1}\right| - 1\right) - 1 \right) - \frac{2\sqrt{z^2}}{z} \cos^{-1}\left(\frac{1}{z}\right)$$

01.16.27.0635.01

$$\cot^{-1}\left(\frac{-2+z^2}{2\sqrt{z^2-1}}\right) = \frac{\pi}{2\sqrt{z^2-1}} \left( 2z \sqrt{1-\frac{1}{z^2}} + (z^2-2) \sqrt{\frac{z^4}{z^2-1}} \sqrt{\frac{z^2-1}{z^4}} \sqrt{\frac{z^2-1}{(z^2-2)^2}} - \sqrt{1-\frac{1}{z^2}} z \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} + \sqrt{\frac{i}{z}} \sqrt{-iz} - \sqrt{-\frac{i}{z}} \sqrt{iz} + \sqrt{1+\frac{1}{z}} \sqrt{\frac{z}{z+1}} \right) \right) - \frac{2z}{\sqrt{z^2-1}} \sqrt{1-\frac{1}{z^2}} \cos^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{2z\sqrt{1-z^2}}{1-2z^2}\right)$

Involving  $\cot^{-1}\left(\frac{2z\sqrt{1-z^2}}{1-2z^2}\right)$  and  $\cos^{-1}(z)$

01.16.27.0636.01

$$\cot^{-1}\left(\frac{2z\sqrt{1-z^2}}{1-2z^2}\right) = -\frac{\pi}{2} + 2 \cos^{-1}(z) ; -\frac{\pi}{2} \leq \arg(z) < 0 \vee 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.0637.01

$$\cot^{-1}\left(\frac{2z\sqrt{1-z^2}}{1-2z^2}\right) = -\frac{3\pi}{2} + 2 \cos^{-1}(z) ; \frac{\pi}{2} \leq \arg(z) < 0 \vee -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0638.01

$$\cot^{-1}\left(\frac{2z\sqrt{1-z^2}}{1-2z^2}\right) = \frac{\pi}{2} + 2 \cos^{-1}(z) ; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0639.01

$$\cot^{-1}\left(\frac{2z\sqrt{1-z^2}}{1-2z^2}\right) = -\frac{5\pi}{2} + 2 \cos^{-1}(z) ; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0640.01

$$\cot^{-1}\left(\frac{2z\sqrt{1-z^2}}{1-2z^2}\right) = \frac{\pi}{2} \left( -\sqrt{\frac{1}{1-z}} \sqrt{1-z} + \sqrt{\frac{1}{z+1}} \sqrt{z+1} - \sqrt{-iz} \sqrt{\frac{i}{z}} + \sqrt{-\frac{i}{z}} \sqrt{iz} + \frac{\sqrt{z^2}}{z} - 2 \right) + 2 \cos^{-1}(z)$$

Involving  $\cot^{-1}\left(\frac{1-2z^2}{2z\sqrt{1-z^2}}\right)$

Involving  $\cot^{-1}\left(\frac{1-2z^2}{2z\sqrt{1-z^2}}\right)$  and  $\cos^{-1}(z)$

01.16.27.0641.01

$$\cot^{-1}\left(\frac{1-2z^2}{2z\sqrt{1-z^2}}\right) = \pi - 2 \cos^{-1}(z) /; \frac{\pi}{4} \leq |\arg(z)| < \frac{3\pi}{4}$$

01.16.27.0642.01

$$\cot^{-1}\left(\frac{1-2z^2}{2z\sqrt{1-z^2}}\right) = -2 \cos^{-1}(z) -$$

$$\frac{1}{2} \pi \left( -2 + \frac{\sqrt{z^2-1} z}{\sqrt{z^4-z^2}} + \sqrt{\frac{1}{z}} \sqrt{\frac{1}{\sqrt{2}z-1}} \sqrt{\sqrt{2}z-1} \sqrt{z} - \sqrt{-\frac{1}{z}} \sqrt{-z} \sqrt{-\sqrt{2}z-1} \sqrt{-\frac{1}{\sqrt{2}z+1}} + \frac{\sqrt{z^2}}{z} \right)$$

Involving  $\tan^{-1}$

Involving  $\cot^{-1}(z)$

Involving  $\cot^{-1}(z)$  and  $\tan^{-1}(z)$

01.16.27.0643.01

$$\cot^{-1}(z) = \frac{\pi}{2} - \tan^{-1}(z) /; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.0644.01

$$\cot^{-1}(z) = -\tan^{-1}(z) - \frac{\pi}{2} /; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.0023.01

$$\cot^{-1}(z) = \frac{\pi \sqrt{z^2}}{2z} - \tan^{-1}(z) /; iz \notin (-1, 1)$$

01.16.27.0022.01

$$\cot^{-1}(z) = \frac{\pi}{2} \operatorname{sgn}(\operatorname{Re}(z)) - \tan^{-1}(z) /; \operatorname{Re}(z) \neq 0$$

01.16.27.0645.01

$$\cot^{-1}(z) = \frac{\pi z}{2} \sqrt{\frac{1}{z^2}} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} - \tan^{-1}(z)$$

01.16.27.0024.02

$$\cot^{-1}(z) = \frac{\pi z}{2} \sqrt{\frac{1}{z^2}} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} - \tan^{-1}(z)$$

Involving  $\cot^{-1}(z)$  and  $\tan^{-1}\left(\frac{1}{z}\right)$

01.16.27.0021.01

$$\cot^{-1}(z) = \tan^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{z}\right)$

Involving  $\cot^{-1}\left(\frac{1}{z}\right)$  and  $\tan^{-1}(z)$

01.16.27.0025.01

$$\cot^{-1}\left(\frac{1}{z}\right) = \tan^{-1}(z)$$

Involving  $\cot^{-1}(\sqrt{z})$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\tan^{-1}(\sqrt{z})$

01.16.27.0646.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - \tan^{-1}(\sqrt{z}) ; z \notin (-1, 0)$$

01.16.27.0647.01

$$\cot^{-1}(\sqrt{z}) = -\frac{\pi}{2} - \tan^{-1}(\sqrt{z}) ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0648.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - \tan^{-1}(\sqrt{z})$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\tan^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.0649.01

$$\cot^{-1}(\sqrt{z}) = \tan^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\tan^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.16.27.0650.01

$$\cot^{-1}(\sqrt{z}) = \tan^{-1}\left(\sqrt{\frac{1}{z}}\right); |\arg(z)| < \pi$$

01.16.27.0651.01

$$\cot^{-1}(\sqrt{z}) = -\tan^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.0652.01

$$\cot^{-1}(\sqrt{z}) = \sqrt{z} \sqrt{\frac{1}{z}} \tan^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\tan^{-1}\left(1/\sqrt{\frac{1}{z}}\right)$

01.16.27.0653.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - \tan^{-1}\left(1/\sqrt{\frac{1}{z}}\right); |\arg(z)| < \pi$$

01.16.27.0654.01

$$\cot^{-1}(\sqrt{z}) = -\frac{\pi}{2} + \tan^{-1}\left(1/\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0655.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} + \tan^{-1}\left(1/\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0656.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - \sqrt{z} \sqrt{\frac{1}{z}} \tan^{-1}\left(1/\sqrt{\frac{1}{z}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cot^{-1}(\sqrt{z})$

01.16.27.0657.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - \cot^{-1}(\sqrt{z}); z \notin (-1, 0)$$



01.16.27.0658.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\frac{\pi}{2} - \cot^{-1}(\sqrt{z}) ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0659.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - \cot^{-1}(\sqrt{z})$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.0660.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cot^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.16.27.0661.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \cot^{-1}\left(\sqrt{\frac{1}{z}}\right) ; |\arg(z)| < \pi$$

01.16.27.0662.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\cot^{-1}\left(\sqrt{\frac{1}{z}}\right) ; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.0663.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \sqrt{z} \sqrt{\frac{1}{z}} \cot^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cot^{-1}\left(1/\sqrt{\frac{1}{z}}\right)$

01.16.27.0664.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - \cot^{-1}\left(1/\sqrt{\frac{1}{z}}\right) ; |\arg(z)| < \pi$$

01.16.27.0665.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\frac{\pi}{2} + \cot^{-1}\left(1/\sqrt{\frac{1}{z}}\right) ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0666.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} + \cot^{-1}\left(1/\sqrt{\frac{1}{z}}\right) ; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0667.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - \sqrt{z} \sqrt{\frac{1}{z}} \cot^{-1}\left(1/\sqrt{\frac{1}{z}}\right)$$

### Involving $\cot^{-1}\left(\sqrt{z^2}\right)$

#### Involving $\cot^{-1}\left(\sqrt{z^2}\right)$ and $\tan^{-1}(z)$

01.16.27.0668.01

$$\cot^{-1}\left(\sqrt{z^2}\right) = \frac{\pi}{2} - \tan^{-1}(z) /; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.0669.01

$$\cot^{-1}\left(\sqrt{z^2}\right) = \tan^{-1}(z) + \frac{\pi}{2} /; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.0670.01

$$\cot^{-1}\left(\sqrt{z^2}\right) = \tan^{-1}(z) - \frac{\pi}{2} /; (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.0671.01

$$\cot^{-1}\left(\sqrt{z^2}\right) = -\tan^{-1}(z) - \frac{\pi}{2} /; (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.0672.01

$$\cot^{-1}\left(\sqrt{z^2}\right) = \frac{\pi}{2} \sqrt{\frac{z-i}{z+i}} \sqrt{\frac{z+i}{z-i}} - \frac{\sqrt{z^2}}{z} \tan^{-1}(z)$$

#### Involving $\cot^{-1}\left(\sqrt{z^2}\right)$ and $\tan^{-1}\left(\frac{1}{z}\right)$

01.16.27.0673.01

$$\cot^{-1}\left(\sqrt{z^2}\right) = \tan^{-1}\left(\frac{1}{z}\right) /; -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.16.27.0674.01

$$\cot^{-1}\left(\sqrt{z^2}\right) = -\tan^{-1}\left(\frac{1}{z}\right) /; \frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.16.27.0675.01

$$\cot^{-1}\left(\sqrt{z^2}\right) = \frac{\sqrt{z^2}}{z} \tan^{-1}\left(\frac{1}{z}\right)$$

### Involving $\cot^{-1}\left(a(bz^c)^m\right)$

#### Involving $\cot^{-1}\left(a(bz^c)^m\right)$ and $\tan^{-1}\left(\frac{1}{a}b^{-m}z^{-mc}\right)$

01.16.27.0676.01

$$\cot^{-1}(a (b z^c)^m) = \frac{(b z^c)^m}{b^m z^{mc}} \tan^{-1}\left(\frac{1}{a} b^{-m} z^{-mc}\right); 2 m \in \mathbf{Z}$$

### Involving $\cot^{-1}\left(\frac{1-z}{1+z}\right)$

#### Involving $\cot^{-1}\left(\frac{1-z}{1+z}\right)$ and $\tan^{-1}(z)$

01.16.27.0677.01

$$\cot^{-1}\left(\frac{1-z}{1+z}\right) = \tan^{-1}(z) + \frac{\pi}{4}; |z| < 1 \vee \frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.16.27.0678.01

$$\cot^{-1}\left(\frac{1-z}{1+z}\right) = \tan^{-1}(z) - \frac{3\pi}{4}; |z| > 1 \wedge -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.16.27.0679.01

$$\cot^{-1}\left(\frac{1-z}{1+z}\right) = \tan^{-1}(z) - \frac{\pi}{4} \left( \left( \frac{\sqrt{z^2}}{z} + 1 \right) \left( 1 - \frac{1-z^2}{z} \sqrt{\frac{z^2}{(z^2-1)^2}} \right) - 2 \sqrt{iz+1} \sqrt{\frac{1}{iz+1} + 1} \right); |z| \neq 1$$

#### Involving $\cot^{-1}\left(\frac{1-z}{1+z}\right)$ and $\tan^{-1}\left(\frac{1}{z}\right)$

01.16.27.0680.01

$$\cot^{-1}\left(\frac{1-z}{1+z}\right) = -\tan^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{4}; |z| > 1 \vee \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.0681.01

$$\cot^{-1}\left(\frac{1-z}{1+z}\right) = \frac{3\pi}{4} - \tan^{-1}\left(\frac{1}{z}\right); |z| < 1 \wedge -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.0682.01

$$\cot^{-1}\left(\frac{1-z}{1+z}\right) = \frac{\pi}{4} \left( \left( \sqrt{\frac{1}{z^2}} z + 1 \right) \left( 1 - \frac{z^2-1}{z} \sqrt{\frac{z^2}{(z^2-1)^2}} \right) - 2 \sqrt{\frac{z+i}{z}} \sqrt{\frac{z}{z+i} + 1} \right) - \tan^{-1}\left(\frac{1}{z}\right); |z| \neq 1$$

### Involving $\cot^{-1}\left(\frac{z-1}{z+1}\right)$

#### Involving $\cot^{-1}\left(\frac{z-1}{z+1}\right)$ and $\cot^{-1}(z)$

01.16.27.0683.01

$$\cot^{-1}\left(\frac{z-1}{z+1}\right) = \cot^{-1}(z) + \frac{\pi}{4}; |z| > 1 \vee \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.0684.01

$$\cot^{-1}\left(\frac{z-1}{z+1}\right) = \cot^{-1}(z) - \frac{3\pi}{4}; |z| < 1 \wedge -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.0685.01

$$\cot^{-1}\left(\frac{z-1}{z+1}\right) = -\frac{\pi}{4} \left( \left( \sqrt{\frac{1}{z^2}} z + 1 \right) \left( \frac{1-z^2}{z} \sqrt{\frac{z^2}{(1-z^2)^2} + 1} \right) - 2 \sqrt{\frac{z+i}{z}} \sqrt{\frac{z}{z+i} + 1} \right) + \cot^{-1}(z) ; |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{z-1}{z+1}\right)$  and  $\cot^{-1}\left(\frac{1}{z}\right)$

01.16.27.0686.01

$$\cot^{-1}\left(\frac{z-1}{z+1}\right) = -\frac{\pi}{4} - \cot^{-1}\left(\frac{1}{z}\right) ; |z| < 1 \vee \frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.16.27.0687.01

$$\cot^{-1}\left(\frac{z-1}{z+1}\right) = -\cot^{-1}\left(\frac{1}{z}\right) + \frac{3\pi}{4} ; |z| > 1 \wedge -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.16.27.0688.01

$$\cot^{-1}\left(\frac{z-1}{z+1}\right) = \frac{\pi}{4} \left( \left( \frac{\sqrt{z^2}}{z} + 1 \right) \left( -\frac{1-z^2}{z} \sqrt{\frac{z^2}{(z^2-1)^2} + 1} \right) - 2 \sqrt{1+iz} \sqrt{\frac{1}{1+iz} + 1} \right) - \cot^{-1}\left(\frac{1}{z}\right) ; |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{1+z}{1-z}\right)$

Involving  $\cot^{-1}\left(\frac{1+z}{1-z}\right)$  and  $\cot^{-1}(z)$

01.16.27.0689.01

$$\cot^{-1}\left(\frac{1+z}{1-z}\right) = \cot^{-1}(z) - \frac{\pi}{4} ; |z| > 1 \vee -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.0690.01

$$\cot^{-1}\left(\frac{1+z}{1-z}\right) = \cot^{-1}(z) + \frac{3\pi}{4} ; |z| < 1 \wedge \left( \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2} \right)$$

01.16.27.0691.01

$$\cot^{-1}\left(\frac{1+z}{1-z}\right) = \frac{\pi}{4} \left( -\left( \sqrt{\frac{1}{z^2}} z - 1 \right) \left( \frac{z^2-1}{z} \sqrt{\frac{z^2}{(z^2-1)^2} + 1} \right) - 2 \sqrt{\frac{z-i}{z}} \sqrt{\frac{z}{z-i} + 1} \right) + \cot^{-1}(z) ; |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{1+z}{1-z}\right)$  and  $\cot^{-1}\left(\frac{1}{z}\right)$

01.16.27.0692.01

$$\cot^{-1}\left(\frac{1+z}{1-z}\right) = \frac{\pi}{4} - \cot^{-1}\left(\frac{1}{z}\right) ; |z| < 1 \vee -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.16.27.0693.01

$$\cot^{-1}\left(\frac{1+z}{1-z}\right) = -\cot^{-1}\left(\frac{1}{z}\right) - \frac{3\pi}{4} ; |z| > 1 \wedge \left( \frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2} \right)$$

01.16.27.0694.01

$$\cot^{-1}\left(\frac{1+z}{1-z}\right) = -\frac{\pi}{4} \left( -\left(\frac{\sqrt{z^2}}{z} - 1\right) \left(\frac{1-z^2}{z} \sqrt{\frac{z^2}{(z^2-1)^2}} + 1\right) - 2\sqrt{1-iz} \sqrt{\frac{1}{1-iz}} + 1 \right) - \cot^{-1}\left(\frac{1}{z}\right); |z| \neq 1$$

### Involving $\cot^{-1}\left(\frac{z+1}{z-1}\right)$

#### Involving $\cot^{-1}\left(\frac{z+1}{z-1}\right)$ and $\cot^{-1}(z)$

01.16.27.0695.01

$$\cot^{-1}\left(\frac{z+1}{z-1}\right) = -\cot^{-1}(z) + \frac{\pi}{4}; |z| > 1 \vee -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.0696.01

$$\cot^{-1}\left(\frac{z+1}{z-1}\right) = -\cot^{-1}(z) - \frac{3\pi}{4}; |z| < 1 \wedge \left(\frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}\right)$$

01.16.27.0697.01

$$\cot^{-1}\left(\frac{z+1}{z-1}\right) = -\frac{\pi}{4} \left( -\left(\sqrt{\frac{1}{z^2}} z - 1\right) \left(\frac{z^2-1}{z} \sqrt{\frac{z^2}{(z^2-1)^2}} + 1\right) - 2\sqrt{\frac{z-i}{z}} \sqrt{\frac{z}{z-i}} + 1 \right) - \cot^{-1}(z); |z| \neq 1$$

#### Involving $\cot^{-1}\left(\frac{z+1}{z-1}\right)$ and $\cot^{-1}\left(\frac{1}{z}\right)$

01.16.27.0698.01

$$\cot^{-1}\left(\frac{z+1}{z-1}\right) = -\frac{\pi}{4} + \cot^{-1}\left(\frac{1}{z}\right); |z| < 1 \vee -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.16.27.0699.01

$$\cot^{-1}\left(\frac{z+1}{z-1}\right) = \cot^{-1}\left(\frac{1}{z}\right) + \frac{3\pi}{4}; |z| > 1 \wedge \left(\frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}\right)$$

01.16.27.0700.01

$$\cot^{-1}\left(\frac{z+1}{z-1}\right) = \frac{\pi}{4} \left( -\left(\frac{\sqrt{z^2}}{z} - 1\right) \left(\frac{1-z^2}{z} \sqrt{\frac{z^2}{(z^2-1)^2}} + 1\right) - 2\sqrt{1-iz} \sqrt{\frac{1}{1-iz}} + 1 \right) + \cot^{-1}\left(\frac{1}{z}\right); |z| \neq 1$$

### Involving $\cot^{-1}\left(\frac{2z}{1-z^2}\right)$

#### Involving $\cot^{-1}\left(\frac{2z}{1-z^2}\right)$ and $\tan^{-1}(z)$

01.16.27.0701.01

$$\cot^{-1}\left(\frac{2z}{1-z^2}\right) = \frac{\pi}{2} - 2 \tan^{-1}(z); \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.0702.01

$$\cot^{-1}\left(\frac{2z}{1-z^2}\right) = -2 \tan^{-1}(z) - \frac{\pi}{2}; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.0703.01

$$\cot^{-1}\left(\frac{2z}{1-z^2}\right) = \frac{\pi}{2}z \sqrt{\frac{1}{z^2}} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} - 2 \tan^{-1}(z)$$

Involving  $\cot^{-1}\left(\frac{2z}{1-z^2}\right)$  and  $\tan^{-1}\left(\frac{1}{z}\right)$

01.16.27.0704.01

$$\cot^{-1}\left(\frac{2z}{1-z^2}\right) = 2 \tan^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2} /; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.0705.01

$$\cot^{-1}\left(\frac{2z}{1-z^2}\right) = 2 \tan^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2} /; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.0706.01

$$\cot^{-1}\left(\frac{2z}{1-z^2}\right) = 2 \tan^{-1}\left(\frac{1}{z}\right) - \frac{\pi z}{2} \sqrt{\frac{1}{z^2}} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1}$$

Involving  $\cot^{-1}\left(\frac{2z}{z^2-1}\right)$

Involving  $\cot^{-1}\left(\frac{2z}{z^2-1}\right)$  and  $\cot^{-1}(z)$

01.16.27.0707.01

$$\cot^{-1}\left(\frac{2z}{z^2-1}\right) = -2 \cot^{-1}(z) + \frac{\pi}{2} /; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.0708.01

$$\cot^{-1}\left(\frac{2z}{z^2-1}\right) = -2 \cot^{-1}(z) - \frac{\pi}{2} /; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.0709.01

$$\cot^{-1}\left(\frac{2z}{z^2-1}\right) = -2 \cot^{-1}(z) + \frac{\pi z}{2} \sqrt{z^{-2}} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1}$$

Involving  $\cot^{-1}\left(\frac{2z}{z^2-1}\right)$  and  $\cot^{-1}\left(\frac{1}{z}\right)$

01.16.27.0710.01

$$\cot^{-1}\left(\frac{2z}{z^2-1}\right) = -\frac{\pi}{2} + 2 \cot^{-1}\left(\frac{1}{z}\right) /; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.0711.01

$$\cot^{-1}\left(\frac{2z}{z^2-1}\right) = 2 \cot^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2} /; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.0712.01

$$\cot^{-1}\left(\frac{2z}{z^2-1}\right) = -z\sqrt{z^{-2}}\sqrt{\frac{1}{z^2+1}}\sqrt{z^2+1}\frac{\pi}{2} + 2\cot^{-1}\left(\frac{1}{z}\right)$$

### Involving $\cot^{-1}\left(\frac{1-z^2}{2z}\right)$

#### Involving $\cot^{-1}\left(\frac{1-z^2}{2z}\right)$ and $\tan^{-1}(z)$

01.16.16.0006.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = 2\tan^{-1}(z) \ ; \ |z| < 1$$

01.16.27.0713.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = 2\tan^{-1}(z) - \pi \ ; \ |z| > 1 \wedge -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.16.27.0714.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = 2\tan^{-1}(z) + \pi \ ; \ |z| > 1 \wedge \left(\frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2}\right)$$

01.16.27.0715.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = 2\tan^{-1}(z) - \frac{\sqrt{z^2}\pi}{z} \ ; \ |z| > 1$$

01.16.27.0716.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = \frac{\pi\sqrt{z^2}}{2z}\left(\frac{1-z}{1+z}\sqrt{\left(\frac{z+1}{z-1}\right)^2-1}\right) + 2\tan^{-1}(z) \ ; \ |z| \neq 1$$

#### Involving $\cot^{-1}\left(\frac{1-z^2}{2z}\right)$ and $\tan^{-1}\left(\frac{1}{z}\right)$

01.16.27.0717.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = \pi - 2\tan^{-1}\left(\frac{1}{z}\right) \ ; \ |z| < 1 \wedge -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.0718.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = -2\tan^{-1}\left(\frac{1}{z}\right) - \pi \ ; \ |z| < 1 \wedge \left(\frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}\right)$$

01.16.27.0719.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = z\pi\sqrt{\frac{1}{z^2}} - 2\tan^{-1}\left(\frac{1}{z}\right) \ ; \ |z| < 1$$

01.16.27.0720.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = -2\tan^{-1}\left(\frac{1}{z}\right) \ ; \ |z| > 1$$

01.16.27.0721.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = \frac{1}{2} \left( \frac{1-z}{1+z} \sqrt{\left(\frac{z+1}{z-1}\right)^2} + 1 \right) z \sqrt{\frac{1}{z^2}} \pi - 2 \tan^{-1}\left(\frac{1}{z}\right); |z| \neq 1$$

### Involving $\cot^{-1}\left(\frac{z^2-1}{2z}\right)$

#### Involving $\cot^{-1}\left(\frac{z^2-1}{2z}\right)$ and $\cot^{-1}(z)$

01.16.27.0722.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = -\pi + 2 \cot^{-1}(z); |z| < 1 \wedge -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.0723.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = 2 \cot^{-1}(z) + \pi; |z| < 1 \wedge \left(\frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}\right)$$

01.16.27.0724.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = -z \pi \sqrt{\frac{1}{z^2}} + 2 \cot^{-1}(z); |z| < 1$$

01.16.27.0725.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = 2 \cot^{-1}(z); |z| > 1$$

01.16.27.0726.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = -\left(1 + \frac{(1-z)}{1+z} \sqrt{\left(\frac{1+z}{-1+z}\right)^2}\right) z \sqrt{z^{-2}} \frac{\pi}{2} + 2 \cot^{-1}(z); |z| \neq 1$$

#### Involving $\cot^{-1}\left(\frac{z^2-1}{2z}\right)$ and $\cot^{-1}\left(\frac{1}{z}\right)$

01.16.27.0727.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = -2 \cot^{-1}\left(\frac{1}{z}\right); |z| < 1$$

01.16.27.0728.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = -2 \cot^{-1}\left(\frac{1}{z}\right) + \pi; |z| > 1 \wedge -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.16.27.0729.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = -2 \cot^{-1}\left(\frac{1}{z}\right) - \pi; |z| > 1 \wedge \left(\frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2}\right)$$



01.16.27.0730.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = -2 \cot^{-1}\left(\frac{1}{z}\right) + \frac{\sqrt{z^2} \pi}{z} \quad ; |z| > 1$$

01.16.27.0731.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = -\left(\frac{1-z}{1+z} \sqrt{\left(\frac{1+z}{-1+z}\right)^2} - 1\right) \frac{\pi \sqrt{z^2}}{2z} - 2 \cot^{-1}\left(\frac{1}{z}\right) \quad ; |z| \neq 1$$

### Involving $\cot^{-1}\left(\frac{2\sqrt{z}}{1-z}\right)$

#### Involving $\cot^{-1}\left(\frac{2\sqrt{z}}{1-z}\right)$ and $\tan^{-1}(\sqrt{z})$

01.16.27.0732.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{1-z}\right) = \frac{\pi}{2} - 2 \tan^{-1}(\sqrt{z}) \quad ; z \notin (-1, 0)$$

01.16.27.0733.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{1-z}\right) = -\frac{\pi}{2} - 2 \tan^{-1}(\sqrt{z}) \quad ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0734.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{1-z}\right) = \frac{\pi}{2} \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 2 \tan^{-1}(\sqrt{z})$$

#### Involving $\cot^{-1}\left(\frac{2\sqrt{z}}{1-z}\right)$ and $\tan^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.0735.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{1-z}\right) = 2 \tan^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{\pi}{2} \quad ; z \notin (-1, 0)$$

01.16.27.0736.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{1-z}\right) = 2 \tan^{-1}\left(\frac{1}{\sqrt{z}}\right) + \frac{\pi}{2} \quad ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0737.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{1-z}\right) = 2 \tan^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{\pi}{2} \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}}$$

#### Involving $\cot^{-1}\left(\frac{2\sqrt{z}}{1-z}\right)$ and $\tan^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.16.27.0738.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{1-z}\right) = 2 \tan^{-1}\left(\sqrt{\frac{1}{z}}\right) - \frac{\pi}{2} \quad ; \quad |\arg(z)| < \pi$$

01.16.27.0739.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{1-z}\right) = -2 \tan^{-1}\left(\sqrt{\frac{1}{z}}\right) + \frac{\pi}{2} \quad ; \quad (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0740.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{1-z}\right) = -2 \tan^{-1}\left(\sqrt{\frac{1}{z}}\right) - \frac{\pi}{2} \quad ; \quad (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0741.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{1-z}\right) = 2\sqrt{z} \sqrt{\frac{1}{z}} \tan^{-1}\left(\sqrt{\frac{1}{z}}\right) - \frac{\pi}{2} \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}}$$

### Involving $\cot^{-1}\left(\frac{2\sqrt{z}}{z-1}\right)$

#### Involving $\cot^{-1}\left(\frac{2\sqrt{z}}{z-1}\right)$ and $\cot^{-1}(\sqrt{z})$

01.16.27.0742.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{z-1}\right) = -2 \cot^{-1}(\sqrt{z}) + \frac{\pi}{2} \quad ; \quad z \notin (-1, 0)$$

01.16.27.0743.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{z-1}\right) = -2 \cot^{-1}(\sqrt{z}) - \frac{\pi}{2} \quad ; \quad (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0744.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{z-1}\right) = -2 \cot^{-1}(\sqrt{z}) + \frac{\pi}{2} \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}}$$

#### Involving $\cot^{-1}\left(\frac{2\sqrt{z}}{z-1}\right)$ and $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.0745.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{z-1}\right) = -\frac{\pi}{2} + 2 \cot^{-1}\left(\frac{1}{\sqrt{z}}\right) \quad ; \quad z \notin (-1, 0)$$

01.16.27.0746.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{z-1}\right) = \frac{\pi}{2} + 2 \cot^{-1}\left(\frac{1}{\sqrt{z}}\right) \quad ; \quad (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0747.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{z-1}\right) = -\frac{\pi}{2} \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} + 2 \cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\cot^{-1}\left(\frac{2\sqrt{z}}{z-1}\right)$  and  $\cot^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.16.27.0748.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{z-1}\right) = -\frac{\pi}{2} + 2 \cot^{-1}\left(\sqrt{\frac{1}{z}}\right); |\arg(z)| < \pi$$

01.16.27.0749.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{z-1}\right) = \frac{\pi}{2} - 2 \cot^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0750.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{z-1}\right) = -\frac{\pi}{2} - 2 \cot^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0751.01

$$\cot^{-1}\left(\frac{2\sqrt{z}}{z-1}\right) = -\frac{1}{2} \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} \pi + 2 \sqrt{z} \sqrt{\frac{1}{z}} \cot^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

Involving  $\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right)$

Involving  $\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right)$  and  $\tan^{-1}(\sqrt{z})$

01.16.27.0752.01

$$\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right) = 2 \tan^{-1}(\sqrt{z}); |z| < 1$$

01.16.27.0753.01

$$\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right) = 2 \tan^{-1}(\sqrt{z}) - \pi; |z| > 1$$

01.16.27.0754.01

$$\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right) = 2 \tan^{-1}(\sqrt{z}) - \frac{\pi}{2} \left[ 1 - \frac{1-z}{1+z} \sqrt{\left(\frac{z+1}{z-1}\right)^2} \right]; |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right)$  and  $\tan^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.0755.01

$$\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right) = \pi - 2 \tan^{-1}\left(\frac{1}{\sqrt{z}}\right); |z| < 1 \wedge |\arg(z)| < \pi$$

01.16.27.0756.01

$$\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right) = -2 \tan^{-1}\left(\frac{1}{\sqrt{z}}\right) - \pi; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0757.01

$$\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right) = \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} \pi - 2 \tan^{-1}\left(\frac{1}{\sqrt{z}}\right); |z| < 1$$

01.16.27.0758.01

$$\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right) = -2 \tan^{-1}\left(\frac{1}{\sqrt{z}}\right); |z| > 1$$

01.16.27.0759.01

$$\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right) = \frac{1}{2} \left( \frac{1-z}{1+z} \sqrt{\left(\frac{z+1}{z-1}\right)^2} + 2 \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 1 \right) \pi - 2 \tan^{-1}\left(\frac{1}{\sqrt{z}}\right); |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right)$  and  $\tan^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.16.27.0760.01

$$\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right) = \pi - 2 \tan^{-1}\left(\sqrt{\frac{1}{z}}\right); |z| < 1 \wedge |\arg(z)| < \pi$$

01.16.27.0761.01

$$\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right) = 2 \tan^{-1}\left(\sqrt{\frac{1}{z}}\right) - \pi; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0762.01

$$\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right) = \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} \pi - 2 \sqrt{z} \sqrt{\frac{1}{z}} \tan^{-1}\left(\sqrt{\frac{1}{z}}\right); |z| < 1$$

01.16.27.0763.01

$$\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right) = -2 \tan^{-1}\left(\sqrt{\frac{1}{z}}\right); |z| > 1 \wedge |\arg(z)| < \pi$$

01.16.27.0764.01

$$\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right) = 2 \tan^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0765.01

$$\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right) = -2 \sqrt{z} \sqrt{\frac{1}{z}} \tan^{-1}\left(\sqrt{\frac{1}{z}}\right); |z| > 1$$

01.16.27.0766.01

$$\cot^{-1}\left(\frac{1-z}{2\sqrt{z}}\right) = \frac{1}{2} \left( \frac{1-z}{1+z} \sqrt{\left(\frac{z+1}{z-1}\right)^2} + 2 \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 1 \right) \pi - 2 \sqrt{z} \sqrt{\frac{1}{z}} \tan^{-1}\left(\sqrt{\frac{1}{z}}\right); |z| \neq 1$$

### Involving $\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right)$

#### Involving $\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right)$ and $\cot^{-1}(\sqrt{z})$

01.16.27.0767.01

$$\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right) = -\pi + 2 \cot^{-1}(\sqrt{z}) ; |z| < 1 \wedge |\arg(z)| < \pi$$

01.16.27.0768.01

$$\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right) = 2 \cot^{-1}(\sqrt{z}) + \pi ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0769.01

$$\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right) = -\sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} \pi + 2 \cot^{-1}(\sqrt{z}) ; |z| < 1$$

01.16.27.0770.01

$$\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right) = 2 \cot^{-1}(\sqrt{z}) ; |z| > 1$$

01.16.27.0771.01

$$\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right) = -\frac{1}{2} \left( \frac{1-z}{1+z} \sqrt{\left(\frac{z+1}{z-1}\right)^2} + 2 \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 1 \right) \pi + 2 \cot^{-1}(\sqrt{z}) ; |z| \neq 1$$

#### Involving $\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right)$ and $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.0772.01

$$\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right) = -2 \cot^{-1}\left(\frac{1}{\sqrt{z}}\right) ; |z| < 1$$

01.16.27.0773.01

$$\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right) = -2 \cot^{-1}\left(\frac{1}{\sqrt{z}}\right) + \pi ; |z| > 1$$

01.16.27.0774.01

$$\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right) = -2 \cot^{-1}\left(\frac{1}{\sqrt{z}}\right) + \frac{\pi}{2} \left( -\frac{(1-z)}{1+z} \sqrt{\left(\frac{1+z}{-1+z}\right)^2} + 1 \right) ; |z| \neq 1$$

#### Involving $\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right)$ and $\cot^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.16.27.0775.01

$$\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right) = -2 \cot^{-1}\left(\sqrt{\frac{1}{z}}\right) /; |z| < 1 \wedge z \notin (-1, 0)$$

01.16.27.0776.01

$$\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right) = 2 \cot^{-1}\left(\sqrt{\frac{1}{z}}\right) /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0777.01

$$\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right) = -2\sqrt{z} \sqrt{\frac{1}{z}} \cot^{-1}\left(\sqrt{\frac{1}{z}}\right) /; |z| < 1$$

01.16.27.0778.01

$$\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right) = -2 \cot^{-1}\left(\sqrt{\frac{1}{z}}\right) + \pi /; |z| > 1 \wedge z \notin (-\infty, -1)$$

01.16.27.0779.01

$$\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right) = 2 \cot^{-1}\left(\sqrt{\frac{1}{z}}\right) + \pi /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0780.01

$$\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right) = -2\sqrt{z} \sqrt{\frac{1}{z}} \cot^{-1}\left(\sqrt{\frac{1}{z}}\right) + \pi /; |z| > 1$$

01.16.27.0781.01

$$\cot^{-1}\left(\frac{z-1}{2\sqrt{z}}\right) = -2\sqrt{z} \sqrt{\frac{1}{z}} \cot^{-1}\left(\sqrt{\frac{1}{z}}\right) + \frac{\pi}{2} \left( -\frac{(1-z)}{1+z} \sqrt{\left(\frac{1+z}{-1+z}\right)^2 + 1} \right) /; |z| \neq 1$$

### Involving $\cot^{-1}\left(\sqrt{1+z^2} + cz\right)$

#### Involving $\cot^{-1}\left(\sqrt{1+z^2} + z\right)$ and $\tan^{-1}(z)$

01.16.27.0782.01

$$\cot^{-1}\left(z + \sqrt{z^2 + 1}\right) = \frac{\pi}{4} - \frac{1}{2} \tan^{-1}(z)$$

#### Involving $\cot^{-1}\left(\sqrt{1+z^2} + z\right)$ and $\tan^{-1}\left(\frac{1}{z}\right)$

01.16.27.0783.01

$$\cot^{-1}\left(z + \sqrt{z^2 + 1}\right) = \frac{1}{2} \tan^{-1}\left(\frac{1}{z}\right) /; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.0784.01

$$\cot^{-1}\left(z + \sqrt{z^2 + 1}\right) = \frac{1}{2} \tan^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2} /; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.0785.01

$$\cot^{-1}\left(z + \sqrt{z^2 + 1}\right) = \frac{1}{4} \pi \left(1 - z \sqrt{z^{-2}} \sqrt{z^2 + 1} \sqrt{\frac{1}{z^2 + 1}}\right) + \frac{1}{2} \tan^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\sqrt{1 + z^2} - z\right)$  and  $\tan^{-1}(z)$

01.16.27.0786.01

$$\cot^{-1}\left(\sqrt{z^2 + 1} - z\right) = \frac{1}{2} \tan^{-1}(z) + \frac{\pi}{4}$$

Involving  $\cot^{-1}\left(\sqrt{1 + z^2} - z\right)$  and  $\tan^{-1}\left(\frac{1}{z}\right)$

01.16.27.0787.01

$$\cot^{-1}\left(\sqrt{1 + z^2} - z\right) = \frac{\pi}{2} - \frac{1}{2} \tan^{-1}\left(\frac{1}{z}\right); \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.0788.01

$$\cot^{-1}\left(\sqrt{1 + z^2} - z\right) = -\frac{1}{2} \tan^{-1}\left(\frac{1}{z}\right); \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.0789.01

$$\cot^{-1}\left(\sqrt{1 + z^2} - z\right) = \frac{\pi}{4} \left(1 + z \sqrt{z^{-2}} \sqrt{z^2 + 1} \sqrt{\frac{1}{z^2 + 1}}\right) - \frac{1}{2} \tan^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{1+z^2} + cz}\right)$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{1+z^2} + z}\right)$  and  $\tan^{-1}(z)$

01.16.27.0790.01

$$\cot^{-1}\left(\frac{1}{\sqrt{1+z^2} + z}\right) = \frac{1}{2} \tan^{-1}(z) + \frac{\pi}{4}$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{1+z^2} + z}\right)$  and  $\tan^{-1}\left(\frac{1}{z}\right)$

01.16.27.0791.01

$$\cot^{-1}\left(\frac{1}{\sqrt{1+z^2} + z}\right) = \frac{\pi}{2} - \frac{1}{2} \tan^{-1}\left(\frac{1}{z}\right); \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.0792.01

$$\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}+z}\right) = -\frac{1}{2} \tan^{-1}\left(\frac{1}{z}\right); \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.0793.01

$$\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}+z}\right) = \frac{\pi}{4} \left( \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} \sqrt{\frac{1}{z^2}z+1} \right) - \frac{1}{2} \tan^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}-z}\right)$  and  $\tan^{-1}(z)$

01.16.27.0794.01

$$\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}-z}\right) = \frac{\pi}{4} - \frac{1}{2} \tan^{-1}(z)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}-z}\right)$  and  $\tan^{-1}\left(\frac{1}{z}\right)$

01.16.27.0795.01

$$\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}-z}\right) = \frac{1}{2} \tan^{-1}\left(\frac{1}{z}\right); \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.0796.01

$$\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}-z}\right) = \frac{1}{2} \tan^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2}; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.0797.01

$$\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}-z}\right) = \frac{1}{4} \pi \left( 1 - z \sqrt{z^{-2}} \sqrt{z^2+1} \sqrt{\frac{1}{z^2+1}} \right) + \frac{1}{2} \tan^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{1+z^2+a}}{z}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{1+z^2+1}}{z}\right)$  and  $\tan^{-1}(z)$

01.16.27.0798.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2+1}}{z}\right) = \frac{1}{2} \tan^{-1}(z)$$



Involving  $\cot^{-1}\left(\frac{\sqrt{1+z^2}+1}{z}\right)$  and  $\tan^{-1}\left(\frac{1}{z}\right)$

01.16.27.0799.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2}+1}{z}\right) = \frac{\pi}{4} - \frac{1}{2} \tan^{-1}\left(\frac{1}{z}\right); \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.0800.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2}+1}{z}\right) = -\frac{1}{2} \tan^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{4}; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.0801.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2}+1}{z}\right) = \frac{\pi z}{4} \sqrt{\frac{1}{z^2}} \sqrt{z^2+1} \sqrt{\frac{1}{z^2+1}} - \frac{1}{2} \tan^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{1+z^2}-1}{z}\right)$  and  $\tan^{-1}(z)$

01.16.27.0802.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2}-1}{z}\right) = \frac{\pi}{2} - \frac{1}{2} \tan^{-1}(z); \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.0803.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2}-1}{z}\right) = -\frac{1}{2} \tan^{-1}(z) - \frac{\pi}{2}; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.0804.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2}-1}{z}\right) = \frac{\pi}{2} z \sqrt{\frac{1}{z^2}} \sqrt{z^2+1} \sqrt{\frac{1}{z^2+1}} - \frac{1}{2} \tan^{-1}(z)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{1+z^2}-1}{z}\right)$  and  $\tan^{-1}\left(\frac{1}{z}\right)$

01.16.27.0805.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2}-1}{z}\right) = \frac{\pi}{4} + \frac{1}{2} \tan^{-1}\left(\frac{1}{z}\right); \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.0806.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2}-1}{z}\right) = \frac{1}{2} \tan^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{4}; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.0807.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2}-1}{z}\right) = \frac{\pi z}{4} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} \sqrt{\frac{1}{z^2}} + \frac{1}{2} \tan^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+a}}\right)$

Involving  $\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+1}}\right)$  and  $\tan^{-1}(z)$

01.16.27.0808.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+1}}\right) = \frac{\pi}{2} - \frac{1}{2} \tan^{-1}(z) ; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.0809.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+1}}\right) = -\frac{1}{2} \tan^{-1}(z) - \frac{\pi}{2} ; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.0810.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+1}}\right) = \frac{\pi}{2} z \sqrt{\frac{1}{z^2}} \sqrt{z^2+1} \sqrt{\frac{1}{z^2+1}} - \frac{1}{2} \tan^{-1}(z)$$

Involving  $\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+1}}\right)$  and  $\tan^{-1}\left(\frac{1}{z}\right)$

01.16.27.0811.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+1}}\right) = \frac{1}{2} \tan^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{4} ; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.0812.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+1}}\right) = \frac{1}{2} \tan^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{4} ; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.0813.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+1}}\right) = \frac{1}{4} \pi \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} \sqrt{\frac{1}{z^2}} z + \frac{1}{2} \tan^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{z}{\sqrt{1+z^2-1}}\right)$  and  $\tan^{-1}(z)$

01.16.27.0814.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2}-1}\right) = \frac{1}{2} \tan^{-1}(z)$$

Involving  $\cot^{-1}\left(\frac{z}{\sqrt{1+z^2}-1}\right)$  and  $\tan^{-1}\left(\frac{1}{z}\right)$

01.16.27.0815.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2}-1}\right) = \frac{\pi}{4} - \frac{1}{2} \tan^{-1}\left(\frac{1}{z}\right); \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge i z < -1) \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.0816.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2}-1}\right) = -\frac{1}{2} \tan^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{4}; \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge i z > 1) \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.0817.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2}-1}\right) = \frac{\pi z}{4} \sqrt{\frac{1}{z^2}} \sqrt{z^2+1} \sqrt{\frac{1}{z^2+1}} - \frac{1}{2} \tan^{-1}\left(\frac{1}{z}\right)$$

**Involving  $\csc^{-1}$**

**Involving  $\cot^{-1}(z)$**

Involving  $\cot^{-1}(z)$  and  $\csc^{-1}\left(\frac{1+z^2}{2z}\right)$

01.16.27.0818.01

$$\cot^{-1}(z) = \frac{\pi}{2} - \frac{1}{2} \csc^{-1}\left(\frac{z^2+1}{2z}\right); |z| < 1 \wedge -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.0819.01

$$\cot^{-1}(z) = -\frac{1}{2} \csc^{-1}\left(\frac{z^2+1}{2z}\right) - \frac{\pi}{2}; |z| < 1 \wedge \left(\frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}\right)$$

01.16.27.0820.01

$$\cot^{-1}(z) = \frac{1}{2} \pi z \sqrt{\frac{1}{z^2}} - \frac{1}{2} \csc^{-1}\left(\frac{z^2+1}{2z}\right); |z| < 1$$

01.16.27.0821.01

$$\cot^{-1}(z) = \frac{1}{2} \csc^{-1}\left(\frac{z^2+1}{2z}\right); |z| > 1$$

01.16.27.0822.01

$$\cot^{-1}(z) = \frac{\pi z}{4} \left( \frac{1-z}{1+z} \sqrt{\frac{(z+1)^2}{(z-1)^2}} + 1 \right) \sqrt{\frac{1}{z^2} - \frac{1-z}{2(1+z)}} \sqrt{\frac{(z+1)^2}{(z-1)^2}} \csc^{-1}\left(\frac{z^2+1}{2z}\right); |z| \neq 1$$

Involving  $\cot^{-1}(z)$  and  $\csc^{-1}\left(\frac{1+z^2}{1-z^2}\right)$

01.16.27.0823.01

$$\cot^{-1}(z) = \frac{1}{2} \csc^{-1}\left(\frac{1+z^2}{1-z^2}\right) + \frac{\pi}{4}; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.0824.01

$$\cot^{-1}(z) = -\frac{1}{2} \csc^{-1}\left(\frac{1+z^2}{1-z^2}\right) - \frac{\pi}{4}; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.0825.01

$$\cot^{-1}(z) = \frac{3\pi}{4} - \frac{1}{2} \csc^{-1}\left(\frac{1+z^2}{1-z^2}\right); (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.0826.01

$$\cot^{-1}(z) = -\frac{3\pi}{4} + \frac{1}{2} \csc^{-1}\left(\frac{1+z^2}{1-z^2}\right); (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.0827.01

$$\cot^{-1}(z) = \frac{\pi}{4} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{z+i}{z}} \sqrt{\frac{z}{z+i}} + \sqrt{\frac{z}{z-i}} \sqrt{\frac{z-i}{z}} \right) + \frac{\sqrt{z} \sqrt{-z^2-1}}{2\sqrt{-z}} \sqrt{\frac{1}{z^2}} \sqrt{\frac{z^2}{z^2+1}} \csc^{-1}\left(\frac{1+z^2}{1-z^2}\right)$$

Involving  $\cot^{-1}(z)$  and  $\csc^{-1}\left(\frac{z^2+1}{z^2-1}\right)$

01.16.27.0828.01

$$\cot^{-1}(z) = -\frac{1}{2} \csc^{-1}\left(\frac{z^2+1}{z^2-1}\right) + \frac{\pi}{4}; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.0829.01

$$\cot^{-1}(z) = \frac{1}{2} \csc^{-1}\left(\frac{z^2+1}{z^2-1}\right) - \frac{\pi}{4}; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.0830.01

$$\cot^{-1}(z) = \frac{3\pi}{4} + \frac{1}{2} \csc^{-1}\left(\frac{z^2+1}{z^2-1}\right); (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.0831.01

$$\cot^{-1}(z) = -\frac{3\pi}{4} - \frac{1}{2} \csc^{-1}\left(\frac{z^2+1}{z^2-1}\right); (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.0832.01

$$\cot^{-1}(z) = \frac{\pi}{4} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{z+i}{z}} \sqrt{\frac{z}{z+i}} + \sqrt{\frac{z}{z-i}} \sqrt{\frac{z-i}{z}} \right) - \frac{\sqrt{z} \sqrt{-z^2-1}}{2\sqrt{-z}} \sqrt{\frac{1}{z^2}} \sqrt{\frac{z^2}{z^2+1}} \operatorname{csc}^{-1} \left( \frac{z^2+1}{z^2-1} \right)$$

Involving  $\cot^{-1}(z)$  and  $\operatorname{csc}^{-1} \left( \sqrt{z^2+1} \right)$

01.16.27.0833.01

$$\cot^{-1}(z) = \operatorname{csc}^{-1} \left( \sqrt{z^2+1} \right); \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.0834.01

$$\cot^{-1}(z) = -\operatorname{csc}^{-1} \left( \sqrt{z^2+1} \right); \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.0835.01

$$\cot^{-1}(z) = \pi - \operatorname{csc}^{-1} \left( \sqrt{z^2+1} \right); (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.0836.01

$$\cot^{-1}(z) = -\pi + \operatorname{csc}^{-1} \left( \sqrt{z^2+1} \right); (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.0837.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{z-i}{z}} \sqrt{\frac{z}{z-i}} - \sqrt{\frac{z+i}{z}} \sqrt{\frac{z}{z+i}} \right) + \frac{\sqrt{z^2}}{z} \operatorname{csc}^{-1} \left( \sqrt{z^2+1} \right)$$

Involving  $\cot^{-1}(z)$  and  $\operatorname{csc}^{-1} \left( \frac{\sqrt{1+z^2}}{z} \right)$

01.16.27.0838.01

$$\cot^{-1}(z) = \frac{\pi}{2} - \operatorname{csc}^{-1} \left( \frac{\sqrt{z^2+1}}{z} \right); \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.0839.01

$$\cot^{-1}(z) = -\operatorname{csc}^{-1} \left( \frac{\sqrt{z^2+1}}{z} \right) - \frac{\pi}{2}; \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.0840.01

$$\cot^{-1}(z) = \operatorname{csc}^{-1} \left( \frac{\sqrt{z^2+1}}{z} \right) - \frac{\pi}{2}; (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.0841.01

$$\cot^{-1}(z) = \operatorname{csc}^{-1} \left( \frac{\sqrt{z^2+1}}{z} \right) + \frac{\pi}{2}; (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.0842.01

$$\cot^{-1}(z) = \frac{\pi z}{2} \sqrt{\frac{1}{z^2}} - \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} \operatorname{csc}^{-1}\left(\frac{\sqrt{z^2+1}}{z}\right)$$

Involving  $\cot^{-1}(z)$  and  $\operatorname{csc}^{-1}\left(\frac{\sqrt{z^2+1}}{\sqrt{z^2}}\right)$

01.16.27.0843.01

$$\cot^{-1}(z) = -\operatorname{csc}^{-1}\left(\frac{\sqrt{z^2+1}}{\sqrt{z^2}}\right) + \frac{\pi}{2}; \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.0844.01

$$\cot^{-1}(z) = \operatorname{csc}^{-1}\left(\frac{\sqrt{z^2+1}}{\sqrt{z^2}}\right) - \frac{\pi}{2}; \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.0845.01

$$\cot^{-1}(z) = -\operatorname{csc}^{-1}\left(\frac{\sqrt{z^2+1}}{\sqrt{z^2}}\right) - \frac{\pi}{2}; (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.0846.01

$$\cot^{-1}(z) = \operatorname{csc}^{-1}\left(\frac{\sqrt{z^2+1}}{\sqrt{z^2}}\right) + \frac{\pi}{2}; (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.0847.01

$$\cot^{-1}(z) = \frac{\pi z}{2} \sqrt{\frac{1}{z^2}} - \frac{\sqrt{z^2}}{z} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} \operatorname{csc}^{-1}\left(\frac{\sqrt{z^2+1}}{\sqrt{z^2}}\right)$$

Involving  $\cot^{-1}(z)$  and  $\operatorname{csc}^{-1}\left(\frac{\sqrt{-1-z^2}}{\sqrt{-z^2}}\right)$

01.16.27.0848.01

$$\cot^{-1}(z) = -\operatorname{csc}^{-1}\left(\frac{\sqrt{-z^2-1}}{\sqrt{-z^2}}\right) + \frac{\pi}{2}; -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.0849.01

$$\cot^{-1}(z) = \operatorname{csc}^{-1}\left(\frac{\sqrt{-z^2-1}}{\sqrt{-z^2}}\right) - \frac{\pi}{2}; \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.0850.01

$$\cot^{-1}(z) = \frac{\sqrt{-z^2} \sqrt{-z^2-1}}{z} \sqrt{\frac{1}{z^2+1}} \operatorname{csc}^{-1}\left(\frac{\sqrt{-z^2-1}}{\sqrt{-z^2}}\right) + \frac{\pi z}{2} \sqrt{\frac{1}{z^2}}$$

Involving  $\cot^{-1}(z)$  and  $\csc^{-1}\left(\sqrt{\frac{z^2+1}{z^2}}\right)$

01.16.27.0851.01

$$\cot^{-1}(z) = \frac{\pi}{2} - \csc^{-1}\left(\sqrt{\frac{z^2+1}{z^2}}\right) /; -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.0852.01

$$\cot^{-1}(z) = \csc^{-1}\left(\sqrt{\frac{z^2+1}{z^2}}\right) - \frac{\pi}{2} /; \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.0853.01

$$\cot^{-1}(z) = z \sqrt{\frac{1}{z^2}} \left( \frac{\pi}{2} - \csc^{-1}\left(\sqrt{\frac{z^2+1}{z^2}}\right) \right)$$

Involving  $\cot^{-1}(z)$  and  $\csc^{-1}\left(\sqrt{2} (1+z^2)^{1/4} / \sqrt{\sqrt{1+z^2} + 1}\right)$

01.16.27.0854.01

$$\cot^{-1}(z) = 2 \csc^{-1}\left(\frac{\sqrt{2} \sqrt[4]{z^2+1}}{\sqrt{\sqrt{z^2+1} + 1}}\right) - \frac{\pi}{2} /; \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.0855.01

$$\cot^{-1}(z) = \frac{\pi}{2} - 2 \csc^{-1}\left(\frac{\sqrt{2} \sqrt[4]{z^2+1}}{\sqrt{\sqrt{z^2+1} + 1}}\right) /; \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.0856.01

$$\cot^{-1}(z) = -\frac{3\pi}{2} + 2 \csc^{-1}\left(\frac{\sqrt{2} \sqrt[4]{z^2+1}}{\sqrt{\sqrt{z^2+1} + 1}}\right) /; (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.0857.01

$$\cot^{-1}(z) = \frac{3\pi}{2} - 2 \csc^{-1}\left(\frac{\sqrt{2} \sqrt[4]{z^2+1}}{\sqrt{\sqrt{z^2+1} + 1}}\right) /; (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.0858.01

$$\cot^{-1}(z) = \frac{2\sqrt{z^2}}{z} \operatorname{csc}^{-1}\left(\frac{\sqrt{2}\sqrt[4]{z^2+1}}{\sqrt{\sqrt{z^2+1}+1}}\right) - \frac{\pi}{2} \left( -\sqrt{\frac{z}{z-i}} \sqrt{\frac{z-i}{z}} + \sqrt{\frac{z}{z+i}} \sqrt{\frac{z+i}{z}} + \frac{\sqrt{z^2}}{z} \right)$$

Involving  $\cot^{-1}(z)$  and  $\operatorname{csc}^{-1}\left(\sqrt{2}(1+z^2)^{1/4} / \sqrt{\sqrt{1+z^2}-1}\right)$

01.16.27.0859.01

$$\cot^{-1}(z) = \frac{\pi}{2} - 2 \operatorname{csc}^{-1}\left(\frac{\sqrt{2}\sqrt[4]{z^2+1}}{\sqrt{\sqrt{z^2+1}-1}}\right); \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.0860.01

$$\cot^{-1}(z) = -\frac{\pi}{2} + 2 \operatorname{csc}^{-1}\left(\frac{\sqrt{2}\sqrt[4]{z^2+1}}{\sqrt{\sqrt{z^2+1}-1}}\right); \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.0861.01

$$\cot^{-1}(z) = 2 \operatorname{csc}^{-1}\left(\frac{\sqrt{2}\sqrt[4]{z^2+1}}{\sqrt{\sqrt{z^2+1}-1}}\right) + \frac{\pi}{2}; (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.0862.01

$$\cot^{-1}(z) = -2 \operatorname{csc}^{-1}\left(\frac{\sqrt{2}\sqrt[4]{z^2+1}}{\sqrt{\sqrt{z^2+1}-1}}\right) - \frac{\pi}{2}; (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.0863.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} + \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} \right) - \frac{2\sqrt{z^2}}{z} \operatorname{csc}^{-1}\left(\frac{\sqrt{2}\sqrt[4]{z^2+1}}{\sqrt{\sqrt{z^2+1}-1}}\right)$$

Involving  $\cot^{-1}(z)$  and  $\operatorname{csc}^{-1}\left(\sqrt{2\sqrt{1+z^2}} / (\sqrt{1+z^2} + 1)\right)$



01.16.27.0864.01

$$\cot^{-1}(z) = 2 \operatorname{csc}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}+1}} \right) - \frac{\pi}{2}; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.0865.01

$$\cot^{-1}(z) = \frac{\pi}{2} - 2 \operatorname{csc}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}+1}} \right); \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.0866.01

$$\cot^{-1}(z) = -\frac{3\pi}{2} + 2 \operatorname{csc}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}+1}} \right); (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.0867.01

$$\cot^{-1}(z) = \frac{3\pi}{2} - 2 \operatorname{csc}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}+1}} \right); (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.0868.01

$$\cot^{-1}(z) = \frac{2\sqrt{z^2}}{z} \operatorname{csc}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}+1}} \right) - \frac{\pi}{2} \left( -\sqrt{\frac{z}{z-i}} \sqrt{\frac{z-i}{z}} + \sqrt{\frac{z}{z+i}} \sqrt{\frac{z+i}{z}} + \frac{\sqrt{z^2}}{z} \right)$$

Involving  $\cot^{-1}(z)$  and  $\operatorname{csc}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-1}} \right)$

01.16.27.0869.01

$$\cot^{-1}(z) = \frac{\pi}{2} - 2 \operatorname{csc}^{-1} \left( \sqrt{\frac{2\sqrt{z^2+1}}{\sqrt{z^2+1}-1}} \right); \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.0870.01

$$\cot^{-1}(z) = -\frac{\pi}{2} + 2 \operatorname{csc}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-1}} \right); \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.0871.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} + \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} \right) + \frac{2\sqrt{-z} \sqrt{-z^2-1}}{\sqrt{z} \sqrt{z^2+1}} \operatorname{csc}^{-1} \left( \sqrt{\frac{2\sqrt{z^2+1}}{\sqrt{z^2+1}-1}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\csc^{-1}\left(\sqrt{2} (1+z^2)^{1/4} / \sqrt{\sqrt{1+z^2} + z}\right)$

01.16.27.0872.01

$$\cot^{-1}(z) = \pi - 2 \csc^{-1}\left(\frac{\sqrt{2} \sqrt[4]{z^2+1}}{\sqrt{z + \sqrt{z^2+1}}}\right) ; \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.0873.01

$$\cot^{-1}(z) = -2 \csc^{-1}\left(\frac{\sqrt{2} \sqrt[4]{z^2+1}}{\sqrt{z + \sqrt{z^2+1}}}\right) ; \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge i z > 1) \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.0874.01

$$\cot^{-1}(z) = 2 \csc^{-1}\left(\frac{\sqrt{2} \sqrt[4]{z^2+1}}{\sqrt{z + \sqrt{z^2+1}}}\right) - \pi ; (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.0875.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z + \sqrt{\frac{1}{i z + 1}} \sqrt{i z + 1} + \sqrt{\frac{1}{1 - i z}} \sqrt{1 - i z} - 1 \right) - 2 \sqrt{i z + 1} \sqrt{\frac{1}{i z + 1}} \csc^{-1}\left(\frac{\sqrt{2} \sqrt[4]{z^2+1}}{\sqrt{z + \sqrt{z^2+1}}}\right)$$

Involving  $\cot^{-1}(z)$  and  $\csc^{-1}\left(\sqrt{2} (1+z^2)^{1/4} / \sqrt{\sqrt{1+z^2} - z}\right)$

01.16.27.0876.01

$$\cot^{-1}(z) = 2 \csc^{-1}\left(\frac{\sqrt{2} \sqrt[4]{z^2+1}}{\sqrt{\sqrt{z^2+1} - z}}\right) ; \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge i z < -1) \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.0877.01

$$\cot^{-1}(z) = 2 \csc^{-1}\left(\frac{\sqrt{2} \sqrt[4]{z^2+1}}{\sqrt{\sqrt{z^2+1} - z}}\right) - \pi ; \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.0878.01

$$\cot^{-1}(z) = -2 \operatorname{csc}^{-1} \left( \frac{\sqrt{2} \sqrt[4]{z^2 + 1}}{\sqrt{\sqrt{z^2 + 1} - z}} \right) + \pi /; (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.0879.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{1 - iz} \sqrt{\frac{1}{1 - iz}} - \sqrt{iz + 1} \sqrt{\frac{1}{iz + 1}} + 2 - 1 \right) + 2 \sqrt{\frac{1}{1 - iz}} \sqrt{1 - iz} \operatorname{csc}^{-1} \left( \frac{\sqrt{2} \sqrt[4]{z^2 + 1}}{\sqrt{\sqrt{z^2 + 1} - z}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\operatorname{csc}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2} + z}} \right)$

01.16.27.0880.01

$$\cot^{-1}(z) = \pi - 2 \operatorname{csc}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2} + z}} \right) /; \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.0881.01

$$\cot^{-1}(z) = -2 \operatorname{csc}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2} + z}} \right) /; \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge i z > 1) \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.0882.01

$$\cot^{-1}(z) = 2 \operatorname{csc}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2} + z}} \right) - \pi /; (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.0883.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z + \sqrt{\frac{1}{iz + 1}} \sqrt{iz + 1} + \sqrt{\frac{1}{1 - iz}} \sqrt{1 - iz} - 1 \right) - 2 \sqrt{iz + 1} \sqrt{\frac{1}{iz + 1}} \operatorname{csc}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2} + z}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\operatorname{csc}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2} - z}} \right)$

01.16.27.0884.01

$$\cot^{-1}(z) = 2 \operatorname{csc}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2} - z}} \right) /; \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge i z < -1) \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.0885.01

$$\cot^{-1}(z) = 2 \operatorname{csc}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-z}} \right) - \pi /; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.0886.01

$$\cot^{-1}(z) = -2 \operatorname{csc}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-z}} \right) + \pi /; (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.0887.01

$$\cot^{-1}(z) = 2\sqrt{1-iz} \sqrt{\frac{1}{1-iz}} \operatorname{csc}^{-1} \left( \sqrt{\frac{2\sqrt{z^2+1}}{\sqrt{z^2+1}-z}} \right) - \frac{\pi}{2} \left( -\sqrt{\frac{1}{z^2}} z + \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} + \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} - 1 \right)$$

### Involving $\cot^{-1}(\sqrt{z})$

#### Involving $\cot^{-1}(\sqrt{z})$ and $\operatorname{csc}^{-1}\left(\frac{1+z}{1-z}\right)$

01.16.27.0888.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{4} + \frac{1}{2} \operatorname{csc}^{-1} \left( \frac{1+z}{1-z} \right) /; |\arg(z)| < \pi$$

01.16.27.0889.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} \operatorname{csc}^{-1} \left( \frac{1+z}{1-z} \right) - \frac{3\pi}{4} /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0890.01

$$\cot^{-1}(\sqrt{z}) = -\frac{1}{2} \operatorname{csc}^{-1} \left( \frac{1+z}{1-z} \right) - \frac{\pi}{4} /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0891.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{4} \left( 2\sqrt{z} \sqrt{\frac{1}{z}} - \sqrt{z+1} \sqrt{\frac{1}{z+1}} \right) + \frac{z\sqrt{-z-1}}{2\sqrt{-z(z+1)}} \sqrt{\frac{1}{z}} \operatorname{csc}^{-1} \left( \frac{1+z}{1-z} \right)$$

#### Involving $\cot^{-1}(\sqrt{z})$ and $\operatorname{csc}^{-1}\left(\frac{z+1}{z-1}\right)$

01.16.27.0892.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{4} - \frac{1}{2} \operatorname{csc}^{-1} \left( \frac{z+1}{z-1} \right) /; |\arg(z)| < \pi$$

01.16.27.0893.01

$$\cot^{-1}(\sqrt{z}) = -\frac{1}{2} \operatorname{csc}^{-1} \left( \frac{z+1}{z-1} \right) - \frac{3\pi}{4} /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0894.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} \operatorname{csc}^{-1} \left( \frac{z+1}{z-1} \right) - \frac{\pi}{4} /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0895.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{4} \left( 2\sqrt{z} \sqrt{\frac{1}{z}} - \sqrt{z+1} \sqrt{\frac{1}{z+1}} \right) - \frac{z\sqrt{-z-1}}{2\sqrt{-z}(z+1)} \sqrt{\frac{1}{z}} \csc^{-1}\left(\frac{z+1}{z-1}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\csc^{-1}\left(\frac{z+1}{2\sqrt{z}}\right)$

01.16.27.0896.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - \frac{1}{2} \csc^{-1}\left(\frac{z+1}{2\sqrt{z}}\right); |z| < 1 \wedge z \notin (-1, 0)$$

01.16.27.0897.01

$$\cot^{-1}(\sqrt{z}) = -\frac{1}{2} \csc^{-1}\left(\frac{z+1}{2\sqrt{z}}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0898.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \sqrt{z} \sqrt{\frac{1}{z}} - \frac{1}{2} \csc^{-1}\left(\frac{z+1}{2\sqrt{z}}\right); |z| < 1$$

01.16.27.0899.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} \csc^{-1}\left(\frac{z+1}{2\sqrt{z}}\right); |z| > 1$$

01.16.27.0900.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{4} \left( -\frac{z-1}{z+1} \sqrt{\left(\frac{z+1}{z-1}\right)^2} + 2\sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - 1 \right) - \frac{1-z}{2(z+1)} \sqrt{\left(\frac{z+1}{z-1}\right)^2} \csc^{-1}\left(\frac{z+1}{2\sqrt{z}}\right); |z| \neq 1$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\csc^{-1}(\sqrt{1+z})$

01.16.27.0901.01

$$\cot^{-1}(\sqrt{z}) = \csc^{-1}(\sqrt{1+z}); z \notin (-1, 0)$$

01.16.27.0902.01

$$\cot^{-1}(\sqrt{z}) = \csc^{-1}(\sqrt{1+z}) - \pi; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0903.01

$$\cot^{-1}(\sqrt{z}) = \csc^{-1}(\sqrt{1+z}) - \frac{\pi}{2} \left( 1 - \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} \right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\csc^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right)$

01.16.27.0904.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - \csc^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right); |\arg(z)| < \pi$$

01.16.27.0905.01

$$\cot^{-1}(\sqrt{z}) = -\operatorname{csc}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0906.01

$$\cot^{-1}(\sqrt{z}) = \operatorname{csc}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0907.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} \sqrt{z} \sqrt{\frac{1}{z}} \pi - \sqrt{z+1} \sqrt{\frac{1}{z+1}} \operatorname{csc}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\operatorname{csc}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right)$

01.16.27.0908.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - \operatorname{csc}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right); |\arg(z)| < \pi$$

01.16.27.0909.01

$$\cot^{-1}(\sqrt{z}) = \operatorname{csc}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.0910.01

$$\cot^{-1}(\sqrt{z}) = \frac{\sqrt{-z} \sqrt{-z-1}}{\sqrt{z}} \sqrt{\frac{1}{z+1}} \operatorname{csc}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right) + \frac{\pi}{2} \sqrt{\frac{1}{z}} \sqrt{z}$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\operatorname{csc}^{-1}\left(\sqrt{\frac{z+1}{z}}\right)$

01.16.27.0911.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - \operatorname{csc}^{-1}\left(\sqrt{\frac{z+1}{z}}\right); |\arg(z)| < \pi$$

01.16.27.0912.01

$$\cot^{-1}(\sqrt{z}) = \operatorname{csc}^{-1}\left(\sqrt{\frac{z+1}{z}}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.0913.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} \sqrt{z} \sqrt{\frac{1}{z}} \pi - \sqrt{z} \sqrt{\frac{1}{z}} \operatorname{csc}^{-1}\left(\sqrt{\frac{z+1}{z}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\operatorname{csc}^{-1}\left(\sqrt{2} (1+z)^{1/4} / \sqrt{\sqrt{1+z} + 1}\right)$

01.16.27.0914.01

$$\cot^{-1}(\sqrt{z}) = 2 \operatorname{csc}^{-1}\left(\frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{\sqrt{1+z}+1}}\right) - \frac{\pi}{2}; z \notin (-1, 0)$$

01.16.27.0915.01

$$\cot^{-1}(\sqrt{z}) = 2 \operatorname{csc}^{-1}\left(\frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{\sqrt{1+z}+1}}\right) - \frac{3\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0916.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \left( \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - 2 \right) + 2 \operatorname{csc}^{-1}\left(\frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{\sqrt{1+z}+1}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\operatorname{csc}^{-1}\left(\frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{\sqrt{1+z}-1}}\right)$

01.16.27.0917.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - 2 \operatorname{csc}^{-1}\left(\frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{\sqrt{1+z}-1}}\right); z \notin (-1, 0)$$

01.16.27.0918.01

$$\cot^{-1}(\sqrt{z}) = -\frac{\pi}{2} - 2 \operatorname{csc}^{-1}\left(\frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{\sqrt{1+z}-1}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0919.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - 2 \operatorname{csc}^{-1}\left(\frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{\sqrt{1+z}-1}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\operatorname{csc}^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z}+1}}\right)$

01.16.27.0920.01

$$\cot^{-1}(\sqrt{z}) = 2 \operatorname{csc}^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z}+1}}\right) - \frac{\pi}{2}; z \notin (-1, 0)$$

01.16.27.0921.01

$$\cot^{-1}(\sqrt{z}) = 2 \operatorname{csc}^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z}+1}}\right) - \frac{3\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0922.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \left( \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - 2 \right) + 2 \operatorname{csc}^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z}+1}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\csc^{-1}\left(\sqrt{2\sqrt{1+z}/(\sqrt{1+z}-1)}\right)$

01.16.27.0923.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - 2 \csc^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z}-1}}\right) /; z \notin (-1, 0)$$

01.16.27.0924.01

$$\cot^{-1}(\sqrt{z}) = -\frac{\pi}{2} + 2 \csc^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z}-1}}\right) /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0925.01

$$\cot^{-1}(\sqrt{z}) = \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} \frac{\pi}{2} - 2 \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} \csc^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z}-1}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\csc^{-1}\left(\sqrt{2(1+z)^{1/4}/\sqrt{\sqrt{1+z}+\sqrt{z}}}\right)$

01.16.27.0926.01

$$\cot^{-1}(\sqrt{z}) = \pi - 2 \csc^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}+\sqrt{z}}}\right) /; |\arg(z)| < \pi$$

01.16.27.0927.01

$$\cot^{-1}(\sqrt{z}) = -2 \csc^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}+\sqrt{z}}}\right) /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0928.01

$$\cot^{-1}(\sqrt{z}) = 2 \csc^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}+\sqrt{z}}}\right) - \pi /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0929.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \left( -\sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} + 2 \sqrt{\frac{1}{z}} \sqrt{z+1} \right) - 2 \sqrt{z+1} \sqrt{\frac{1}{z+1}} \csc^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}+\sqrt{z}}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\csc^{-1}\left(\sqrt{2(1+z)^{1/4}/\sqrt{\sqrt{1+z}-\sqrt{z}}}\right)$

01.16.27.0930.01

$$\cot^{-1}(\sqrt{z}) = 2 \csc^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}-\sqrt{z}}}\right) /; z \notin (-1, 0)$$



01.16.27.0931.01

$$\cot^{-1}(\sqrt{z}) = 2 \operatorname{csc}^{-1} \left( \frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{\sqrt{1+z} - \sqrt{z}}} \right) - \pi /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0932.01

$$\cot^{-1}(\sqrt{z}) = 2 \operatorname{csc}^{-1} \left( \frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{\sqrt{1+z} - \sqrt{z}}} \right) - \frac{\pi}{2} \left( 1 - \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} \right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\operatorname{csc}^{-1} \left( \sqrt{2\sqrt{1+z} / (\sqrt{1+z} + \sqrt{z})} \right)$

01.16.27.0933.01

$$\cot^{-1}(\sqrt{z}) = \pi - 2 \operatorname{csc}^{-1} \left( \sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z} + \sqrt{z}}} \right) /; |\arg(z)| < \pi$$

01.16.27.0934.01

$$\cot^{-1}(\sqrt{z}) = -2 \operatorname{csc}^{-1} \left( \sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z} + \sqrt{z}}} \right) /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0935.01

$$\cot^{-1}(\sqrt{z}) = 2 \operatorname{csc}^{-1} \left( \sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z} + \sqrt{z}}} \right) - \pi /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0936.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \left( -\sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} + 2\sqrt{\frac{1}{z}} \sqrt{z} + 1 \right) - 2\sqrt{z+1} \sqrt{\frac{1}{z+1}} \operatorname{csc}^{-1} \left( \sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z} + \sqrt{z}}} \right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\operatorname{csc}^{-1} \left( \sqrt{2\sqrt{1+z} / (\sqrt{1+z} - \sqrt{z})} \right)$

01.16.27.0937.01

$$\cot^{-1}(\sqrt{z}) = 2 \operatorname{csc}^{-1} \left( \sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z} - \sqrt{z}}} \right) /; z \notin (-1, 0)$$

01.16.27.0938.01

$$\cot^{-1}(\sqrt{z}) = 2 \operatorname{csc}^{-1} \left( \sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z} - \sqrt{z}}} \right) - \pi /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0939.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \left( \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - 1 \right) + 2 \operatorname{csc}^{-1} \left( \sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z} - \sqrt{z}}} \right)$$

### Involving $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$

#### Involving $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$ and $\csc^{-1}\left(\frac{1+z}{1-z}\right)$

01.16.27.0940.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\frac{1}{2} \csc^{-1}\left(\frac{1+z}{1-z}\right) + \frac{\pi}{4} \quad ; z \notin (-\infty, -1)$$

01.16.27.0941.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{3\pi}{4} + \frac{1}{2} \csc^{-1}\left(\frac{1+z}{1-z}\right) \quad ; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0942.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{1}{4} \pi \left( 2 - \sqrt{z+1} \sqrt{\frac{1}{z+1}} \right) - \frac{1}{2} \sqrt{\frac{1}{z+1}} \sqrt{z+1} \csc^{-1}\left(\frac{1+z}{1-z}\right)$$

#### Involving $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$ and $\csc^{-1}\left(\frac{z+1}{z-1}\right)$

01.16.27.0943.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{1}{2} \csc^{-1}\left(\frac{z+1}{z-1}\right) + \frac{\pi}{4} \quad ; z \notin (-\infty, -1)$$

01.16.27.0944.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{3\pi}{4} - \frac{1}{2} \csc^{-1}\left(\frac{z+1}{z-1}\right) \quad ; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0945.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{1}{4} \pi \left( 2 - \sqrt{z+1} \sqrt{\frac{1}{z+1}} \right) + \frac{1}{2} \sqrt{\frac{1}{z+1}} \sqrt{z+1} \csc^{-1}\left(\frac{z+1}{z-1}\right)$$

#### Involving $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$ and $\csc^{-1}\left(\frac{1+z}{2\sqrt{z}}\right)$

01.16.27.0946.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{1}{2} \csc^{-1}\left(\frac{1+z}{2\sqrt{z}}\right) \quad ; |z| < 1$$

01.16.27.0947.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - \frac{1}{2} \csc^{-1}\left(\frac{1+z}{2\sqrt{z}}\right) \quad ; |z| > 1$$

01.16.27.0948.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \left( 1 - \frac{1-z}{1+z} \sqrt{\left(\frac{1+z}{-1+z}\right)^2} \right) \frac{\pi}{4} + \frac{1-z}{2(z+1)} \sqrt{\left(\frac{z+1}{z-1}\right)^2} \csc^{-1}\left(\frac{1+z}{2\sqrt{z}}\right) \quad ; |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\csc^{-1}(\sqrt{z+1})$

01.16.27.0949.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - \csc^{-1}(\sqrt{z+1})$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\csc^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right)$

01.16.27.0950.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \csc^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right); z \notin (-\infty, -1)$$

01.16.27.0951.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \pi - \csc^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0952.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} \left(1 - \sqrt{z+1} \sqrt{\frac{1}{z+1}}\right) + \sqrt{\frac{1}{z+1}} \sqrt{z+1} \csc^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\csc^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right)$

01.16.27.0953.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \csc^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right); |\arg(z)| < \pi$$

01.16.27.0954.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\csc^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0955.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \pi - \csc^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0956.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} \left(1 - \sqrt{z+1} \sqrt{\frac{1}{z+1}}\right) + \sqrt{\frac{1}{z}} \sqrt{z} \csc^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\csc^{-1}\left(\sqrt{\frac{z+1}{z}}\right)$

01.16.27.0957.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \csc^{-1}\left(\sqrt{\frac{z+1}{z}}\right) /; |\arg(z)| < \pi$$

01.16.27.0958.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\csc^{-1}\left(\sqrt{\frac{z+1}{z}}\right) /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0959.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \pi - \csc^{-1}\left(\sqrt{\frac{z+1}{z}}\right) /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0960.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} \left(1 - \sqrt{z+1} \sqrt{\frac{1}{z+1}}\right) + \frac{\sqrt{-z-1} \sqrt{z}}{\sqrt{-z}} \sqrt{\frac{1}{z+1}} \csc^{-1}\left(\sqrt{\frac{z+1}{z}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\csc^{-1}\left(\sqrt{2} (1+z)^{1/4} / \sqrt{\sqrt{z+1} + 1}\right)$

01.16.27.0961.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \pi - 2 \csc^{-1}\left(\frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{\sqrt{z+1} + 1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\csc^{-1}\left(\sqrt{2} (1+z)^{1/4} / \sqrt{\sqrt{z+1} - 1}\right)$

01.16.27.0962.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2 \csc^{-1}\left(\frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{\sqrt{z+1} - 1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\csc^{-1}\left(\sqrt{2} \sqrt{1+z} / (\sqrt{1+z} + 1)\right)$

01.16.27.0963.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \pi - 2 \csc^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z} + 1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\csc^{-1}\left(\sqrt{2} \sqrt{1+z} / (\sqrt{1+z} - 1)\right)$

01.16.27.0964.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2 \csc^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z} - 1}}\right) /; z \notin (-1, 0)$$

01.16.27.0965.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -2 \operatorname{csc}^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z}-1}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0966.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2\sqrt{\frac{z}{z+1}}\sqrt{\frac{z+1}{z}}\operatorname{csc}^{-1}\left(\sqrt{\frac{2\sqrt{z+1}}{\sqrt{z+1}-1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\operatorname{csc}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}+\sqrt{z}}}\right)$

01.16.27.0967.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2 \operatorname{csc}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}+\sqrt{z}}}\right) - \frac{\pi}{2}; z \notin (-\infty, -1)$$

01.16.27.0968.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{3\pi}{2} - 2 \operatorname{csc}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}+\sqrt{z}}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0969.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \left(\frac{1}{2} - \sqrt{z+1}\sqrt{\frac{1}{z+1}}\right)\pi + 2\sqrt{\frac{1}{z+1}}\sqrt{z+1}\operatorname{csc}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}+\sqrt{z}}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\operatorname{csc}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}-\sqrt{z}}}\right)$

01.16.27.0970.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - 2 \operatorname{csc}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}-\sqrt{z}}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\operatorname{csc}^{-1}\left(\frac{\sqrt{2\sqrt{1+z}}}{\sqrt{\sqrt{1+z}+\sqrt{z}}}\right)$

01.16.27.0971.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2 \operatorname{csc}^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z}+\sqrt{z}}}\right) - \frac{\pi}{2}; z \notin (-\infty, -1)$$

01.16.27.0972.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{3\pi}{2} - 2 \operatorname{csc}^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z}+\sqrt{z}}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0973.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \pi \left( -\sqrt{z+1} \sqrt{\frac{1}{z+1} + \frac{1}{2}} \right) + 2 \sqrt{\frac{1}{z+1}} \sqrt{z+1} \csc^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z} + \sqrt{z}}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\csc^{-1}\left(\sqrt{2\sqrt{1+z}/(\sqrt{1+z} - \sqrt{z})}\right)$

01.16.27.0974.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - 2 \csc^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z} - \sqrt{z}}}\right)$$

**Involving  $\cot^{-1}(\sqrt{z-1})$**

Involving  $\cot^{-1}(\sqrt{z-1})$  and  $\csc^{-1}(\sqrt{z})$

01.16.27.0975.01

$$\cot^{-1}(\sqrt{z-1}) = \csc^{-1}(\sqrt{z}) ; z \notin (0, 1)$$

01.16.27.0976.01

$$\cot^{-1}(\sqrt{z-1}) = \csc^{-1}(\sqrt{z}) - \pi ; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.0977.01

$$\cot^{-1}(\sqrt{z-1}) = \frac{\pi}{2} \left( \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} - 1 \right) + \csc^{-1}(\sqrt{z})$$

**Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z-1}}\right)$**

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z-1}}\right)$  and  $\csc^{-1}(\sqrt{z})$

01.16.27.0978.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z-1}}\right) = \frac{\pi}{2} - \csc^{-1}(\sqrt{z})$$

**Involving  $\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right)$**

Involving  $\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right)$  and  $\csc^{-1}(\sqrt{z})$

01.16.27.0979.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right) = \frac{\pi}{2} - \csc^{-1}(\sqrt{z}) /; z \notin (-\infty, 1)$$

01.16.27.0980.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right) = \csc^{-1}(\sqrt{z}) - \frac{\pi}{2} /; (z \in \mathbb{R} \wedge z < 1)$$

01.16.27.0981.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right) = \sqrt{z-1} \sqrt{\frac{1}{z-1}} \left(\frac{\pi}{2} - \csc^{-1}(\sqrt{z})\right)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right)$  and  $\csc^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.0982.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right) = \csc^{-1}\left(\frac{1}{\sqrt{z}}\right) /; z \notin (1, \infty)$$

01.16.27.0983.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right) = \csc^{-1}\left(\frac{1}{\sqrt{z}}\right) - \pi /; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0984.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right) = \frac{\pi}{2} \left(\sqrt{1-z} \sqrt{\frac{1}{1-z}} - 1\right) + \csc^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right)$  and  $\csc^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.0985.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right) = -\csc^{-1}\left(\frac{1}{\sqrt{z}}\right) /; z \notin (0, \infty)$$

01.16.27.0986.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right) = \csc^{-1}\left(\frac{1}{\sqrt{z}}\right) /; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.0987.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right) = \pi - \csc^{-1}\left(\frac{1}{\sqrt{z}}\right) /; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0988.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right) = \frac{\pi}{2} \left(1 - \sqrt{1-z} \sqrt{\frac{1}{1-z}}\right) + \frac{\sqrt{1-z} \sqrt{-z}}{\sqrt{z-1} \sqrt{z}} \operatorname{csc}^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right)$

Involving  $\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right)$  and  $\operatorname{csc}^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.0989.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right) = \operatorname{csc}^{-1}\left(\frac{1}{\sqrt{z}}\right) /; z \notin (1, \infty) \wedge z \notin (-\infty, 0)$$

01.16.27.0990.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right) = -\pi + \operatorname{csc}^{-1}\left(\frac{1}{\sqrt{z}}\right) /; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.0991.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right) = -\operatorname{csc}^{-1}\left(\frac{1}{\sqrt{z}}\right) /; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.0992.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right) = \frac{\pi}{2} \left(\sqrt{1-z} \sqrt{\frac{1}{1-z}} - 1\right) + \sqrt{\frac{1}{z}} \sqrt{z} \operatorname{csc}^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right)$  and  $\operatorname{csc}^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.0993.01

$$\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right) = \frac{\pi}{2} - \operatorname{csc}^{-1}\left(\frac{1}{\sqrt{z}}\right) /; |\arg(z)| < \pi$$

01.16.27.0994.01

$$\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right) = -\frac{\pi}{2} - \operatorname{csc}^{-1}\left(\frac{1}{\sqrt{z}}\right) /; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.0995.01

$$\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right) = \frac{\pi}{2} \sqrt{z} \sqrt{\frac{1}{z}} - \operatorname{csc}^{-1}\left(\frac{1}{\sqrt{z}}\right)$$



### Involving $\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right)$  and  $\csc^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.0996.01

$$\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right) = \csc^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{\pi}{2}; z \notin (-\infty, 1)$$

01.16.27.0997.01

$$\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right) = \csc^{-1}\left(\frac{1}{\sqrt{z}}\right) + \frac{\pi}{2}; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.0998.01

$$\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right) = \frac{\pi}{2} - \csc^{-1}\left(\frac{1}{\sqrt{z}}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.0999.01

$$\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right) = \frac{\sqrt{z} \sqrt{z-1}}{\sqrt{1-z} \sqrt{-z}} \left( \frac{1}{2} \pi \sqrt{z} \sqrt{\frac{1}{z}} - \csc^{-1}\left(\frac{1}{\sqrt{z}}\right) \right)$$

### Involving $\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right)$

Involving  $\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right)$  and  $\csc^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.1000.01

$$\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right) = \frac{\pi}{2} - \csc^{-1}\left(\frac{1}{\sqrt{z}}\right); z \notin (1, \infty) \wedge z \notin (-\infty, 0)$$

01.16.27.1001.01

$$\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right) = \csc^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1002.01

$$\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right) = -\csc^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.1003.01

$$\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right) = \sqrt{\frac{z}{1-z}} \sqrt{\frac{1-z}{z}} \left( \frac{\pi}{2} - \sqrt{z} \sqrt{\frac{1}{z}} \csc^{-1}\left(\frac{1}{\sqrt{z}}\right) \right)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{1+cz}}{\sqrt{1-cz}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right)$  and  $\csc^{-1}\left(\frac{1}{z}\right)$

01.16.27.1004.01

$$\cot^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right) = \frac{\pi}{4} - \frac{1}{2} \csc^{-1}\left(\frac{1}{z}\right); z \notin (-\infty, -1)$$

01.16.27.1005.01

$$\cot^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right) = -\frac{1}{2} \csc^{-1}\left(\frac{1}{z}\right) - \frac{3\pi}{4}; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1006.01

$$\cot^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right) = \frac{\pi}{4} \left( 2 \sqrt{\frac{1}{z+1}} \sqrt{z+1} - 1 \right) - \frac{1}{2} \csc^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right)$  and  $\csc^{-1}\left(\frac{1}{z}\right)$

01.16.27.1007.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right) = \frac{\pi}{4} + \frac{1}{2} \csc^{-1}\left(\frac{1}{z}\right); z \notin (1, \infty)$$

01.16.27.1008.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right) = \frac{1}{2} \csc^{-1}\left(\frac{1}{z}\right) - \frac{3\pi}{4}; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1009.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right) = \frac{\pi}{4} \left( 2 \sqrt{\frac{1}{1-z}} \sqrt{1-z} - 1 \right) + \frac{1}{2} \csc^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{-1+cz}}{\sqrt{-1-cz}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right)$  and  $\csc^{-1}\left(\frac{1}{z}\right)$

01.16.27.1010.01

$$\cot^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right) = -\frac{\pi}{4} + \frac{1}{2} \csc^{-1}\left(\frac{1}{z}\right); z \notin (-\infty, 1)$$

01.16.27.1011.01

$$\cot^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right) = \frac{3\pi}{4} + \frac{1}{2} \csc^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1012.01

$$\cot^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right) = \frac{\pi}{4} - \frac{1}{2} \csc^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.16.27.1013.01

$$\cot^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right) = \frac{\sqrt{z-1}\sqrt{z+1}}{\sqrt{-z-1}\sqrt{1-z}} \left( \frac{\pi}{4} \left( 2\sqrt{\frac{1}{z+1}}\sqrt{z+1} - 1 \right) - \frac{1}{2} \csc^{-1}\left(\frac{1}{z}\right) \right)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right)$  and  $\csc^{-1}\left(\frac{1}{z}\right)$

01.16.27.1014.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right) = -\frac{\pi}{4} - \frac{1}{2} \csc^{-1}\left(\frac{1}{z}\right); z \notin (-1, \infty)$$

01.16.27.1015.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right) = \frac{3\pi}{4} - \frac{1}{2} \csc^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1016.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right) = \frac{\pi}{4} + \frac{1}{2} \csc^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.16.27.1017.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right) = \frac{\sqrt{-z-1}\sqrt{1-z}}{\sqrt{z-1}\sqrt{z+1}} \left( \frac{\pi}{4} \left( 2\sqrt{\frac{1}{1-z}}\sqrt{1-z} - 1 \right) + \frac{1}{2} \csc^{-1}\left(\frac{1}{z}\right) \right)$$

Involving  $\tan^{-1}\left(\sqrt{\frac{1+cz}{1-cz}}\right)$

Involving  $\cot^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right)$  and  $\csc^{-1}\left(\frac{1}{z}\right)$

01.16.27.1018.01

$$\cot^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right) = \frac{\pi}{4} - \frac{1}{2} \csc^{-1}\left(\frac{1}{z}\right); z \notin (-\infty, -1) \wedge z \notin (1, \infty)$$

01.16.27.1019.01

$$\cot^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right) = -\frac{\pi}{4} + \frac{1}{2} \csc^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1020.01

$$\cot^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right) = -\frac{3\pi}{4} - \frac{1}{2} \csc^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1021.01

$$\cot^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right) = \frac{\pi}{4} \left( \sqrt{\frac{1}{1-z}}\sqrt{1-z} + 2\sqrt{\frac{1}{z+1}}\sqrt{z+1} - 2 \right) - \frac{1}{2} \sqrt{\frac{1}{1-z}}\sqrt{1-z} \csc^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right)$  and  $\csc^{-1}\left(\frac{1}{z}\right)$

01.16.27.1022.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right) = \frac{\pi}{4} + \frac{1}{2} \csc^{-1}\left(\frac{1}{z}\right); z \notin (-\infty, -1) \wedge z \notin (1, \infty)$$

01.16.27.1023.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right) = -\frac{3\pi}{4} + \frac{1}{2} \csc^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1024.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right) = -\frac{\pi}{4} - \frac{1}{2} \csc^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1025.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right) = \frac{\pi}{4} \left( 2\sqrt{\frac{1}{1-z}} \sqrt{1-z} + \sqrt{\frac{1}{z+1}} \sqrt{z+1} - 2 \right) + \frac{1}{2} \sqrt{\frac{1}{z+1}} \sqrt{z+1} \csc^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\sqrt{z^2-1}\right)$

Involving  $\cot^{-1}\left(\sqrt{z^2-1}\right)$  and  $\csc^{-1}(z)$

01.16.27.1026.01

$$\cot^{-1}\left(\sqrt{z^2-1}\right) = \csc^{-1}(z); -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1027.01

$$\cot^{-1}\left(\sqrt{z^2-1}\right) = -\csc^{-1}(z); \frac{\pi}{2} < \arg(z) < \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.0026.01

$$\cot^{-1}\left(\sqrt{z^2-1}\right) = \frac{\sqrt{z^2}}{z} \csc^{-1}(z); z \notin (-1, 1)$$

01.16.27.1028.01

$$\cot^{-1}\left(\sqrt{z^2-1}\right) = \csc^{-1}(z) - \pi; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1029.01

$$\cot^{-1}\left(\sqrt{z^2-1}\right) = -\pi - \csc^{-1}(z); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.0027.01

$$\cot^{-1}\left(\sqrt{z^2-1}\right) = \frac{\sqrt{z^2}}{z} \csc^{-1}(z) + \frac{\pi i}{2} \left( \frac{\sqrt{-z-1}}{\sqrt{z+1}} + \frac{\sqrt{z-1}}{\sqrt{1-z}} \right)$$

### Involving $\cot^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right)$

#### Involving $\cot^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right)$ and $\csc^{-1}(z)$

01.16.27.1030.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right) = \frac{\pi}{2} - \csc^{-1}(z) \text{ ; } -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.16.27.1031.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right) = \csc^{-1}(z) + \frac{\pi}{2} \text{ ; } \frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.16.27.0028.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right) = \frac{\pi}{2} - \frac{\sqrt{z^2}}{z} \csc^{-1}(z)$$

### Involving $\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right)$

#### Involving $\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right)$ and $\csc^{-1}(z)$

01.16.27.1032.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right) = \frac{\pi}{2} - \csc^{-1}(z) \text{ ; } -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1033.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right) = \frac{\pi}{2} + \csc^{-1}(z) \text{ ; } \frac{\pi}{2} < \arg(z) < \pi \vee -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1034.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right) = \csc^{-1}(z) - \frac{\pi}{2} \text{ ; } (i z \in \mathbb{R} \wedge i z < 0) \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1035.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right) = -\csc^{-1}(z) - \frac{\pi}{2} \text{ ; } (i z \in \mathbb{R} \wedge i z > 0) \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1036.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right) = \sqrt{\frac{1}{z^2-1}} \sqrt{z^2-1} \left(\frac{\pi}{2} - \frac{\sqrt{z^2}}{z} \csc^{-1}(z)\right)$$

Involving  $\cot^{-1}\left(z\sqrt{\frac{z^2-1}{z^2}}\right)$

Involving  $\cot^{-1}\left(z\sqrt{\frac{z^2-1}{z^2}}\right)$  and  $\csc^{-1}(z)$

01.16.27.1037.01

$$\cot^{-1}\left(z\sqrt{\frac{z^2-1}{z^2}}\right) = \csc^{-1}(z) /; z \notin (-1, 1)$$

01.16.27.1038.01

$$\cot^{-1}\left(z\sqrt{\frac{z^2-1}{z^2}}\right) = \csc^{-1}(z) + \pi /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1039.01

$$\cot^{-1}\left(z\sqrt{\frac{z^2-1}{z^2}}\right) = \csc^{-1}(z) - \pi /; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1040.01

$$\cot^{-1}\left(z\sqrt{\frac{z^2-1}{z^2}}\right) = \frac{\pi}{2} \left(\sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} - \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}}\right) + \csc^{-1}(z)$$

Involving  $\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}}\right)$

Involving  $\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}}\right)$  and  $\csc^{-1}\left(\frac{1}{z}\right)$

01.16.27.1041.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}}\right) = \frac{\pi}{2} - \csc^{-1}\left(\frac{1}{z}\right) /; -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.1042.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}}\right) = -\csc^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2} /; \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.1043.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}}\right) = \frac{\pi}{2} \sqrt{\frac{1}{z^2}} z - \csc^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right)$  and  $\csc^{-1}\left(\frac{1}{z}\right)$

01.16.27.1044.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right) = \frac{\pi}{2} - \csc^{-1}\left(\frac{1}{z}\right); \operatorname{Re}(z) > 0$$

01.16.27.1045.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right) = \frac{\pi}{2} + \csc^{-1}\left(\frac{1}{z}\right); \operatorname{Re}(z) < 0$$

01.16.27.1046.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right) = \csc^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2}; (iz \in \mathbb{R} \wedge iz > 0)$$

01.16.27.1047.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right) = -\csc^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2}; (iz \in \mathbb{R} \wedge iz < 0)$$

01.16.27.1048.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right) = \frac{\pi}{2} \sqrt{\frac{1}{z^2}} \sqrt{z^2} - \frac{z}{\sqrt{z^2}} \csc^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right)$  and  $\csc^{-1}\left(\frac{1}{z}\right)$

01.16.27.1049.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) = \csc^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2}; -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1050.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) = -\operatorname{csc}^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2}; \frac{\pi}{2} < \arg(z) < \pi \vee -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1051.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) = \operatorname{csc}^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0) \vee (iz \in \mathbb{R} \wedge iz < 0)$$

01.16.27.1052.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) = \frac{\pi}{2} - \operatorname{csc}^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge 0 < z < 1) \vee (iz \in \mathbb{R} \wedge iz > 0)$$

01.16.27.1053.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) = \frac{\sqrt{-z^2}}{\sqrt{z^2-1}} \sqrt{\frac{1}{z^2}-1} \left( \frac{\pi}{2} - z \sqrt{\frac{1}{z^2}} \operatorname{csc}^{-1}\left(\frac{1}{z}\right) \right)$$

Involving  $\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right)$

Involving  $\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right)$  and  $\operatorname{csc}^{-1}\left(\frac{1}{z}\right)$

01.16.27.1054.01

$$\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) = \frac{\pi}{2} - \operatorname{csc}^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1055.01

$$\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) = \operatorname{csc}^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2}; \frac{\pi}{2} < \arg(z) < \pi \vee -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1056.01

$$\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) = \operatorname{csc}^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2}; (iz \in \mathbb{R} \wedge iz > 0) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1057.01

$$\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) = -\operatorname{csc}^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2}; (iz \in \mathbb{R} \wedge iz < 0) \vee (z \in \mathbb{R} \wedge z < -1)$$



01.16.27.1058.01

$$\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) = \sqrt{\frac{z^2}{1-z^2}} \sqrt{\frac{1-z^2}{z^2}} \left(\frac{\pi}{2} - z \sqrt{\frac{1}{z^2}} \csc^{-1}\left(\frac{1}{z}\right)\right)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right)$  and  $\csc^{-1}\left(\frac{1}{z}\right)$

01.16.27.1059.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right) = \csc^{-1}\left(\frac{1}{z}\right); z \notin (1, \infty) \wedge z \notin (-\infty, -1)$$

01.16.27.1060.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right) = \pi + \csc^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1061.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right) = -\pi + \csc^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1062.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right) = \csc^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2} \left( \sqrt{\frac{1}{1-z}} \sqrt{1-z} - \sqrt{\frac{1}{z+1}} \sqrt{z+1} \right)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right)$  and  $\csc^{-1}\left(\frac{1}{z}\right)$

01.16.27.1063.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right) = \csc^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1064.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right) = -\csc^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} < \arg(z) < \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1065.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right) = -\pi - \csc^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1066.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right) = -\pi + \csc^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1067.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right) = \frac{z}{\sqrt{z^2}} \left( \frac{\pi}{2} \left( \sqrt{\frac{1}{1-z}} \sqrt{1-z} - \sqrt{\frac{1}{z+1}} \sqrt{z+1} \right) + \csc^{-1}\left(\frac{1}{z}\right) \right)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right)$

#### Involving $\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right)$ and $\csc^{-1}\left(\frac{1}{z}\right)$

01.16.27.1068.01

$$\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) = -\csc^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1069.01

$$\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) = \csc^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} < \arg(z) < \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1070.01

$$\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) = \pi + \csc^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1071.01

$$\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) = \pi - \csc^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1072.01

$$\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) = \frac{z\sqrt{z^2-1}}{\sqrt{-z^2}\sqrt{1-z^2}} \left( \frac{\pi}{2} \left( \sqrt{\frac{1}{1-z}} \sqrt{1-z} - \sqrt{\frac{1}{z+1}} \sqrt{z+1} \right) + \csc^{-1}\left(\frac{1}{z}\right) \right)$$

### Involving $\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right)$

Involving  $\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right)$  and  $\csc^{-1}\left(\frac{1}{z}\right)$

01.16.27.1073.01

$$\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) = \csc^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} \leq \arg(z) < 0 \vee 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1074.01

$$\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) = -\csc^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} \leq \arg(z) < \pi \vee -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1075.01

$$\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) = -\pi - \csc^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1076.01

$$\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) = -\pi + \csc^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1077.01

$$\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) = \sqrt{\frac{1}{z^2}} z \left( \frac{\pi}{2} \left( \sqrt{\frac{1}{1-z}} \sqrt{1-z} - \sqrt{\frac{1}{z+1}} \sqrt{z+1} \right) + \csc^{-1}\left(\frac{1}{z}\right) \right)$$

Involving  $\cot^{-1}\left(\frac{1+c\sqrt{1-z^2}}{z}\right)$

Involving  $\cot^{-1}\left(\frac{1+\sqrt{1-z^2}}{z}\right)$  and  $\csc^{-1}\left(\frac{1}{z}\right)$

01.16.27.1078.01

$$\cot^{-1}\left(\frac{1+\sqrt{1-z^2}}{z}\right) = \frac{1}{2} \csc^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{1-\sqrt{1-z^2}}{z}\right)$  and  $\csc^{-1}\left(\frac{1}{z}\right)$

01.16.27.1079.01

$$\cot^{-1}\left(\frac{1-\sqrt{1-z^2}}{z}\right) = \frac{\pi}{2} - \frac{1}{2} \csc^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.1080.01

$$\cot^{-1}\left(\frac{1-\sqrt{1-z^2}}{z}\right) = -\frac{\pi}{2} - \frac{1}{2} \csc^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.1081.01

$$\cot^{-1}\left(\frac{1-\sqrt{1-z^2}}{z}\right) = \frac{\pi z}{2} \sqrt{\frac{1}{z^2} - \frac{1}{2}} \csc^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{z}{1+c\sqrt{1-z^2}}\right)$

Involving  $\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}+1}\right)$  and  $\csc^{-1}\left(\frac{1}{z}\right)$

01.16.27.1082.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}+1}\right) = \frac{\pi}{2} - \frac{1}{2} \csc^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.1083.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}+1}\right) = -\frac{\pi}{2} - \frac{1}{2} \csc^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.1084.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}+1}\right) = \frac{\pi z}{2} \sqrt{\frac{1}{z^2} - \frac{1}{2}} \csc^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{z}{1-\sqrt{1-z^2}}\right)$  and  $\csc^{-1}\left(\frac{1}{z}\right)$

01.16.27.1085.01

$$\cot^{-1}\left(\frac{z}{1-\sqrt{1-z^2}}\right) = \frac{1}{2} \csc^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2-2}\right)$

Involving  $\cot^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2-2}\right)$  and  $\csc^{-1}(z)$

01.16.27.1086.01

$$\cot^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2-2}\right) = \frac{\pi}{2} - 2 \operatorname{csc}^{-1}(z) /; -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1087.01

$$\cot^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2-2}\right) = \frac{\pi}{2} + 2 \operatorname{csc}^{-1}(z) /; \frac{\pi}{2} < \arg(z) < \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1088.01

$$\cot^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2-2}\right) = 2 \operatorname{csc}^{-1}(z) + \frac{3\pi}{2} /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1089.01

$$\cot^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2-2}\right) = \frac{3\pi}{2} - 2 \operatorname{csc}^{-1}(z) /; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1090.01

$$\cot^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2-2}\right) = \frac{\pi z}{2\sqrt{z^2-1}} \sqrt{1-\frac{1}{z^2}} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} + \sqrt{\frac{i}{z}} \sqrt{-iz} - \sqrt{-\frac{i}{z}} \sqrt{iz} + \sqrt{1+\frac{1}{z}} \sqrt{\frac{z}{z+1}} \right) - \frac{2z}{\sqrt{z^2-1}} \sqrt{1-\frac{1}{z^2}} \operatorname{csc}^{-1}(z)$$

Involving  $\cot^{-1}\left(\frac{z^2-2}{2\sqrt{z^2-1}}\right)$

Involving  $\cot^{-1}\left(\frac{z^2-2}{2\sqrt{z^2-1}}\right)$  and  $\operatorname{csc}^{-1}(z)$

01.16.27.1091.01

$$\cot^{-1}\left(\frac{z^2-2}{2\sqrt{z^2-1}}\right) = 2 \operatorname{csc}^{-1}(z) /; \frac{\pi}{4} \leq |\arg(z)| < \frac{\pi}{2} \vee |z| > \sqrt{2} \wedge \operatorname{Re}(z) > 0$$

01.16.27.1092.01

$$\cot^{-1}\left(\frac{z^2-2}{2\sqrt{z^2-1}}\right) = -2 \operatorname{csc}^{-1}(z) /; \frac{\pi}{2} < |\arg(z)| \leq \frac{3\pi}{4} \vee |z| > \sqrt{2} \wedge \operatorname{Re}(z) < 0$$

01.16.27.1093.01

$$\cot^{-1}\left(\frac{z^2-2}{2\sqrt{z^2-1}}\right) = \pi\left(\theta\left(\left|\sqrt{z^2-1}\right|-1\right)-1\right) + \frac{2\sqrt{z^2}}{z} \operatorname{csc}^{-1}(z)$$

01.16.27.1094.01

$$\cot^{-1}\left(\frac{z^2-2}{2\sqrt{z^2-1}}\right) = \frac{\pi}{2\sqrt{z^2-1}}\left((z^2-2)\sqrt{\frac{z^4}{z^2-1}}\sqrt{\frac{z^2-1}{z^4}}\sqrt{\frac{z^2-1}{(z^2-2)^2}} - \sqrt{1-\frac{1}{z^2}}z\left(\sqrt{\frac{1}{z^2}}z - \sqrt{\frac{z-1}{z}}\sqrt{\frac{z}{z-1}} + \sqrt{\frac{i}{z}}\sqrt{-iz} - \sqrt{-\frac{i}{z}}\sqrt{iz} + \sqrt{1+\frac{1}{z}}\sqrt{\frac{z}{z+1}}\right)\right) + \frac{2z}{\sqrt{z^2-1}}\sqrt{1-\frac{1}{z^2}} \operatorname{csc}^{-1}(z)$$

Involving  $\cot^{-1}\left(\frac{2z\sqrt{1-z^2}}{1-2z^2}\right)$

Involving  $\cot^{-1}\left(\frac{2z\sqrt{1-z^2}}{1-2z^2}\right)$  and  $\operatorname{csc}^{-1}\left(\frac{1}{z}\right)$

01.16.27.1095.01

$$\cot^{-1}\left(\frac{2z\sqrt{1-z^2}}{1-2z^2}\right) = \frac{\pi}{2} - 2 \operatorname{csc}^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} \leq \arg(z) < 0 \vee 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1096.01

$$\cot^{-1}\left(\frac{2z\sqrt{1-z^2}}{1-2z^2}\right) = -\frac{\pi}{2} - 2 \operatorname{csc}^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} \leq \arg(z) < 0 \vee -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1097.01

$$\cot^{-1}\left(\frac{2z\sqrt{1-z^2}}{1-2z^2}\right) = \frac{3\pi}{2} - 2 \operatorname{csc}^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1098.01

$$\cot^{-1}\left(\frac{2z\sqrt{1-z^2}}{1-2z^2}\right) = -\frac{3\pi}{2} - 2 \operatorname{csc}^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1099.01

$$\cot^{-1}\left(\frac{2z\sqrt{1-z^2}}{1-2z^2}\right) = \frac{1}{2}\left(-\sqrt{\frac{1}{1-z}}\sqrt{1-z} + \sqrt{\frac{1}{z+1}}\sqrt{z+1} - \sqrt{-iz}\sqrt{\frac{i}{z}} + \sqrt{-\frac{i}{z}}\sqrt{iz} + \frac{\sqrt{z^2}}{z}\right)\pi - 2 \operatorname{csc}^{-1}\left(\frac{1}{z}\right)$$

### Involving $\cot^{-1}\left(\frac{1-2z^2}{2z\sqrt{1-z^2}}\right)$

#### Involving $\cot^{-1}\left(\frac{1-2z^2}{2z\sqrt{1-z^2}}\right)$ and $\csc^{-1}\left(\frac{1}{z}\right)$

01.16.27.1100.01

$$\cot^{-1}\left(\frac{1-2z^2}{2z\sqrt{1-z^2}}\right) = 2 \csc^{-1}\left(\frac{1}{z}\right) /; \frac{\pi}{4} \leq |\arg(z)| < \frac{3\pi}{4}$$

01.16.27.1101.01

$$\cot^{-1}\left(\frac{1-2z^2}{2z\sqrt{1-z^2}}\right) = 2 \csc^{-1}\left(\frac{1}{z}\right) -$$

$$\frac{1}{2}\pi \left( \frac{\sqrt{z^2-1} z}{\sqrt{z^4-z^2}} + \sqrt{\frac{1}{z}} \sqrt{\frac{1}{\sqrt{2}z-1}} \sqrt{\sqrt{2}z-1} \sqrt{z} - \sqrt{-\frac{1}{z}} \sqrt{-z} \sqrt{-\sqrt{2}z-1} \sqrt{-\frac{1}{\sqrt{2}z+1}} + \frac{\sqrt{z^2}}{z} \right)$$

#### Involving $\sec^{-1}$

### Involving $\cot^{-1}(z)$

#### Involving $\cot^{-1}(z)$ and $\sec^{-1}\left(\frac{1+z^2}{2z}\right)$

01.16.27.1102.01

$$\cot^{-1}(z) = \frac{\pi}{4} + \frac{1}{2} \sec^{-1}\left(\frac{1+z^2}{2z}\right) /; |z| < 1 \wedge -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.1103.01

$$\cot^{-1}(z) = \frac{1}{2} \sec^{-1}\left(\frac{1+z^2}{2z}\right) - \frac{3\pi}{4} /; |z| < 1 \wedge \left(\frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}\right)$$

01.16.27.1104.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( z \sqrt{\frac{1}{z^2} - \frac{1}{2}} \right) + \frac{1}{2} \sec^{-1}\left(\frac{1+z^2}{2z}\right) /; |z| < 1$$

01.16.27.1105.01

$$\cot^{-1}(z) = \frac{1}{2} \left( \frac{\pi}{2} - \sec^{-1}\left(\frac{1+z^2}{2z}\right) \right) /; |z| > 1$$

01.16.27.1106.01

$$\cot^{-1}(z) = \frac{\pi}{4} \left( \sqrt{\frac{1}{z^2}} z + \frac{1-z}{1+z} \sqrt{\left(\frac{z+1}{z-1}\right)^2} \left( \sqrt{\frac{1}{z^2}} z - 1 \right) \right) + \frac{1-z}{2(1+z)} \sqrt{\left(\frac{z+1}{z-1}\right)^2} \sec^{-1}\left(\frac{1+z^2}{2z}\right) /; |z| \neq 1$$

Involving  $\tan^{-1}(z)$  and  $\sec^{-1}\left(\frac{1+z^2}{1-z^2}\right)$

01.16.27.1107.01

$$\cot^{-1}(z) = -\frac{1}{2} \sec^{-1}\left(\frac{1+z^2}{1-z^2}\right) + \frac{\pi}{2}; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.1108.01

$$\cot^{-1}(z) = \frac{1}{2} \sec^{-1}\left(\frac{1+z^2}{1-z^2}\right) - \frac{\pi}{2}; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.1109.01

$$\cot^{-1}(z) = \frac{\pi}{2} + \frac{1}{2} \sec^{-1}\left(\frac{1+z^2}{1-z^2}\right); (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.1110.01

$$\cot^{-1}(z) = -\frac{\pi}{2} - \frac{1}{2} \sec^{-1}\left(\frac{1+z^2}{1-z^2}\right); (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.1111.01

$$\cot^{-1}(z) = \frac{\pi}{4} \left( \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} - \sqrt{iz+1} \sqrt{\frac{1}{iz+1}} - 2\sqrt{-iz} \sqrt{\frac{i}{z}} + 2\sqrt{-\frac{i}{z}} \sqrt{iz} + \frac{\sqrt{z^2}}{z} \right) + \frac{\sqrt{z^2} \sqrt{z^2+1}}{2z} \sqrt{\frac{1}{z^2+1}} \left( \frac{\pi}{2} - \sec^{-1}\left(\frac{1+z^2}{1-z^2}\right) \right)$$

Involving  $\cot^{-1}(z)$  and  $\sec^{-1}\left(\frac{z^2+1}{z^2-1}\right)$

01.16.27.1112.01

$$\cot^{-1}(z) = \frac{1}{2} \sec^{-1}\left(\frac{z^2+1}{z^2-1}\right); \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.1113.01

$$\cot^{-1}(z) = -\frac{1}{2} \sec^{-1}\left(\frac{z^2+1}{z^2-1}\right); \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.1114.01

$$\cot^{-1}(z) = \pi - \frac{1}{2} \sec^{-1}\left(\frac{z^2+1}{z^2-1}\right); (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.1115.01

$$\cot^{-1}(z) = \frac{1}{2} \sec^{-1}\left(\frac{z^2+1}{z^2-1}\right) - \pi; (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.1116.01

$$\cot^{-1}(z) = \frac{\pi}{4} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{z}{i+z}} \sqrt{\frac{i+z}{z}} + \sqrt{\frac{-i+z}{z}} \sqrt{\frac{z}{-i+z}} \right) + \frac{\sqrt{z} \sqrt{-z^2-1}}{2\sqrt{-z}} \sqrt{\frac{1}{z^2}} \sqrt{\frac{z^2}{z^2+1}} \left( \sec^{-1}\left(\frac{z^2+1}{z^2-1}\right) - \frac{\pi}{2} \right)$$



Involving  $\cot^{-1}(z)$  and  $\sec^{-1}\left(\sqrt{z^2 + 1}\right)$

01.16.27.1117.01

$$\cot^{-1}(z) = \frac{\pi}{2} - \sec^{-1}\left(\sqrt{z^2 + 1}\right); \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.1118.01

$$\cot^{-1}(z) = \sec^{-1}\left(\sqrt{z^2 + 1}\right) - \frac{\pi}{2}; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.1119.01

$$\cot^{-1}(z) = \frac{\pi}{2} + \sec^{-1}\left(\sqrt{z^2 + 1}\right); (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.1120.01

$$\cot^{-1}(z) = -\frac{\pi}{2} - \sec^{-1}\left(\sqrt{z^2 + 1}\right); (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.1121.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} - \sqrt{iz+1} \sqrt{\frac{1}{iz+1}} + \frac{\sqrt{z} \sqrt{-z^2-1}}{\sqrt{-z}} \sqrt{\frac{1}{z^2+1}} \right) - \frac{\sqrt{z^2}}{z} \sec^{-1}\left(\sqrt{z^2+1}\right)$$

Involving  $\cot^{-1}(z)$  and  $\sec^{-1}\left(\frac{\sqrt{1+z^2}}{z}\right)$

01.16.27.1122.01

$$\cot^{-1}(z) = \sec^{-1}\left(\frac{\sqrt{1+z^2}}{z}\right); \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.1123.01

$$\cot^{-1}(z) = \sec^{-1}\left(\frac{\sqrt{1+z^2}}{z}\right) - \pi; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.1124.01

$$\cot^{-1}(z) = -\sec^{-1}\left(\frac{\sqrt{1+z^2}}{z}\right); (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.1125.01

$$\cot^{-1}(z) = \pi - \sec^{-1}\left(\frac{\sqrt{1+z^2}}{z}\right); (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.1126.01

$$\cot^{-1}(z) = \frac{z^{3/2} \sqrt{-z^2 - 1}}{\sqrt{-z} \sqrt{z^2 + 1}} \sqrt{\frac{1}{z^2}} \sec^{-1} \left( \frac{\sqrt{z^2 + 1}}{z} \right) - \frac{\pi}{2} \left( -\frac{\sqrt{z^2}}{z} - \sqrt{\frac{z}{-i+z}} \sqrt{\frac{-i+z}{z}} + \sqrt{\frac{i+z}{z}} \sqrt{\frac{z}{i+z}} + 2 \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} - 1 \right)$$

Involving  $\cot^{-1}(z)$  and  $\sec^{-1} \left( \frac{\sqrt{z^2+1}}{\sqrt{z^2}} \right)$

01.16.27.1127.01

$$\cot^{-1}(z) = \sec^{-1} \left( \frac{\sqrt{z^2+1}}{\sqrt{z^2}} \right) /; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.1128.01

$$\cot^{-1}(z) = -\sec^{-1} \left( \frac{\sqrt{z^2+1}}{\sqrt{z^2}} \right) /; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.1129.01

$$\cot^{-1}(z) = \pi - \sec^{-1} \left( \frac{\sqrt{z^2+1}}{\sqrt{z^2}} \right) /; (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.1130.01

$$\cot^{-1}(z) = \sec^{-1} \left( \frac{\sqrt{z^2+1}}{\sqrt{z^2}} \right) - \pi /; (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.1131.01

$$\cot^{-1}(z) = \frac{z \sqrt{z^2}}{\sqrt{z^2+1}} \sqrt{\frac{1}{z^2}} \sqrt{\frac{z^2+1}{z^2}} \sec^{-1} \left( \frac{\sqrt{z^2+1}}{\sqrt{z^2}} \right) - \frac{\pi}{2} \left( \sqrt{\frac{z}{i+z}} \sqrt{\frac{i+z}{z}} - \sqrt{\frac{z}{-i+z}} \sqrt{\frac{-i+z}{z}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\sec^{-1} \left( \frac{\sqrt{-1-z^2}}{\sqrt{-z^2}} \right)$

01.16.27.1132.01

$$\cot^{-1}(z) = \sec^{-1} \left( \frac{\sqrt{-1-z^2}}{\sqrt{-z^2}} \right) /; -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.1133.01

$$\cot^{-1}(z) = -\sec^{-1} \left( \frac{\sqrt{-1-z^2}}{\sqrt{-z^2}} \right) /; \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.1134.01

$$\cot^{-1}(z) = z \sqrt{\frac{1}{z^2}} \sec^{-1} \left( \frac{\sqrt{-1-z^2}}{\sqrt{-z^2}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\sec^{-1} \left( \sqrt{\frac{z^2+1}{z^2}} \right)$

01.16.27.1135.01

$$\cot^{-1}(z) = \sec^{-1} \left( \sqrt{\frac{z^2+1}{z^2}} \right) /; -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.1136.01

$$\cot^{-1}(z) = -\sec^{-1} \left( \sqrt{\frac{z^2+1}{z^2}} \right) /; \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.0029.01

$$\cot^{-1}(z) = \sqrt{\frac{1}{z^2}} z \sec^{-1} \left( \sqrt{\frac{z^2+1}{z^2}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\sec^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}+1}} \right)$

01.16.27.1137.01

$$\cot^{-1}(z) = -2 \sec^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}+1}} \right) + \frac{\pi}{2} /; \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.1138.01

$$\cot^{-1}(z) = -\frac{\pi}{2} + 2 \sec^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}+1}} \right) /; \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.1139.01

$$\cot^{-1}(z) = \frac{\pi}{2} + 2 \sec^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}+1}} \right) /; (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.1140.01

$$\cot^{-1}(z) = -\frac{\pi}{2} - 2 \sec^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2} + 1}} \right) ; (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.1141.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} + \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} \right) - \frac{2\sqrt{z^2}}{z} \sec^{-1} \left( \frac{\sqrt{2} \sqrt[4]{z^2+1}}{\sqrt{\sqrt{z^2+1} + 1}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\sec^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2} - 1}} \right)$

01.16.27.1142.01

$$\cot^{-1}(z) = 2 \sec^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2} - 1}} \right) - \frac{\pi}{2} ; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.1143.01

$$\cot^{-1}(z) = -2 \sec^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2} - 1}} \right) + \frac{\pi}{2} ; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.1144.01

$$\cot^{-1}(z) = \frac{3\pi}{2} - 2 \sec^{-1} \left( \frac{\sqrt{2} \sqrt[4]{z^2+1}}{\sqrt{\sqrt{z^2+1} - 1}} \right) ; (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.1145.01

$$\cot^{-1}(z) = 2 \sec^{-1} \left( \frac{\sqrt{2} \sqrt[4]{z^2+1}}{\sqrt{\sqrt{z^2+1} - 1}} \right) - \frac{3\pi}{2} ; (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.1146.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z - \frac{2\sqrt{z^2}}{z} - \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} + \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} \right) + \frac{2\sqrt{z^2}}{z} \sec^{-1} \left( \frac{\sqrt{2} \sqrt[4]{z^2+1}}{\sqrt{\sqrt{z^2+1} - 1}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\sec^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}+1}}\right)$

01.16.27.1147.01

$$\cot^{-1}(z) = -2 \sec^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}+1}}\right) + \frac{\pi}{2}; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.1148.01

$$\cot^{-1}(z) = -\frac{\pi}{2} + 2 \sec^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}+1}}\right); \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.1149.01

$$\cot^{-1}(z) = \frac{\pi}{2} + 2 \sec^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}+1}}\right); (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.1150.01

$$\cot^{-1}(z) = -\frac{\pi}{2} - 2 \sec^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}+1}}\right); (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.1151.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} + \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} \right) - \frac{2\sqrt{z^2}}{z} \sec^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}+1}}\right)$$

Involving  $\cot^{-1}(z)$  and  $\sec^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-1}}\right)$

01.16.27.1152.01

$$\cot^{-1}(z) = 2 \sec^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-1}}\right) - \frac{\pi}{2}; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.1153.01

$$\cot^{-1}(z) = -2 \sec^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-1}}\right) + \frac{\pi}{2}; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.1154.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( -z \sqrt{\frac{1}{z^2}} + \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} - \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} \right) + \frac{2\sqrt{z^2}}{z} \sqrt{\frac{z^2}{z^2+1}} \sqrt{\frac{z^2+1}{z^2}} \sec^{-1}\left(\sqrt{\frac{2\sqrt{z^2+1}}{\sqrt{z^2+1}-1}}\right)$$

Involving  $\cot^{-1}(z)$  and  $\sec^{-1}\left(\frac{\sqrt{2}(1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}+z}}\right)$

01.16.27.1155.01

$$\cot^{-1}(z) = 2 \sec^{-1}\left(\frac{\sqrt{2}(1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}+z}}\right) /; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.1156.01

$$\cot^{-1}(z) = 2 \sec^{-1}\left(\frac{\sqrt{2}\sqrt[4]{z^2+1}}{\sqrt{z+\sqrt{z^2+1}}}\right) - \pi /; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge -1 < iz < 0) \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.1157.01

$$\cot^{-1}(z) = -2 \sec^{-1}\left(\frac{\sqrt{2}\sqrt[4]{z^2+1}}{\sqrt{z+\sqrt{z^2+1}}}\right) /; (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.1158.01

$$\cot^{-1}(z) = 2\sqrt{\frac{1}{iz+1}}\sqrt{iz+1} \sec^{-1}\left(\frac{\sqrt{2}\sqrt[4]{z^2+1}}{\sqrt{z+\sqrt{z^2+1}}}\right) - \frac{\pi}{2}\left(-\sqrt{\frac{1}{z^2}}z + \sqrt{\frac{1}{iz+1}}\sqrt{iz+1} - \sqrt{\frac{1}{1-iz}}\sqrt{1-iz} + 1\right)$$

Involving  $\cot^{-1}(z)$  and  $\sec^{-1}\left(\frac{\sqrt{2}(1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-z}}\right)$

01.16.27.1159.01

$$\cot^{-1}(z) = \pi - 2 \sec^{-1}\left(\frac{\sqrt{2}(1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-z}}\right) /; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1) \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.1160.01

$$\cot^{-1}(z) = -2 \sec^{-1}\left(\frac{\sqrt{2}(1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-z}}\right) /; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.1161.01

$$\cot^{-1}(z) = 2 \sec^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2} - z}} \right) ; (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.1162.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} + \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} + 1 \right) - 2 \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} \sec^{-1} \left( \frac{\sqrt{2} \sqrt[4]{z^2+1}}{\sqrt{\sqrt{z^2+1} - z}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\sec^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2} + z}} \right)$

01.16.27.1163.01

$$\cot^{-1}(z) = 2 \sec^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2} + z}} \right) ; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.1164.01

$$\cot^{-1}(z) = 2 \sec^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2} + z}} \right) - \pi ; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge -1 < iz < 0) \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.1165.01

$$\cot^{-1}(z) = -2 \sec^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2} + z}} \right) ; (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.1166.01

$$\cot^{-1}(z) = 2 \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} \sec^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2} + z}} \right) - \frac{\pi}{2} \left( -\sqrt{\frac{1}{z^2}} z + \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} - \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} + 1 \right)$$

Involving  $\cot^{-1}(z)$  and  $\sec^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2} - z}} \right)$

01.16.27.1167.01

$$\cot^{-1}(z) = \pi - 2 \sec^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2} - z}} \right) ; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1) \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.1168.01

$$\cot^{-1}(z) = -2 \sec^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-z}} \right); \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.1169.01

$$\cot^{-1}(z) = 2 \sec^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-z}} \right); (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.1170.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} + \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} + 1 \right) - 2 \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} \sec^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-z}} \right)$$

### Involving $\cot^{-1}(\sqrt{z})$

#### Involving $\cot^{-1}(\sqrt{z})$ and $\sec^{-1}\left(\frac{1+z}{1-z}\right)$

01.16.27.1171.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - \frac{1}{2} \sec^{-1} \left( \frac{1+z}{1-z} \right); |\arg(z)| < \pi$$

01.16.27.1172.01

$$\cot^{-1}(\sqrt{z}) = -\frac{1}{2} \sec^{-1} \left( \frac{1+z}{1-z} \right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1173.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} \sec^{-1} \left( \frac{1+z}{1-z} \right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1174.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} \sqrt{z} \sqrt{\frac{1}{z}} \pi - \frac{z \sqrt{-z-1}}{2 \sqrt{-z(z+1)}} \sqrt{\frac{1}{z}} \sec^{-1} \left( \frac{1+z}{1-z} \right)$$

#### Involving $\cot^{-1}(\sqrt{z})$ and $\sec^{-1}\left(\frac{z+1}{z-1}\right)$

01.16.27.1175.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} \sec^{-1} \left( \frac{z+1}{z-1} \right); |\arg(z)| < \pi$$

01.16.27.1176.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} \sec^{-1} \left( \frac{z+1}{z-1} \right) - \pi; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1177.01

$$\cot^{-1}(\sqrt{z}) = -\frac{1}{2} \sec^{-1} \left( \frac{z+1}{z-1} \right); (z \in \mathbb{R} \wedge z < -1)$$



01.16.27.1178.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \left( \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - 1 \right) + \frac{z\sqrt{-z-1}}{2\sqrt{-z}(z+1)} \sqrt{\frac{1}{z}} \sec^{-1}\left(\frac{z+1}{z-1}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sec^{-1}\left(\frac{1+z}{2\sqrt{z}}\right)$

01.16.27.1179.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{4} + \frac{1}{2} \sec^{-1}\left(\frac{1+z}{2\sqrt{z}}\right) /; |z| < 1 \wedge z \notin (-1, 0)$$

01.16.27.1180.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} \sec^{-1}\left(\frac{1+z}{2\sqrt{z}}\right) - \frac{3\pi}{4} /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1181.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \left( \sqrt{z} \sqrt{\frac{1}{z} - \frac{1}{2}} \right) + \frac{1}{2} \sec^{-1}\left(\frac{1+z}{2\sqrt{z}}\right) /; |z| < 1$$

01.16.27.1182.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{4} - \frac{1}{2} \sec^{-1}\left(\frac{1+z}{2\sqrt{z}}\right) /; |z| > 1$$

01.16.27.1183.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{4} \left( 2 \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - 1 \right) + \frac{1-z}{2(z+1)} \sqrt{\left(\frac{z+1}{z-1}\right)^2} \sec^{-1}\left(\frac{1+z}{2\sqrt{z}}\right) /; |z| \neq 1$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sec^{-1}(\sqrt{1+z})$

01.16.27.1184.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - \sec^{-1}(\sqrt{z+1}) /; z \notin (-1, 0)$$

01.16.27.1185.01

$$\cot^{-1}(\sqrt{z}) = -\sec^{-1}(\sqrt{z+1}) - \frac{\pi}{2} /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1186.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - \sec^{-1}(\sqrt{z+1})$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sec^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right)$

01.16.27.1187.01

$$\cot^{-1}(\sqrt{z}) = \sec^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right) /; |\arg(z)| < \pi$$

01.16.27.1188.01

$$\cot^{-1}(\sqrt{z}) = \sec^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right) - \pi; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1189.01

$$\cot^{-1}(\sqrt{z}) = -\sec^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1190.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2}\pi \left( \sqrt{z} \sqrt{\frac{1}{z}} - \sqrt{z+1} \sqrt{\frac{1}{z+1}} \right) + \sqrt{\frac{1}{z+1}} \sqrt{z+1} \sec^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sec^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{-z}}\right)$

01.16.27.1191.01

$$\cot^{-1}(\sqrt{z}) = \sec^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{-z}}\right); |\arg(z)| < \pi$$

01.16.27.1192.01

$$\cot^{-1}(\sqrt{z}) = -\sec^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{-z}}\right); (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.1193.01

$$\cot^{-1}(\sqrt{z}) = -\frac{\sqrt{-z} \sqrt{-z-1}}{\sqrt{z}} \sqrt{\frac{1}{z+1}} \sec^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{-z}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sec^{-1}\left(\sqrt{\frac{z+1}{z}}\right)$

01.16.27.1194.01

$$\cot^{-1}(\sqrt{z}) = \sec^{-1}\left(\sqrt{\frac{z+1}{z}}\right); |\arg(z)| < \pi$$

01.16.27.1195.01

$$\cot^{-1}(\sqrt{z}) = -\sec^{-1}\left(\sqrt{\frac{z+1}{z}}\right); (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.1196.01

$$\cot^{-1}(\sqrt{z}) = \sqrt{z} \sqrt{\frac{1}{z}} \sec^{-1}\left(\sqrt{\frac{z+1}{z}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sec^{-1}\left(\sqrt{2} (1+z)^{1/4} / \sqrt{\sqrt{1+z} + 1}\right)$

01.16.27.1197.01

$$\cot^{-1}(\sqrt{z}) = -2 \sec^{-1} \left( \frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{\sqrt{1+z} + 1}} \right) + \frac{\pi}{2} ; z \notin (-1, 0)$$

01.16.27.1198.01

$$\cot^{-1}(\sqrt{z}) = -2 \sec^{-1} \left( \frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{\sqrt{1+z} + 1}} \right) - \frac{\pi}{2} ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1199.01

$$\cot^{-1}(\sqrt{z}) = -2 \sec^{-1} \left( \frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{\sqrt{1+z} + 1}} \right) + \frac{1}{2} \pi \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}}$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sec^{-1} \left( \frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{\sqrt{1+z} - 1}} \right)$

01.16.27.1200.01

$$\cot^{-1}(\sqrt{z}) = -\frac{\pi}{2} + 2 \sec^{-1} \left( \frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{\sqrt{1+z} - 1}} \right) ; z \notin (-1, 0)$$

01.16.27.1201.01

$$\cot^{-1}(\sqrt{z}) = -\frac{3\pi}{2} + 2 \sec^{-1} \left( \frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{\sqrt{1+z} - 1}} \right) ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1202.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - \pi + 2 \sec^{-1} \left( \frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{\sqrt{1+z} - 1}} \right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sec^{-1} \left( \sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z} + 1}} \right)$

01.16.27.1203.01

$$\cot^{-1}(\sqrt{z}) = -2 \sec^{-1} \left( \sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z} + 1}} \right) + \frac{\pi}{2} ; z \notin (-1, 0)$$

01.16.27.1204.01

$$\cot^{-1}(\sqrt{z}) = -2 \sec^{-1} \left( \sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z} + 1}} \right) - \frac{\pi}{2} ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1205.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - 2 \sec^{-1} \left( \sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z} + 1}} \right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sec^{-1}\left(\sqrt{2\sqrt{1+z}} / (\sqrt{1+z} - 1)\right)$

01.16.27.1206.01

$$\cot^{-1}(\sqrt{z}) = -\frac{\pi}{2} + 2 \sec^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z}-1}}\right); z \notin (-1, 0)$$

01.16.27.1207.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - 2 \sec^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z}-1}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1208.01

$$\cot^{-1}(\sqrt{z}) = 2\sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} \sec^{-1}\left(\sqrt{\frac{2\sqrt{z+1}}{\sqrt{z+1}-1}}\right) - \frac{1}{2}\pi \sqrt{1+\frac{1}{z}} \sqrt{\frac{z}{z+1}}$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sec^{-1}\left(\sqrt{2} (1+z)^{1/4} / \sqrt{\sqrt{1+z} + \sqrt{z}}\right)$

01.16.27.1209.01

$$\cot^{-1}(\sqrt{z}) = 2 \sec^{-1}\left(\frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{\sqrt{1+z} + \sqrt{z}}}\right); |\arg(z)| < \pi$$

01.16.27.1210.01

$$\cot^{-1}(\sqrt{z}) = 2 \sec^{-1}\left(\frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{\sqrt{1+z} + \sqrt{z}}}\right) - \pi; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1211.01

$$\cot^{-1}(\sqrt{z}) = -2 \sec^{-1}\left(\frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{\sqrt{1+z} + \sqrt{z}}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1212.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \left(\sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - 1\right) + 2\sqrt{\frac{1}{z+1}} \sqrt{z+1} \sec^{-1}\left(\frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{\sqrt{1+z} + \sqrt{z}}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sec^{-1}\left(\sqrt{2} (1+z)^{1/4} / \sqrt{\sqrt{1+z} - \sqrt{z}}\right)$

01.16.27.1213.01

$$\cot^{-1}(\sqrt{z}) = \pi - 2 \sec^{-1}\left(\frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{\sqrt{1+z} - \sqrt{z}}}\right); z \notin (-1, 0)$$

01.16.27.1214.01

$$\cot^{-1}(\sqrt{z}) = -2 \sec^{-1} \left( \frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{\sqrt{1+z} - \sqrt{z}}} \right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1215.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \left( \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} + 1 \right) - 2 \sec^{-1} \left( \frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{\sqrt{1+z} - \sqrt{z}}} \right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sec^{-1} \left( \sqrt{2\sqrt{1+z}} / (\sqrt{1+z} + \sqrt{z}) \right)$

01.16.27.1216.01

$$\cot^{-1}(\sqrt{z}) = 2 \sec^{-1} \left( \sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z} + \sqrt{z}}} \right); |\arg(z)| < \pi$$

01.16.27.1217.01

$$\cot^{-1}(\sqrt{z}) = 2 \sec^{-1} \left( \sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z} + \sqrt{z}}} \right) - \pi; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1218.01

$$\cot^{-1}(\sqrt{z}) = -2 \sec^{-1} \left( \sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z} + \sqrt{z}}} \right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1219.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \left( \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - 1 \right) + 2 \sqrt{\frac{1}{z+1}} \sqrt{z+1} \sec^{-1} \left( \sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z} + \sqrt{z}}} \right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sec^{-1} \left( \sqrt{2\sqrt{1+z}} / (\sqrt{1+z} - \sqrt{z}) \right)$

01.16.27.1220.01

$$\cot^{-1}(\sqrt{z}) = \pi - 2 \sec^{-1} \left( \sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z} - \sqrt{z}}} \right); z \notin (-1, 0)$$

01.16.27.1221.01

$$\cot^{-1}(\sqrt{z}) = -2 \sec^{-1} \left( \sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z} - \sqrt{z}}} \right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1222.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} \left( \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} + 1 \right) \pi - 2 \sec^{-1} \left( \sqrt{\frac{2\sqrt{z+1}}{\sqrt{z+1} - \sqrt{z}}} \right)$$

## Involving $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$

### Involving $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$ and $\sec^{-1}\left(\frac{1+z}{1-z}\right)$

01.16.27.1223.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{1}{2} \sec^{-1}\left(\frac{1+z}{1-z}\right); z \notin (-\infty, -1)$$

01.16.27.1224.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \pi - \frac{1}{2} \sec^{-1}\left(\frac{1+z}{1-z}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1225.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{1}{2} \pi \left(1 - \sqrt{z+1} \sqrt{\frac{1}{z+1}}\right) + \frac{1}{2} \sqrt{\frac{1}{z+1}} \sqrt{z+1} \sec^{-1}\left(\frac{1+z}{1-z}\right)$$

### Involving $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$ and $\sec^{-1}\left(\frac{z+1}{z-1}\right)$

01.16.27.1226.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\frac{1}{2} \sec^{-1}\left(\frac{z+1}{z-1}\right) + \frac{\pi}{2}; z \notin (-\infty, -1)$$

01.16.27.1227.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} + \frac{1}{2} \sec^{-1}\left(\frac{z+1}{z-1}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1228.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - \frac{1}{2} \sqrt{z+1} \sqrt{\frac{1}{z+1}} \sec^{-1}\left(\frac{z+1}{z-1}\right)$$

### Involving $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$ and $\sec^{-1}\left(\frac{z+1}{2\sqrt{z}}\right)$

01.16.27.1229.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{1}{2} \left(\frac{\pi}{2} - \sec^{-1}\left(\frac{z+1}{2\sqrt{z}}\right)\right); |z| < 1$$

01.16.27.1230.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{1}{2} \left(\frac{\pi}{2} + \sec^{-1}\left(\frac{z+1}{2\sqrt{z}}\right)\right); |z| > 1$$

01.16.27.1231.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{4} - \frac{1-z}{2(z+1)} \sqrt{\left(\frac{z+1}{z-1}\right)^2} \sec^{-1}\left(\frac{z+1}{2\sqrt{z}}\right); |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sec^{-1}(\sqrt{z+1})$

01.16.27.1232.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \sec^{-1}(\sqrt{z+1})$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sec^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right)$

01.16.27.1233.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - \sec^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right); z \notin (-\infty, -1)$$

01.16.27.1234.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} + \sec^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1235.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - \sqrt{\frac{1}{z+1}} \sqrt{z+1} \sec^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sec^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right)$

01.16.27.1236.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - \sec^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right); |\arg(z)| < \pi$$

01.16.27.1237.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \sec^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1238.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} + \sec^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1239.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} \left(1 - \sqrt{z+1} \sqrt{\frac{1}{z+1}} + \sqrt{\frac{1}{z}} \sqrt{z}\right) - \sqrt{\frac{1}{z}} \sqrt{z} \sec^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sec^{-1}\left(\sqrt{\frac{z+1}{z}}\right)$

01.16.27.1240.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - \sec^{-1}\left(\sqrt{\frac{z+1}{z}}\right); |\arg(z)| < \pi$$

01.16.27.1241.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} + \sec^{-1}\left(\sqrt{\frac{z+1}{z}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1242.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\frac{\pi}{2} + \sec^{-1}\left(\sqrt{\frac{z+1}{z}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1243.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} \sqrt{z} \sqrt{\frac{1}{z}} \sqrt{z+1} \sqrt{\frac{1}{z+1}} - \sqrt{\frac{1}{z}} \sqrt{z} \sec^{-1}\left(\sqrt{\frac{z+1}{z}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sec^{-1}\left(\sqrt{2} (1+z)^{1/4} / \sqrt{\sqrt{z+1} + 1}\right)$

01.16.27.1244.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2 \sec^{-1}\left(\frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{\sqrt{z+1} + 1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sec^{-1}\left(\sqrt{2} (1+z)^{1/4} / \sqrt{\sqrt{z+1} - 1}\right)$

01.16.27.1245.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \pi - 2 \sec^{-1}\left(\frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{\sqrt{z+1} - 1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sec^{-1}\left(\sqrt{2} \sqrt{1+z} / (\sqrt{1+z} + 1)\right)$

01.16.27.1246.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2 \sec^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z} + 1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sec^{-1}\left(\sqrt{2} \sqrt{1+z} / (\sqrt{1+z} - 1)\right)$

01.16.27.1247.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \pi - 2 \sec^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z} - 1}}\right); z \notin (-1, 0)$$



01.16.27.1248.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\pi + 2 \sec^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z}-1}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1249.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} \left( \pi - 2 \sec^{-1}\left(\sqrt{\frac{2\sqrt{z+1}}{\sqrt{z+1}-1}}\right) \right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sec^{-1}\left(\sqrt{2} \sqrt[4]{z+1} / \sqrt{\sqrt{1+z} + \sqrt{z}}\right)$

01.16.27.1250.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - 2 \sec^{-1}\left(\frac{\sqrt{2} \sqrt[4]{z+1}}{\sqrt{\sqrt{1+z} + \sqrt{z}}}\right); z \notin (-\infty, -1)$$

01.16.27.1251.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} + 2 \sec^{-1}\left(\frac{\sqrt{2} \sqrt[4]{z+1}}{\sqrt{\sqrt{1+z} + \sqrt{z}}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1252.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - 2 \sqrt{\frac{1}{z+1}} \sqrt{z+1} \sec^{-1}\left(\frac{\sqrt{2} \sqrt[4]{z+1}}{\sqrt{\sqrt{1+z} + \sqrt{z}}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sec^{-1}\left(\sqrt{2} \sqrt[4]{z+1} / \sqrt{\sqrt{1+z} - \sqrt{z}}\right)$

01.16.27.1253.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\frac{\pi}{2} + 2 \sec^{-1}\left(\frac{\sqrt{2} \sqrt[4]{z+1}}{\sqrt{\sqrt{1+z} - \sqrt{z}}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sec^{-1}\left(\sqrt{2} \sqrt{1+z} / (\sqrt{1+z} + \sqrt{z})\right)$

01.16.27.1254.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -2 \sec^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z} + \sqrt{z}}}\right) + \frac{\pi}{2}; z \notin (-\infty, -1)$$

01.16.27.1255.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} + 2 \sec^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z} + \sqrt{z}}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1256.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - 2\sqrt{\frac{1}{z+1}} \sqrt{z+1} \sec^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z} + \sqrt{z}}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sec^{-1}\left(\sqrt{2\sqrt{1+z}/(\sqrt{1+z} - \sqrt{z})}\right)$

01.16.27.1257.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\frac{\pi}{2} + 2\sec^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z} - \sqrt{z}}}\right)$$

**Involving  $\cot^{-1}(\sqrt{z-1})$**

Involving  $\cot^{-1}(\sqrt{z-1})$  and  $\sec^{-1}(\sqrt{z})$

01.16.27.1258.01

$$\cot^{-1}(\sqrt{z-1}) = \frac{\pi}{2} - \sec^{-1}(\sqrt{z}) \quad ; z \notin (0, 1)$$

01.16.27.1259.01

$$\cot^{-1}(\sqrt{z-1}) = -\sec^{-1}(\sqrt{z}) - \frac{\pi}{2} \quad ; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.0030.01

$$\cot^{-1}(\sqrt{z-1}) = \frac{\pi}{2} \sqrt{1 - \frac{1}{z}} \sqrt{\frac{z}{z-1}} - \sec^{-1}(\sqrt{z})$$

**Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z-1}}\right)$**

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z-1}}\right)$  and  $\sec^{-1}(\sqrt{z})$

01.16.27.0031.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z-1}}\right) = \sec^{-1}(\sqrt{z})$$

**Involving  $\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right)$**

Involving  $\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right)$  and  $\sec^{-1}(\sqrt{z})$

01.16.27.1260.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right) = \sec^{-1}(\sqrt{z}) /; z \notin (-\infty, 1)$$

01.16.27.1261.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right) = -\sec^{-1}(\sqrt{z}) /; (z \in \mathbb{R} \wedge z < 1)$$

01.16.27.1262.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right) = \sqrt{z-1} \sqrt{\frac{1}{z-1}} \sec^{-1}(\sqrt{z})$$

### Involving $\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right)$  and  $\sec^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.1263.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right) = \frac{\pi}{2} - \sec^{-1}\left(\frac{1}{\sqrt{z}}\right) /; z \notin (1, \infty)$$

01.16.27.1264.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right) = -\sec^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{\pi}{2} /; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1265.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right) = \frac{1}{2} \pi \sqrt{1-z} \sqrt{\frac{1}{1-z}} - \sec^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right)$  and  $\sec^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.1266.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right) = \sec^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{\pi}{2} /; z \notin (0, \infty)$$

01.16.27.1267.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right) = \frac{\pi}{2} - \sec^{-1}\left(\frac{1}{\sqrt{z}}\right) /; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1268.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right) = \frac{\pi}{2} + \sec^{-1}\left(\frac{1}{\sqrt{z}}\right) /; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1269.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right) = -\frac{\sqrt{1-z}\sqrt{-z}}{\sqrt{z-1}\sqrt{z}} \sec^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{\pi\sqrt{-z}}{2} \sqrt{-\frac{1}{z}}$$

Involving  $\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right)$

Involving  $\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right)$  and  $\sec^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.1270.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right) = \frac{\pi}{2} - \sec^{-1}\left(\frac{1}{\sqrt{z}}\right); z \notin (1, \infty) \wedge z \notin (-\infty, 0)$$

01.16.27.1271.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right) = -\frac{\pi}{2} - \sec^{-1}\left(\frac{1}{\sqrt{z}}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1272.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right) = -\frac{\pi}{2} + \sec^{-1}\left(\frac{1}{\sqrt{z}}\right); (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.1273.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right) = \frac{\pi}{2} \sqrt{\frac{1-z}{z}} \sqrt{\frac{z}{1-z}} - \sqrt{\frac{1}{z}} \sqrt{z} \sec^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right)$  and  $\sec^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.1274.01

$$\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right) = \sec^{-1}\left(\frac{1}{\sqrt{z}}\right); |\arg(z)| < \pi$$

01.16.27.1275.01

$$\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right) = \sec^{-1}\left(\frac{1}{\sqrt{z}}\right) - \pi; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.1276.01

$$\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right) = \sec^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{\pi}{2} \left(1 - \sqrt{z} \sqrt{\frac{1}{z}}\right)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right)$  and  $\sec^{-1}\left(\frac{1}{\sqrt{z}}\right)$

$$\text{01.16.27.1277.01} \\ \cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right) = -\sec^{-1}\left(\frac{1}{\sqrt{z}}\right); z \notin (-\infty, 1)$$

$$\text{01.16.27.1278.01} \\ \cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right) = \pi - \sec^{-1}\left(\frac{1}{\sqrt{z}}\right); (z \in \mathbb{R} \wedge z < 0)$$

$$\text{01.16.27.1279.01} \\ \cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right) = \sec^{-1}\left(\frac{1}{\sqrt{z}}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

$$\text{01.16.27.1280.01} \\ \cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right) = \frac{\sqrt{z} \sqrt{z-1}}{\sqrt{1-z} \sqrt{-z}} \left( \frac{\pi}{2} \left( \sqrt{z} \sqrt{\frac{1}{z}} - 1 \right) + \sec^{-1}\left(\frac{1}{\sqrt{z}}\right) \right)$$

### Involving $\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right)$

Involving  $\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right)$  and  $\sec^{-1}\left(\frac{1}{\sqrt{z}}\right)$

$$\text{01.16.27.1281.01} \\ \cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right) = \sec^{-1}\left(\frac{1}{\sqrt{z}}\right); z \notin (1, \infty) \wedge z \notin (-\infty, 0)$$

$$\text{01.16.27.1282.01} \\ \cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right) = -\sec^{-1}\left(\frac{1}{\sqrt{z}}\right); (z \in \mathbb{R} \wedge z > 1)$$

$$\text{01.16.27.1283.01} \\ \cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right) = \sec^{-1}\left(\frac{1}{\sqrt{z}}\right) - \pi; (z \in \mathbb{R} \wedge z < 0)$$

$$\text{01.16.27.1284.01} \\ \cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right) = \frac{\pi}{2} \sqrt{\frac{z}{1-z}} \sqrt{\frac{1-z}{z}} \left( 1 - \sqrt{z} \sqrt{\frac{1}{z}} \right) + \sqrt{\frac{1}{1-z}} \sqrt{1-z} \sec^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{1+cz}}{\sqrt{1-cz}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right)$  and  $\sec^{-1}\left(\frac{1}{z}\right)$

01.16.27.1285.01

$$\cot^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right) = \frac{1}{2} \sec^{-1}\left(\frac{1}{z}\right); z \notin (-\infty, -1)$$

01.16.27.1286.01

$$\cot^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right) = \frac{1}{2} \sec^{-1}\left(\frac{1}{z}\right) - \pi; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1287.01

$$\cot^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right) = \frac{\pi}{2} \left( \sqrt{z+1} \sqrt{\frac{1}{z+1} - 1} \right) + \frac{1}{2} \sec^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right)$  and  $\sec^{-1}\left(\frac{1}{z}\right)$

01.16.27.1288.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right) = \frac{\pi}{2} - \frac{1}{2} \sec^{-1}\left(\frac{1}{z}\right); z \notin (1, \infty)$$

01.16.27.1289.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right) = -\frac{1}{2} \sec^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1290.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right) = \frac{\pi}{2} \sqrt{\frac{1}{1-z}} \sqrt{1-z} - \frac{1}{2} \sec^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{-1+cz}}{\sqrt{-1-cz}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right)$  and  $\sec^{-1}\left(\frac{1}{z}\right)$

01.16.27.1291.01

$$\cot^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right) = -\frac{1}{2} \sec^{-1}\left(\frac{1}{z}\right); z \notin (-\infty, 1)$$

01.16.27.1292.01

$$\cot^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right) = \pi - \frac{1}{2} \sec^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1293.01

$$\cot^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right) = \frac{1}{2} \sec^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.16.27.1294.01

$$\cot^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right) = \frac{\sqrt{z-1}\sqrt{z+1}}{\sqrt{-z-1}\sqrt{1-z}} \left( \frac{\pi}{2} \left( \sqrt{\frac{1}{z+1}} \sqrt{z+1} - 1 \right) + \frac{1}{2} \sec^{-1}\left(\frac{1}{z}\right) \right)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right)$  and  $\sec^{-1}\left(\frac{1}{z}\right)$

01.16.27.1295.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right) = -\frac{\pi}{2} + \frac{1}{2} \sec^{-1}\left(\frac{1}{z}\right); z \notin (-1, \infty)$$

01.16.27.1296.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right) = \frac{\pi}{2} + \frac{1}{2} \sec^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1297.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right) = \frac{\pi}{2} - \frac{1}{2} \sec^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.16.27.1298.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right) = \frac{\sqrt{-z-1}\sqrt{1-z}}{\sqrt{z-1}\sqrt{z+1}} \left( \frac{\pi}{2} \sqrt{\frac{1}{1-z}} \sqrt{1-z} - \frac{1}{2} \sec^{-1}\left(\frac{1}{z}\right) \right)$$

Involving  $\cot^{-1}\left(\sqrt{\frac{1+c z}{1-c z}}\right)$

Involving  $\cot^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right)$  and  $\sec^{-1}\left(\frac{1}{z}\right)$

01.16.27.1299.01

$$\cot^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right) = \frac{1}{2} \sec^{-1}\left(\frac{1}{z}\right); z \notin (-\infty, -1) \wedge z \notin (1, \infty)$$

01.16.27.1300.01

$$\cot^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right) = -\frac{1}{2} \sec^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1301.01

$$\cot^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right) = \frac{1}{2} \sec^{-1}\left(\frac{1}{z}\right) - \pi; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1302.01

$$\cot^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right) = \frac{\pi}{2} \left( \sqrt{\frac{z+1}{1-z}} \sqrt{\frac{1-z}{z+1}} - \sqrt{\frac{1}{1-z}} \sqrt{1-z} \right) + \frac{1}{2} \sqrt{\frac{1}{1-z}} \sqrt{1-z} \sec^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right)$  and  $\sec^{-1}\left(\frac{1}{z}\right)$

01.16.27.1303.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right) = \frac{\pi}{2} - \frac{1}{2} \sec^{-1}\left(\frac{1}{z}\right); z \notin (-\infty, -1) \wedge z \notin (1, \infty)$$

01.16.27.1304.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right) = -\frac{\pi}{2} - \frac{1}{2} \sec^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1305.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right) = \frac{1}{2} \sec^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1306.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right) = \frac{\pi}{2} \sqrt{\frac{1-z}{z+1}} \sqrt{\frac{z+1}{1-z}} - \frac{1}{2} \sqrt{\frac{1}{z+1}} \sqrt{z+1} \sec^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\sqrt{z^2 - 1}\right)$

Involving  $\cot^{-1}\left(\sqrt{z^2 - 1}\right)$  and  $\sec^{-1}(z)$

01.16.27.1307.01

$$\cot^{-1}\left(\sqrt{z^2 - 1}\right) = \frac{\pi}{2} - \sec^{-1}(z); -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1308.01

$$\cot^{-1}\left(\sqrt{z^2 - 1}\right) = \sec^{-1}(z) - \frac{\pi}{2}; \frac{\pi}{2} < \arg(z) < \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1309.01

$$\cot^{-1}\left(\sqrt{z^2 - 1}\right) = -\sec^{-1}(z) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1310.01

$$\cot^{-1}\left(\sqrt{z^2 - 1}\right) = -\frac{3\pi}{2} + \sec^{-1}(z); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1311.01

$$\cot^{-1}\left(\sqrt{z^2 - 1}\right) = \frac{\sqrt{z^2}}{z} \left(\frac{\pi}{2} - \sec^{-1}(z)\right) + \frac{\pi i}{2} \left(\frac{\sqrt{-z-1}}{\sqrt{z+1}} + \frac{\sqrt{z-1}}{\sqrt{1-z}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right)$



Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right)$  and  $\sec^{-1}(z)$

01.16.27.1312.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right) = \sec^{-1}(z) ; -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.16.27.1313.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right) = \pi - \sec^{-1}(z) ; \frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.16.27.1314.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right) = \frac{\pi}{2} \left(1 - \frac{\sqrt{z^2}}{z}\right) + \frac{\sqrt{z^2}}{z} \sec^{-1}(z)$$

Involving  $\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right)$

Involving  $\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right)$  and  $\sec^{-1}(z)$

01.16.27.1315.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right) = \sec^{-1}(z) ; -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1316.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right) = \pi - \sec^{-1}(z) ; \frac{\pi}{2} < \arg(z) < \pi \vee -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1317.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right) = -\sec^{-1}(z) ; (z \in \mathbb{R} \wedge 0 < z < 1) \vee (i z \in \mathbb{R} \wedge i z < 0)$$

01.16.27.1318.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right) = \sec^{-1}(z) - \pi ; (z \in \mathbb{R} \wedge -1 < z < 0) \vee (i z \in \mathbb{R} \wedge i z > 0)$$

01.16.27.1319.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right) = \sqrt{z^2-1} \sqrt{\frac{1}{z^2-1}} \left(\frac{\pi}{2} \left(1 - \frac{\sqrt{z^2}}{z}\right) + \frac{\sqrt{z^2}}{z} \sec^{-1}(z)\right)$$

Involving  $\cot^{-1}\left(z\sqrt{\frac{z^2-1}{z^2}}\right)$

Involving  $\cot^{-1}\left(z\sqrt{\frac{z^2-1}{z^2}}\right)$  and  $\sec^{-1}(z)$

01.16.27.1320.01

$$\cot^{-1}\left(z\sqrt{\frac{z^2-1}{z^2}}\right) = \frac{\pi}{2} - \sec^{-1}(z) /; z \notin (-1, 1)$$

01.16.27.1321.01

$$\cot^{-1}\left(z\sqrt{\frac{z^2-1}{z^2}}\right) = -\sec^{-1}(z) - \frac{\pi}{2} /; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1322.01

$$\cot^{-1}\left(z\sqrt{\frac{z^2-1}{z^2}}\right) = \frac{3\pi}{2} - \sec^{-1}(z) /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1323.01

$$\cot^{-1}\left(z\sqrt{\frac{z^2-1}{z^2}}\right) = \left(1 - \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} + \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}}\right) \frac{\pi}{2} - \sec^{-1}(z)$$

Involving  $\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}}\right)$

Involving  $\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}}\right)$  and  $\sec^{-1}\left(\frac{1}{z}\right)$

01.16.27.1324.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}}\right) = \sec^{-1}\left(\frac{1}{z}\right) /; -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.1325.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}}\right) = \sec^{-1}\left(\frac{1}{z}\right) - \pi /; \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.1326.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}}\right) = \sec^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2} \left(\sqrt{\frac{1}{z^2}} z - 1\right)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right)$  and  $\sec^{-1}\left(\frac{1}{z}\right)$

01.16.27.1327.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right) = \sec^{-1}\left(\frac{1}{z}\right); \operatorname{Re}(z) > 0$$

01.16.27.1328.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right) = \pi - \sec^{-1}\left(\frac{1}{z}\right); \operatorname{Re}(z) < 0$$

01.16.27.1329.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right) = -\sec^{-1}\left(\frac{1}{z}\right); (iz \in \mathbb{R} \wedge iz > 0)$$

01.16.27.1330.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right) = \sec^{-1}\left(\frac{1}{z}\right) - \pi; (iz \in \mathbb{R} \wedge iz < 0)$$

01.16.27.1331.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} \sqrt{z^2} - \frac{\sqrt{z^2}}{z} \right) + \frac{z}{\sqrt{z^2}} \sec^{-1}\left(\frac{1}{z}\right)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right)$  and  $\sec^{-1}\left(\frac{1}{z}\right)$

01.16.27.1332.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) = -\sec^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1333.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) = \sec^{-1}\left(\frac{1}{z}\right) - \pi; \frac{\pi}{2} < \arg(z) < \pi \vee -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1334.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) = \pi - \sec^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge -1 < z < 0) \vee (i z \in \mathbb{R} \wedge i z < 0)$$

01.16.27.1335.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) = \sec^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge 0 < z < 1) \vee (i z \in \mathbb{R} \wedge i z > 0)$$

01.16.27.1336.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) = \frac{\sqrt{-z^2}}{\sqrt{z^2-1}} \sqrt{\frac{1}{z^2}-1} \left(\frac{\pi}{2} \left(1 - z \sqrt{\frac{1}{z^2}}\right) + \sqrt{\frac{1}{z^2}} z \sec^{-1}\left(\frac{1}{z}\right)\right)$$

Involving  $\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right)$

Involving  $\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right)$  and  $\sec^{-1}\left(\frac{1}{z}\right)$

01.16.27.1337.01

$$\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) = \sec^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1338.01

$$\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) = \pi - \sec^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} < \arg(z) < \pi \vee -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1339.01

$$\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) = -\sec^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z > 1) \vee (i z \in \mathbb{R} \wedge i z > 0)$$

01.16.27.1340.01

$$\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) = \sec^{-1}\left(\frac{1}{z}\right) - \pi; (z \in \mathbb{R} \wedge z < -1) \vee (i z \in \mathbb{R} \wedge i z < 0)$$

01.16.27.1341.01

$$\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) = \sqrt{\frac{z^2}{1-z^2}} \sqrt{\frac{1-z^2}{z^2}} \left(\frac{\pi}{2} \left(1 - z \sqrt{\frac{1}{z^2}}\right) + \sqrt{\frac{1}{z^2}} z \sec^{-1}\left(\frac{1}{z}\right)\right)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right)$

#### Involving $\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right)$ and $\sec^{-1}\left(\frac{1}{z}\right)$

01.16.27.1342.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right) = \frac{\pi}{2} - \sec^{-1}\left(\frac{1}{z}\right); z \notin (1, \infty) \wedge z \notin (-\infty, -1)$$

01.16.27.1343.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right) = \frac{3\pi}{2} - \sec^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1344.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right) = -\frac{\pi}{2} - \sec^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1345.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right) = -\sec^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2} \left( 1 + \sqrt{\frac{1}{1-z}} \sqrt{1-z} - \sqrt{\frac{1}{z+1}} \sqrt{z+1} \right)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right)$

#### Involving $\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right)$ and $\sec^{-1}\left(\frac{1}{z}\right)$

01.16.27.1346.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right) = \frac{\pi}{2} - \sec^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1347.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right) = \sec^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2}; \frac{\pi}{2} < \arg(z) < \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1348.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right) = \sec^{-1}\left(\frac{1}{z}\right) - \frac{3\pi}{2}; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1349.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right) = -\frac{\pi}{2} - \sec^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1350.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right) = \frac{z}{\sqrt{z^2}} \left( \frac{\pi}{2} \left( 1 + \sqrt{\frac{1}{1-z}} \sqrt{1-z} - \sqrt{\frac{1}{z+1}} \sqrt{z+1} \right) - \sec^{-1}\left(\frac{1}{z}\right) \right)$$

**Involving  $\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right)$**

Involving  $\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right)$  and  $\sec^{-1}\left(\frac{1}{z}\right)$

01.16.27.1351.01

$$\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) = \sec^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2}; -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1352.01

$$\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) = \frac{\pi}{2} - \sec^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} < \arg(z) < \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1353.01

$$\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) = \frac{3\pi}{2} - \sec^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1354.01

$$\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) = \frac{\pi}{2} + \sec^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1355.01

$$\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) = \frac{z\sqrt{z^2-1}}{\sqrt{-z^2}\sqrt{1-z^2}} \left( \frac{\pi}{2} \left( 1 + \sqrt{\frac{1}{1-z}} \sqrt{1-z} - \sqrt{\frac{1}{z+1}} \sqrt{z+1} \right) - \sec^{-1}\left(\frac{1}{z}\right) \right)$$

**Involving  $\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right)$**

Involving  $\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right)$  and  $\sec^{-1}\left(\frac{1}{z}\right)$

01.16.27.1356.01

$$\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) = \frac{\pi}{2} - \sec^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} \leq \arg(z) < 0 \vee 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1357.01

$$\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) = \sec^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2}; \frac{\pi}{2} \leq \arg(z) < \pi \vee -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1358.01

$$\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) = -\frac{3\pi}{2} + \sec^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1359.01

$$\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) = -\frac{\pi}{2} - \sec^{-1}\left(\frac{1}{z}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1360.01

$$\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) = \sqrt{\frac{1}{z^2}} z \left( \frac{\pi}{2} \left( -\sqrt{\frac{1}{z+1}} \sqrt{z+1} + \sqrt{\frac{1}{1-z}} \sqrt{1-z} + 1 \right) - \sec^{-1}\left(\frac{1}{z}\right) \right)$$

Involving  $\cot^{-1}\left(\frac{1+c\sqrt{1-z^2}}{z}\right)$

Involving  $\cot^{-1}\left(\frac{1+\sqrt{1-z^2}}{z}\right)$  and  $\sec^{-1}\left(\frac{1}{z}\right)$

01.16.27.1361.01

$$\cot^{-1}\left(\frac{1+\sqrt{1-z^2}}{z}\right) = \frac{\pi}{4} - \frac{1}{2} \sec^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{1-\sqrt{1-z^2}}{z}\right)$  and  $\sec^{-1}\left(\frac{1}{z}\right)$

01.16.27.1362.01

$$\cot^{-1}\left(\frac{1-\sqrt{1-z^2}}{z}\right) = \frac{\pi}{4} + \frac{1}{2} \sec^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.1363.01

$$\cot^{-1}\left(\frac{1-\sqrt{1-z^2}}{z}\right) = \frac{1}{2} \sec^{-1}\left(\frac{1}{z}\right) - \frac{3\pi}{4}; \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.1364.01

$$\cot^{-1}\left(\frac{1-\sqrt{1-z^2}}{z}\right) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z - \frac{1}{2} \right) + \frac{1}{2} \sec^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{z}{1+c\sqrt{1-z^2}}\right)$

Involving  $\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}+1}\right)$  and  $\sec^{-1}\left(\frac{1}{z}\right)$

01.16.27.1365.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}+1}\right) = \frac{\pi}{4} + \frac{1}{2} \sec^{-1}\left(\frac{1}{z}\right) /; -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.1366.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}+1}\right) = \frac{1}{2} \sec^{-1}\left(\frac{1}{z}\right) - \frac{3\pi}{4} /; \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.1367.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1-z^2}+1}\right) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z - \frac{1}{2} \right) + \frac{1}{2} \sec^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{z}{1-\sqrt{1-z^2}}\right)$  and  $\sec^{-1}\left(\frac{1}{z}\right)$

01.16.27.1368.01

$$\cot^{-1}\left(\frac{z}{1-\sqrt{1-z^2}}\right) = \frac{\pi}{4} - \frac{1}{2} \sec^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{2\sqrt{z^2-1}}{-2+z^2}\right)$

Involving  $\cot^{-1}\left(\frac{2\sqrt{z^2-1}}{-2+z^2}\right)$  and  $\sec^{-1}(z)$

01.16.27.1369.01

$$\cot^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2-2}\right) = -\frac{\pi}{2} + 2 \sec^{-1}(z) /; -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z > 1)$$



01.16.27.1370.01

$$\cot^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2-2}\right) = \frac{3\pi}{2} - 2\sec^{-1}(z) /; \frac{\pi}{2} < \arg(z) < \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1371.01

$$\cot^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2-2}\right) = -2\sec^{-1}(z) + \frac{5\pi}{2} /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1372.01

$$\cot^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2-2}\right) = \frac{\pi}{2} + 2\sec^{-1}(z) /; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1373.01

$$\cot^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2-2}\right) = \frac{\pi z}{2\sqrt{z^2-1}} \sqrt{1-\frac{1}{z^2}} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} + \sqrt{\frac{i}{z}} \sqrt{-iz} - \sqrt{\frac{-i}{z}} \sqrt{iz} + \sqrt{1+\frac{1}{z}} \sqrt{\frac{z}{z+1}} - 2 \right) + \frac{2z}{\sqrt{z^2-1}} \sqrt{1-\frac{1}{z^2}} \sec^{-1}(z)$$

Involving  $\cot^{-1}\left(\frac{-2+z^2}{2\sqrt{z^2-1}}\right)$

Involving  $\cot^{-1}\left(\frac{-2+z^2}{2\sqrt{z^2-1}}\right)$  and  $\sec^{-1}(z)$

01.16.27.1374.01

$$\cot^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2-2}\right) = -\frac{\pi}{2} + 2\sec^{-1}(z) /; -\frac{\pi}{2} < \arg(z) < 0 \vee 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1375.01

$$\cot^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2-2}\right) = \frac{3\pi}{2} - 2\sec^{-1}(z) /; \frac{\pi}{2} < \arg(z) < \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1376.01

$$\cot^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2-2}\right) = -2\sec^{-1}(z) + \frac{5\pi}{2} /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1377.01

$$\cot^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2-2}\right) = \frac{\pi}{2} + 2 \sec^{-1}(z) /; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1378.01

$$\cot^{-1}\left(\frac{2\sqrt{z^2-1}}{z^2-2}\right) = \frac{\pi z}{2\sqrt{z^2-1}} \sqrt{1-\frac{1}{z^2}} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} + \sqrt{\frac{i}{z}} \sqrt{-iz} - \sqrt{-\frac{i}{z}} \sqrt{iz} + \sqrt{1+\frac{1}{z}} \sqrt{\frac{z}{z+1}} - 2 \right) + \frac{2z}{\sqrt{z^2-1}} \sqrt{1-\frac{1}{z^2}} \sec^{-1}(z)$$

Involving  $\cot^{-1}\left(\frac{2z\sqrt{1-z^2}}{1-2z^2}\right)$

Involving  $\cot^{-1}\left(\frac{2z\sqrt{1-z^2}}{1-2z^2}\right)$  and  $\sec^{-1}\left(\frac{1}{z}\right)$

01.16.27.1379.01

$$\cot^{-1}\left(\frac{2z\sqrt{1-z^2}}{1-2z^2}\right) = -\frac{\pi}{2} + 2 \sec^{-1}\left(\frac{1}{z}\right) /; -\frac{\pi}{2} \leq \arg(z) < 0 \vee 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1380.01

$$\cot^{-1}\left(\frac{2z\sqrt{1-z^2}}{1-2z^2}\right) = -\frac{3\pi}{2} + 2 \sec^{-1}\left(\frac{1}{z}\right) /; \frac{\pi}{2} \leq \arg(z) < 0 \vee -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1381.01

$$\cot^{-1}\left(\frac{2z\sqrt{1-z^2}}{1-2z^2}\right) = \frac{\pi}{2} + 2 \sec^{-1}\left(\frac{1}{z}\right) /; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1382.01

$$\cot^{-1}\left(\frac{2z\sqrt{1-z^2}}{1-2z^2}\right) = -\frac{5\pi}{2} + 2 \sec^{-1}\left(\frac{1}{z}\right) /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1383.01

$$\cot^{-1}\left(\frac{2z\sqrt{1-z^2}}{1-2z^2}\right) = \frac{\pi}{2} \left( -\sqrt{\frac{1}{1-z}} \sqrt{1-z} + \sqrt{\frac{1}{z+1}} \sqrt{z+1} - \sqrt{-iz} \sqrt{\frac{i}{z}} + \sqrt{-\frac{i}{z}} \sqrt{iz} + \frac{\sqrt{z^2}}{z} - 2 \right) + 2 \sec^{-1}\left(\frac{1}{z}\right)$$

**Involving  $\cot^{-1}\left(\frac{1-2z^2}{2z\sqrt{1-z^2}}\right)$**

**Involving  $\cot^{-1}\left(\frac{1-2z^2}{2z\sqrt{1-z^2}}\right)$  and  $\sec^{-1}\left(\frac{1}{z}\right)$**

01.16.27.1384.01

$$\cot^{-1}\left(\frac{1-2z^2}{2z\sqrt{1-z^2}}\right) = \pi - 2 \sec^{-1}\left(\frac{1}{z}\right) /; \frac{\pi}{4} \leq |\arg(z)| < \frac{3\pi}{4}$$

01.16.27.1385.01

$$\cot^{-1}\left(\frac{1-2z^2}{2z\sqrt{1-z^2}}\right) = -2 \sec^{-1}\left(\frac{1}{z}\right) -$$

$$\frac{\pi}{2} \left( \frac{\sqrt{z^2-1} z}{\sqrt{z^4-z^2}} + \sqrt{\frac{1}{z}} \sqrt{\frac{1}{\sqrt{2}z-1}} \sqrt{\sqrt{2}z-1} \sqrt{z} - \sqrt{-\frac{1}{z}} \sqrt{-z} \sqrt{-\sqrt{2}z-1} \sqrt{-\frac{1}{\sqrt{2}z+1}} + \frac{\sqrt{z^2}}{z} - 2 \right)$$

**Involving  $\sinh^{-1}$**

**Involving  $\cot^{-1}(z)$**

**Involving  $\cot^{-1}(z)$  and  $\sinh^{-1}\left(\frac{1}{\sqrt{-z^2-1}}\right)$**

01.16.27.1386.01

$$\cot^{-1}(z) = -i \sinh^{-1}\left(\frac{1}{\sqrt{-z^2-1}}\right) /; 0 < \arg(z) < \frac{\pi}{2} \vee \frac{\pi}{2} < \arg(z) \leq \pi \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.1387.01

$$\cot^{-1}(z) = i \sinh^{-1}\left(\frac{1}{\sqrt{-z^2-1}}\right) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee -\frac{\pi}{2} < \arg(z) \leq 0 \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.1388.01

$$\cot^{-1}(z) = \pi - i \sinh^{-1}\left(\frac{1}{\sqrt{-z^2-1}}\right) /; (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.1389.01

$$\cot^{-1}(z) = i \sinh^{-1}\left(\frac{1}{\sqrt{-z^2-1}}\right) - \pi /; (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.1390.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{z-i}{z}} \sqrt{\frac{z}{z-i}} - \sqrt{\frac{z+i}{z}} \sqrt{\frac{z}{z+i}} \right) - z \sqrt{-\frac{1}{z^2}} \sqrt{-z^2-1} \sqrt{-\frac{1}{z^2+1}} \sinh^{-1} \left( \frac{1}{\sqrt{-z^2-1}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\sinh^{-1} \left( \sqrt{-\frac{1}{z^2+1}} \right)$

01.16.27.1391.01

$$\cot^{-1}(z) = -i \sinh^{-1} \left( \sqrt{-\frac{1}{z^2+1}} \right) /; 0 \leq \arg(z) < \frac{\pi}{2} \vee \frac{\pi}{2} < \arg(z) < \pi \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.1392.01

$$\cot^{-1}(z) = i \sinh^{-1} \left( \sqrt{-\frac{1}{z^2+1}} \right) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee -\frac{\pi}{2} < \arg(z) < 0 \vee (i z \in \mathbb{R} \wedge i z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.1393.01

$$\cot^{-1}(z) = i \sinh^{-1} \left( \sqrt{-\frac{1}{z^2+1}} \right) + \pi /; (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.1394.01

$$\cot^{-1}(z) = -i \sinh^{-1} \left( \sqrt{-\frac{1}{z^2+1}} \right) - \pi /; (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.1395.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{z-i}{z}} \sqrt{\frac{z}{z-i}} - \sqrt{\frac{z+i}{z}} \sqrt{\frac{z}{z+i}} \right) - z \sqrt{-\frac{1}{z^2}} \sinh^{-1} \left( \sqrt{-\frac{1}{z^2+1}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\sinh^{-1} \left( \frac{z}{\sqrt{-1-z^2}} \right)$

01.16.27.1396.01

$$\cot^{-1}(z) = i \sinh^{-1} \left( \frac{z}{\sqrt{-1-z^2}} \right) + \frac{\pi}{2} /; 0 < \arg(z) < \frac{\pi}{2}$$

01.16.27.1397.01

$$\cot^{-1}(z) = -i \sinh^{-1} \left( \frac{z}{\sqrt{-1-z^2}} \right) + \frac{\pi}{2} /; -\frac{\pi}{2} \leq \arg(z) \leq 0$$

01.16.27.1398.01

$$\cot^{-1}(z) = -i \sinh^{-1} \left( \frac{z}{\sqrt{-1-z^2}} \right) - \frac{\pi}{2} /; \frac{\pi}{2} \leq \arg(z) \leq \pi$$

01.16.27.1399.01

$$\cot^{-1}(z) = i \sinh^{-1} \left( \frac{z}{\sqrt{-1-z^2}} \right) - \frac{\pi}{2} /; -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.1400.01

$$\cot^{-1}(z) = \frac{\pi z}{2} \sqrt{\frac{1}{z^2} - \sqrt{-z^2-1}} \sqrt{\frac{1}{z^2+1}} \sinh^{-1} \left( \frac{z}{\sqrt{-z^2-1}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\sinh^{-1} \left( \frac{\sqrt{-z^2}}{\sqrt{1+z^2}} \right)$

01.16.27.1401.01

$$\cot^{-1}(z) = -i \sinh^{-1} \left( \frac{\sqrt{-z^2}}{\sqrt{1+z^2}} \right) + \frac{\pi}{2} /; 0 < \arg(z) < \frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.1402.01

$$\cot^{-1}(z) = i \sinh^{-1} \left( \frac{\sqrt{-z^2}}{\sqrt{1+z^2}} \right) + \frac{\pi}{2} /; -\frac{\pi}{2} < \arg(z) \leq 0 \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.1403.01

$$\cot^{-1}(z) = -i \sinh^{-1} \left( \frac{\sqrt{-z^2}}{\sqrt{1+z^2}} \right) - \frac{\pi}{2} /; \frac{\pi}{2} < \arg(z) \leq \pi \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.1404.01

$$\cot^{-1}(z) = i \sinh^{-1} \left( \frac{\sqrt{-z^2}}{\sqrt{1+z^2}} \right) - \frac{\pi}{2} /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.1405.01

$$\cot^{-1}(z) = \frac{\sqrt{-z} \sqrt{z^2+1}}{\sqrt{z}} \sqrt{\frac{1}{z^2+1}} \sinh^{-1} \left( \frac{\sqrt{-z^2}}{\sqrt{z^2+1}} \right) + \frac{\pi z}{2} \sqrt{\frac{1}{z^2}}$$

Involving  $\cot^{-1}(z)$  and  $\sinh^{-1} \left( \frac{\sqrt{z^2}}{\sqrt{-1-z^2}} \right)$

01.16.27.1406.01

$$\cot^{-1}(z) = i \sinh^{-1} \left( \frac{\sqrt{z^2}}{\sqrt{-1-z^2}} \right) + \frac{\pi}{2} /; 0 < \arg(z) < \frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z > 0)$$

01.16.27.1407.01

$$\cot^{-1}(z) = -i \sinh^{-1} \left( \frac{\sqrt{z^2}}{\sqrt{-1-z^2}} \right) + \frac{\pi}{2} /; -\frac{\pi}{2} < \arg(z) \leq 0$$

01.16.27.1408.01

$$\cot^{-1}(z) = i \sinh^{-1} \left( \frac{\sqrt{z^2}}{\sqrt{-1-z^2}} \right) - \frac{\pi}{2} /; \frac{\pi}{2} < \arg(z) \leq \pi$$

01.16.27.1409.01

$$\cot^{-1}(z) = -i \sinh^{-1} \left( \frac{\sqrt{z^2}}{\sqrt{-1-z^2}} \right) - \frac{\pi}{2} /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z < 0)$$

01.16.27.1410.01

$$\cot^{-1}(z) = \frac{\pi z}{2} \sqrt{\frac{1}{z^2}} - \frac{z \sqrt{-z^2-1}}{\sqrt{z^2}} \sqrt{\frac{1}{z^2+1}} \sinh^{-1} \left( \frac{\sqrt{z^2}}{\sqrt{-z^2-1}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\sinh^{-1} \left( \sqrt{-\frac{z^2}{z^2+1}} \right)$

01.16.27.1411.01

$$\cot^{-1}(z) = -i \sinh^{-1} \left( \sqrt{-\frac{z^2}{z^2+1}} \right) + \frac{\pi}{2} /; 0 < \arg(z) < \frac{\pi}{2}$$

01.16.27.1412.01

$$\cot^{-1}(z) = i \sinh^{-1} \left( \sqrt{-\frac{z^2}{z^2+1}} \right) + \frac{\pi}{2} /; -\frac{\pi}{2} \leq \arg(z) \leq 0$$

01.16.27.1413.01

$$\cot^{-1}(z) = -i \sinh^{-1} \left( \sqrt{-\frac{z^2}{z^2+1}} \right) - \frac{\pi}{2} /; \frac{\pi}{2} \leq \arg(z) \leq \pi$$

01.16.27.1414.01

$$\cot^{-1}(z) = i \sinh^{-1} \left( \sqrt{-\frac{z^2}{z^2+1}} \right) - \frac{\pi}{2} /; -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.1415.01

$$\cot^{-1}(z) = \frac{\sqrt{-z}}{\sqrt{z}} \sinh^{-1} \left( \sqrt{-\frac{z^2}{z^2+1}} \right) + \frac{\pi z}{2} \sqrt{\frac{1}{z^2}}$$

Involving  $\cot^{-1}(z)$  and  $\sinh^{-1} \left( \sqrt{1 - \sqrt{1+z^2}} / (\sqrt{2} (1+z^2)^{1/4}) \right)$

01.16.27.1416.01

$$\cot^{-1}(z) = -2i \sinh^{-1} \left( \frac{\sqrt{1 - \sqrt{z^2 + 1}}}{\sqrt{2} \sqrt[4]{z^2 + 1}} \right) + \frac{\pi}{2} /; 0 < \arg(z) < \frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.1417.01

$$\cot^{-1}(z) = 2i \sinh^{-1} \left( \frac{\sqrt{1 - \sqrt{z^2 + 1}}}{\sqrt{2} \sqrt[4]{z^2 + 1}} \right) + \frac{\pi}{2} /; -\frac{\pi}{2} < \arg(z) \leq 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.1418.01

$$\cot^{-1}(z) = -2i \sinh^{-1} \left( \frac{\sqrt{1 - \sqrt{z^2 + 1}}}{\sqrt{2} \sqrt[4]{z^2 + 1}} \right) - \frac{\pi}{2} /; \frac{\pi}{2} < \arg(z) \leq \pi \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.1419.01

$$\cot^{-1}(z) = 2i \sinh^{-1} \left( \frac{\sqrt{1 - \sqrt{z^2 + 1}}}{\sqrt{2} \sqrt[4]{z^2 + 1}} \right) - \frac{\pi}{2} /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.1420.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} + \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} \right) + \frac{2\sqrt{-z}}{\sqrt{z}} \sinh^{-1} \left( \frac{\sqrt{1 - \sqrt{z^2 + 1}}}{\sqrt{2} \sqrt[4]{z^2 + 1}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\sinh^{-1} \left( \sqrt{\frac{1 - \sqrt{1 + z^2}}{2\sqrt{1 + z^2}}} \right)$

01.16.27.1421.01

$$\cot^{-1}(z) = -2i \sinh^{-1} \left( \sqrt{\frac{1 - \sqrt{1 + z^2}}{2\sqrt{1 + z^2}}} \right) + \frac{\pi}{2} /; 0 < \arg(z) < \frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.1422.01

$$\cot^{-1}(z) = 2i \sinh^{-1} \left( \sqrt{\frac{1 - \sqrt{1 + z^2}}{2\sqrt{1 + z^2}}} \right) + \frac{\pi}{2} /; -\frac{\pi}{2} < \arg(z) \leq 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.1423.01

$$\cot^{-1}(z) = -2i \sinh^{-1} \left( \sqrt{\frac{1 - \sqrt{1+z^2}}{2\sqrt{1+z^2}}} \right) - \frac{\pi}{2} /; \frac{\pi}{2} < \arg(z) \leq \pi \quad \bigvee \quad (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.1424.01

$$\cot^{-1}(z) = 2i \sinh^{-1} \left( \sqrt{\frac{1 - \sqrt{1+z^2}}{2\sqrt{1+z^2}}} \right) - \frac{\pi}{2} /; -\pi < \arg(z) < -\frac{\pi}{2} \quad \bigvee \quad (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.1425.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} + \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} \right) + \frac{2\sqrt{-z}}{\sqrt{z}} \sinh^{-1} \left( \sqrt{\frac{1 - \sqrt{1+z^2}}{2\sqrt{1+z^2}}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\sinh^{-1} \left( \sqrt{\frac{z - \sqrt{1+z^2}}{\sqrt{2} (1+z^2)^{1/4}}} \right)$

01.16.27.1426.01

$$\cot^{-1}(z) = -2i \sinh^{-1} \left( \frac{\sqrt{z - \sqrt{z^2+1}}}{\sqrt{2} \sqrt[4]{z^2+1}} \right) /; 0 \leq \arg(z) < \frac{\pi}{2} \quad \bigvee \quad (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.1427.01

$$\cot^{-1}(z) = 2i \sinh^{-1} \left( \frac{\sqrt{z - \sqrt{z^2+1}}}{\sqrt{2} \sqrt[4]{z^2+1}} \right) /; -\frac{\pi}{2} < \arg(z) < 0 \quad \bigvee \quad (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.1428.01

$$\cot^{-1}(z) = -2i \sinh^{-1} \left( \frac{\sqrt{z - \sqrt{z^2+1}}}{\sqrt{2} \sqrt[4]{z^2+1}} \right) - \pi /; \frac{\pi}{2} < \arg(z) \leq \pi \quad \bigvee \quad (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.1429.01

$$\cot^{-1}(z) = 2i \sinh^{-1} \left( \frac{\sqrt{z - \sqrt{z^2+1}}}{\sqrt{2} \sqrt[4]{z^2+1}} \right) - \pi /; -\pi < \arg(z) < -\frac{\pi}{2}$$



01.16.27.1430.01

$$\cot^{-1}(z) = \pi - 2i \sinh^{-1} \left( \frac{\sqrt{z - \sqrt{z^2 + 1}}}{\sqrt{2} \sqrt[4]{z^2 + 1}} \right) /; (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.1431.01

$$\cot^{-1}(z) = \frac{1}{2} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} - \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} + 1 \right) \pi - 2\sqrt{z} \sqrt{-\frac{1}{z}} \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} \sinh^{-1} \left( \frac{\sqrt{z - \sqrt{z^2 + 1}}}{\sqrt{2} \sqrt[4]{z^2 + 1}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\sinh^{-1} \left( \sqrt{\frac{z - \sqrt{1 + z^2}}{2\sqrt{1 + z^2}}} \right)$

01.16.27.1432.01

$$\cot^{-1}(z) = -2i \sinh^{-1} \left( \sqrt{\frac{z - \sqrt{1 + z^2}}{2\sqrt{1 + z^2}}} \right) /; 0 \leq \arg(z) < \frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.1433.01

$$\cot^{-1}(z) = 2i \sinh^{-1} \left( \sqrt{\frac{z - \sqrt{1 + z^2}}{2\sqrt{1 + z^2}}} \right) /; -\frac{\pi}{2} < \arg(z) < 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.1434.01

$$\cot^{-1}(z) = -2i \sinh^{-1} \left( \sqrt{\frac{z - \sqrt{1 + z^2}}{2\sqrt{1 + z^2}}} \right) - \pi /; \frac{\pi}{2} < \arg(z) \leq \pi \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.1435.01

$$\cot^{-1}(z) = 2i \sinh^{-1} \left( \sqrt{\frac{z - \sqrt{1 + z^2}}{2\sqrt{1 + z^2}}} \right) - \pi /; -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.1436.01

$$\cot^{-1}(z) = 2i \sinh^{-1} \left( \sqrt{\frac{z - \sqrt{1 + z^2}}{2\sqrt{1 + z^2}}} \right) + \pi /; (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.1437.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} - \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} + 1 \right) - 2\sqrt{z} \sqrt{-\frac{1}{z}} \sinh^{-1} \left( \sqrt{\frac{z - \sqrt{z^2+1}}{2\sqrt{z^2+1}}} \right)$$

### Involving $\cot^{-1}(\sqrt{z})$

#### Involving $\cot^{-1}(\sqrt{z})$ and $\sinh^{-1}\left(\frac{2\sqrt{-z}}{1+z}\right)$

01.16.27.1438.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - \frac{1}{2} i \sinh^{-1} \left( \frac{2\sqrt{-z}}{z+1} \right) ; |z| < 1 \wedge \text{Im}(z) > 0$$

01.16.27.1439.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} i \sinh^{-1} \left( \frac{2\sqrt{-z}}{z+1} \right) + \frac{\pi}{2} ; |z| < 1 \wedge -\pi < \arg(z) \leq 0$$

01.16.27.1440.01

$$\cot^{-1}(\sqrt{z}) = -\frac{i}{2} \sinh^{-1} \left( \frac{2\sqrt{-z}}{z+1} \right) - \frac{\pi}{2} ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1441.01

$$\cot^{-1}(\sqrt{z}) = \frac{\sqrt{-z}}{2\sqrt{z}} \sinh^{-1} \left( \frac{2\sqrt{-z}}{z+1} \right) + \frac{1}{2} \pi \sqrt{\frac{1}{z}} \sqrt{z} ; |z| < 1$$

01.16.27.1442.01

$$\cot^{-1}(\sqrt{z}) = -\frac{\sqrt{-z}}{2\sqrt{z}} \sinh^{-1} \left( \frac{2\sqrt{-z}}{z+1} \right) ; |z| > 1$$

01.16.27.1443.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{4} \left( -\frac{z-1}{z+1} \sqrt{\left(\frac{z+1}{z-1}\right)^2} + 2\sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - 1 \right) + \frac{\sqrt{-z}(1-z)}{2\sqrt{z}(z+1)} \sqrt{\left(\frac{z+1}{z-1}\right)^2} \sinh^{-1} \left( \frac{2\sqrt{-z}}{z+1} \right) ; |z| \neq 1$$

#### Involving $\cot^{-1}(\sqrt{z})$ and $\sinh^{-1}\left(\frac{1}{\sqrt{-1-z}}\right)$

01.16.27.1444.01

$$\cot^{-1}(\sqrt{z}) = -i \sinh^{-1} \left( \frac{1}{\sqrt{-z-1}} \right) ; 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1445.01

$$\cot^{-1}(\sqrt{z}) = i \sinh^{-1} \left( \frac{1}{\sqrt{-z-1}} \right) ; -\pi < \arg(z) \leq 0$$

01.16.27.1446.01

$$\cot^{-1}(\sqrt{z}) = i \sinh^{-1}\left(\frac{1}{\sqrt{-z-1}}\right) - \pi /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1447.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \left( \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 1 \right) + \frac{\sqrt{-z-1}}{\sqrt{z+1}} \sinh^{-1}\left(\frac{1}{\sqrt{-z-1}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sinh^{-1}\left(\sqrt{-\frac{1}{1+z}}\right)$

01.16.27.1448.01

$$\cot^{-1}(\sqrt{z}) = -i \sinh^{-1}\left(\sqrt{-\frac{1}{z+1}}\right) /; 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1449.01

$$\cot^{-1}(\sqrt{z}) = i \sinh^{-1}\left(\sqrt{-\frac{1}{z+1}}\right) /; \operatorname{Im}(z) < 0$$

01.16.27.1450.01

$$\cot^{-1}(\sqrt{z}) = -i \sinh^{-1}\left(\sqrt{-\frac{1}{z+1}}\right) - \pi /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1451.01

$$\cot^{-1}(\sqrt{z}) = -\frac{1}{2} \pi \left( 1 - \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} \right) - \sqrt{-\frac{1}{z+1}} \sqrt{z+1} \sinh^{-1}\left(\sqrt{-\frac{1}{z+1}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sinh^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z+1}}\right)$

01.16.27.1452.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - i \sinh^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z+1}}\right) /; \operatorname{Im}(z) > 0$$

01.16.27.1453.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} + i \sinh^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z+1}}\right) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 0)$$

01.16.27.1454.01

$$\cot^{-1}(\sqrt{z}) = -i \sinh^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z+1}}\right) - \frac{\pi}{2} /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1455.01

$$\cot^{-1}(\sqrt{z}) = i \sinh^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z+1}}\right) - \frac{\pi}{2} /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1456.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \sqrt{z} \sqrt{\frac{1}{z}} + \frac{\sqrt{\frac{-z}{1+z}}}{\sqrt{\frac{z}{1+z}}} \sinh^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z+1}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sinh^{-1}\left(\frac{\sqrt{z}}{\sqrt{-z-1}}\right)$

01.16.27.1457.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} + i \sinh^{-1}\left(\frac{\sqrt{z}}{\sqrt{-z-1}}\right); 0 < \arg(z) < \pi$$

01.16.27.1458.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - i \sinh^{-1}\left(\frac{\sqrt{z}}{\sqrt{-z-1}}\right); -\pi < \arg(z) \leq 0$$

01.16.27.1459.01

$$\cot^{-1}(\sqrt{z}) = -i \sinh^{-1}\left(\frac{\sqrt{z}}{\sqrt{-z-1}}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.1460.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} \sqrt{z} \sqrt{\frac{1}{z}} \pi - \sqrt{-z-1} \sqrt{\frac{1}{z+1}} \sinh^{-1}\left(\frac{\sqrt{z}}{\sqrt{-z-1}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sinh^{-1}\left(\sqrt{-\frac{z}{z+1}}\right)$

01.16.27.1461.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - i \sinh^{-1}\left(\sqrt{-\frac{z}{z+1}}\right); \text{Im}(z) > 0$$

01.16.27.1462.01

$$\cot^{-1}(\sqrt{z}) = i \sinh^{-1}\left(\sqrt{-\frac{z}{z+1}}\right) + \frac{\pi}{2}; -\pi < \arg(z) \leq 0$$

01.16.27.1463.01

$$\cot^{-1}(\sqrt{z}) = -i \sinh^{-1}\left(\sqrt{-\frac{z}{z+1}}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.1464.01

$$\cot^{-1}(\sqrt{z}) = \sqrt{-z-1} \sqrt{\frac{1}{z}} \sqrt{z} \sqrt{\frac{1}{z+1}} \sinh^{-1}\left(\sqrt{-\frac{z}{z+1}}\right) + \frac{1}{2} \pi \sqrt{\frac{1}{z}} \sqrt{z}$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sinh^{-1}\left(\sqrt{1 - \sqrt{1+z}} / (\sqrt{2} (1+z)^{1/4})\right)$

01.16.27.1465.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - 2i \sinh^{-1} \left( \frac{\sqrt{1 - \sqrt{z+1}}}{\sqrt{2} \sqrt[4]{z+1}} \right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1466.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} + 2i \sinh^{-1} \left( \frac{\sqrt{1 - \sqrt{z+1}}}{\sqrt{2} \sqrt[4]{z+1}} \right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 0)$$

01.16.27.1467.01

$$\cot^{-1}(\sqrt{z}) = -2i \sinh^{-1} \left( \frac{\sqrt{1 - \sqrt{z+1}}}{\sqrt{2} \sqrt[4]{z+1}} \right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1468.01

$$\cot^{-1}(\sqrt{z}) = \frac{2\sqrt{-z}}{\sqrt{z}} \sinh^{-1} \left( \frac{\sqrt{1 - \sqrt{z+1}}}{\sqrt{2} \sqrt[4]{z+1}} \right) + \frac{1}{2} \pi \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}}$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sinh^{-1} \left( \sqrt{\frac{1 - \sqrt{1+z}}{2\sqrt{1+z}}} \right)$

01.16.27.1469.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - 2i \sinh^{-1} \left( \sqrt{\frac{1 - \sqrt{z+1}}{2\sqrt{z+1}}} \right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1470.01

$$\cot^{-1}(\sqrt{z}) = 2i \sinh^{-1} \left( \sqrt{\frac{1 - \sqrt{z+1}}{2\sqrt{z+1}}} \right) + \frac{\pi}{2}; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 0)$$

01.16.27.1471.01

$$\cot^{-1}(\sqrt{z}) = -2i \sinh^{-1} \left( \sqrt{\frac{1 - \sqrt{z+1}}{2\sqrt{z+1}}} \right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1472.01

$$\cot^{-1}(\sqrt{z}) = \frac{2\sqrt{-z}}{\sqrt{z}} \sinh^{-1} \left( \sqrt{\frac{1 - \sqrt{z+1}}{2\sqrt{z+1}}} \right) + \frac{1}{2} \pi \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}}$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sinh^{-1} \left( \sqrt{\frac{\sqrt{z} - \sqrt{1+z}}{\sqrt{2}(1+z)^{1/4}}} \right)$

01.16.27.1473.01

$$\cot^{-1}(\sqrt{z}) = -2i \sinh^{-1} \left( \frac{\sqrt{\sqrt{z} - \sqrt{z+1}}}{\sqrt{2} \sqrt[4]{z+1}} \right); 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1474.01

$$\cot^{-1}(\sqrt{z}) = 2i \sinh^{-1} \left( \frac{\sqrt{\sqrt{z} - \sqrt{z+1}}}{\sqrt{2} \sqrt[4]{z+1}} \right) /; \operatorname{Im}(z) < 0$$

01.16.27.1475.01

$$\cot^{-1}(\sqrt{z}) = -2i \sinh^{-1} \left( \frac{\sqrt{\sqrt{z} - \sqrt{z+1}}}{\sqrt{2} \sqrt[4]{z+1}} \right) - \pi /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1476.01

$$\cot^{-1}(\sqrt{z}) = -\frac{1}{2}\pi \left( 1 - \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} \right) - 2\sqrt{-\frac{1}{z}} \sqrt{z} \sinh^{-1} \left( \frac{\sqrt{\sqrt{z} - \sqrt{z+1}}}{\sqrt{2} \sqrt[4]{z+1}} \right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\sinh^{-1} \left( \sqrt{(\sqrt{z} - \sqrt{1+z}) / (2\sqrt{1+z})} \right)$

01.16.27.1477.01

$$\cot^{-1}(\sqrt{z}) = -2i \sinh^{-1} \left( \sqrt{\frac{\sqrt{z} - \sqrt{z+1}}{2\sqrt{z+1}}} \right) /; 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1478.01

$$\cot^{-1}(\sqrt{z}) = 2i \sinh^{-1} \left( \sqrt{\frac{\sqrt{z} - \sqrt{z+1}}{2\sqrt{z+1}}} \right) /; \operatorname{Im}(z) < 0$$

01.16.27.1479.01

$$\cot^{-1}(\sqrt{z}) = -2i \sinh^{-1} \left( \sqrt{\frac{\sqrt{z} - \sqrt{z+1}}{2\sqrt{z+1}}} \right) - \pi /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1480.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} \left( \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - 1 \right) \pi - 2\sqrt{z} \sqrt{-\frac{1}{z}} \sinh^{-1} \left( \sqrt{\frac{\sqrt{z} - \sqrt{z+1}}{2\sqrt{z+1}}} \right)$$

Involving  $\cot^{-1} \left( \frac{1}{\sqrt{z}} \right)$

Involving  $\cot^{-1} \left( \frac{1}{\sqrt{z}} \right)$  and  $\sinh^{-1} \left( \frac{2\sqrt{-z}}{1+z} \right)$

01.16.27.1481.01

$$\cot^{-1} \left( \frac{1}{\sqrt{z}} \right) = \frac{1}{2} i \sinh^{-1} \left( \frac{2\sqrt{-z}}{z+1} \right) /; |z| < 1 \wedge 0 < \arg(z) \leq \pi$$

01.16.27.1482.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\frac{1}{2}i \sinh^{-1}\left(\frac{2\sqrt{-z}}{z+1}\right); |z| < 1 \wedge -\pi < \arg(z) \leq 0$$

01.16.27.1483.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\sqrt{z}}{2\sqrt{-z}} \sinh^{-1}\left(\frac{2\sqrt{-z}}{z+1}\right); |z| < 1$$

01.16.27.1484.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - \frac{1}{2}i \sinh^{-1}\left(\frac{2\sqrt{-z}}{z+1}\right); |z| > 1 \wedge 0 < \arg(z) \leq \pi$$

01.16.27.1485.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{1}{2}i \sinh^{-1}\left(\frac{2\sqrt{-z}}{z+1}\right) + \frac{\pi}{2}; |z| > 1 \wedge -\pi < \arg(z) \leq 0$$

01.16.27.1486.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - \frac{\sqrt{z}}{2\sqrt{-z}} \sinh^{-1}\left(\frac{2\sqrt{-z}}{z+1}\right); |z| > 1$$

01.16.27.1487.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{1}{4} \left( 1 - \frac{1-z}{1+z} \sqrt{\left(\frac{z+1}{z-1}\right)^2} \right) \pi - \frac{\sqrt{-z}(1-z)}{2\sqrt{z}(1+z)} \sqrt{\left(\frac{z+1}{z-1}\right)^2} \sinh^{-1}\left(\frac{2\sqrt{-z}}{z+1}\right); |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sinh^{-1}\left(\frac{1}{\sqrt{-z-1}}\right)$

01.16.27.1488.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} + i \sinh^{-1}\left(\frac{1}{\sqrt{-z-1}}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1489.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - i \sinh^{-1}\left(\frac{1}{\sqrt{-z-1}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > -1)$$

01.16.27.1490.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - \frac{\sqrt{-z-1}}{\sqrt{z+1}} \sinh^{-1}\left(\frac{1}{\sqrt{-z-1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sinh^{-1}\left(\sqrt{-\frac{1}{z+1}}\right)$

01.16.27.1491.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - i \sinh^{-1}\left(\sqrt{-\frac{1}{z+1}}\right); \operatorname{Im}(z) < 0$$

01.16.27.1492.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} + i \sinh^{-1}\left(\sqrt{-\frac{1}{z+1}}\right); \operatorname{Im}(z) \geq 0$$

01.16.27.1493.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} + \sqrt{z} \sqrt{-\frac{1}{z}} \sinh^{-1}\left(\sqrt{-\frac{1}{z+1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sinh^{-1}\left(\frac{\sqrt{-z}}{\sqrt{1+z}}\right)$

01.16.27.1494.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -i \sinh^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z+1}}\right); -\pi < \arg(z) \leq 0$$

01.16.27.1495.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = i \sinh^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z+1}}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1496.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \pi - i \sinh^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z+1}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1497.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} \left(1 - \sqrt{z+1} \sqrt{\frac{1}{z+1}}\right) + \frac{\sqrt{z} \sqrt{z+1}}{\sqrt{-z}} \sqrt{\frac{1}{z+1}} \sinh^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z+1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sinh^{-1}\left(\frac{\sqrt{z}}{\sqrt{-1-z}}\right)$

01.16.27.1498.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -i \sinh^{-1}\left(\frac{\sqrt{z}}{\sqrt{-z-1}}\right); \operatorname{Im}(z) > 0$$

01.16.27.1499.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = i \sinh^{-1}\left(\frac{\sqrt{z}}{\sqrt{-z-1}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > -1)$$

01.16.27.1500.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = i \sinh^{-1}\left(\frac{\sqrt{z}}{\sqrt{-z-1}}\right) + \pi; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1501.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} \left(1 - \sqrt{z+1} \sqrt{\frac{1}{z+1}}\right) + \sqrt{-z-1} \sqrt{\frac{1}{z+1}} \sinh^{-1}\left(\frac{\sqrt{z}}{\sqrt{-z-1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sinh^{-1}\left(\sqrt{-\frac{z}{z+1}}\right)$



01.16.27.1502.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = i \sinh^{-1}\left(\sqrt{-\frac{z}{z+1}}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1503.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -i \sinh^{-1}\left(\sqrt{-\frac{z}{z+1}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 0)$$

01.16.27.1504.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = i \sinh^{-1}\left(\sqrt{-\frac{z}{z+1}}\right) + \pi; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1505.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} \left(1 - \sqrt{z+1}\right) \sqrt{\frac{1}{z+1}} - \frac{\sqrt{-z^2}}{z} \sinh^{-1}\left(\sqrt{-\frac{z}{z+1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sinh^{-1}\left(\frac{\sqrt{1 - \sqrt{1+z}}}{(\sqrt{2} (1+z)^{1/4})}\right)$

01.16.27.1506.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2i \sinh^{-1}\left(\frac{\sqrt{1 - \sqrt{z+1}}}{\sqrt{2} \sqrt[4]{z+1}}\right); 0 < \arg(z) \leq \pi$$

01.16.27.1507.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -2i \sinh^{-1}\left(\frac{\sqrt{1 - \sqrt{z+1}}}{\sqrt{2} \sqrt[4]{z+1}}\right); -\pi < \arg(z) \leq 0$$

01.16.27.1508.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\frac{2\sqrt{-z^2}}{z} \sinh^{-1}\left(\frac{\sqrt{1 - \sqrt{z+1}}}{\sqrt{2} \sqrt[4]{z+1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sinh^{-1}\left(\frac{\sqrt{(1 - \sqrt{1+z})/(2\sqrt{1+z})}}{\sqrt{z}}\right)$

01.16.27.1509.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2i \sinh^{-1}\left(\sqrt{\frac{1 - \sqrt{z+1}}{2\sqrt{z+1}}}\right); 0 < \arg(z) \leq \pi$$

01.16.27.1510.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -2i \sinh^{-1}\left(\sqrt{\frac{1 - \sqrt{z+1}}{2\sqrt{z+1}}}\right); -\pi < \arg(z) \leq 0$$

01.16.27.1511.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\frac{2\sqrt{-z^2}}{z} \sinh^{-1}\left(\sqrt{\frac{1-\sqrt{z+1}}{2\sqrt{z+1}}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sinh^{-1}\left(\frac{\sqrt{\sqrt{z}-\sqrt{1+z}}}{(\sqrt{2}(1+z)^{1/4})}\right)$

01.16.27.1512.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} + 2i \sinh^{-1}\left(\frac{\sqrt{\sqrt{z}-\sqrt{z+1}}}{\sqrt{2}\sqrt[4]{z+1}}\right); \text{Im}(z) \geq 0$$

01.16.27.1513.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - 2i \sinh^{-1}\left(\frac{\sqrt{\sqrt{z}-\sqrt{z+1}}}{\sqrt{2}\sqrt[4]{z+1}}\right); \text{Im}(z) < 0$$

01.16.27.1514.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2\sqrt{-\frac{1}{z}} \sqrt{z} \sinh^{-1}\left(\frac{\sqrt{\sqrt{z}-\sqrt{z+1}}}{\sqrt{2}\sqrt[4]{z+1}}\right) + \frac{\pi}{2}$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\sinh^{-1}\left(\frac{\sqrt{(\sqrt{z}-\sqrt{1+z})/(2\sqrt{1+z})}}{\sqrt{z}}\right)$

01.16.27.1515.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} + 2i \sinh^{-1}\left(\sqrt{\frac{\sqrt{z}-\sqrt{z+1}}{2\sqrt{z+1}}}\right); \text{Im}(z) \geq 0$$

01.16.27.1516.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - 2i \sinh^{-1}\left(\sqrt{\frac{\sqrt{z}-\sqrt{z+1}}{2\sqrt{z+1}}}\right); \text{Im}(z) < 0$$

01.16.27.1517.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2\sqrt{-\frac{1}{z}} \sqrt{z} \sinh^{-1}\left(\sqrt{\frac{\sqrt{z}-\sqrt{z+1}}{2\sqrt{z+1}}}\right) + \frac{\pi}{2}$$

Involving  $\cot^{-1}(\sqrt{z-1})$

Involving  $\cot^{-1}(\sqrt{z-1})$  and  $\sinh^{-1}\left(\frac{1}{\sqrt{-z}}\right)$

01.16.27.1518.01

$$\cot^{-1}(\sqrt{z-1}) = -i \sinh^{-1}\left(\frac{1}{\sqrt{-z}}\right); 0 < \arg(z) \leq \pi$$

01.16.27.1519.01

$$\cot^{-1}(\sqrt{z-1}) = i \sinh^{-1}\left(\frac{1}{\sqrt{-z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1520.01

$$\cot^{-1}(\sqrt{z-1}) = i \sinh^{-1}\left(\frac{1}{\sqrt{-z}}\right) - \pi; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1521.01

$$\cot^{-1}(\sqrt{z-1}) = \frac{\pi}{2} \left( \sqrt{z-1} \sqrt{\frac{1}{z-1}} - \sqrt{z} \sqrt{\frac{1}{z}} \right) - \frac{\sqrt{z}}{\sqrt{-z}} \sinh^{-1}\left(\frac{1}{\sqrt{-z}}\right)$$

### Involving $\cot^{-1}\left(\frac{1}{\sqrt{z-1}}\right)$

#### Involving $\cot^{-1}\left(\frac{1}{\sqrt{z-1}}\right)$ and $\sinh^{-1}\left(\frac{1}{\sqrt{-z}}\right)$

01.16.27.1522.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z-1}}\right) = i \sinh^{-1}\left(\frac{1}{\sqrt{-z}}\right) + \frac{\pi}{2}; 0 < \arg(z) \leq \pi$$

01.16.27.1523.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z-1}}\right) = -i \sinh^{-1}\left(\frac{1}{\sqrt{-z}}\right) + \frac{\pi}{2}; -\pi < \arg(z) \leq 0$$

01.16.27.1524.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z-1}}\right) = \frac{\sqrt{z}}{\sqrt{-z}} \sinh^{-1}\left(\frac{1}{\sqrt{-z}}\right) + \frac{\pi}{2}$$

### Involving $\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right)$

#### Involving $\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right)$ and $\sinh^{-1}\left(\frac{1}{\sqrt{-z}}\right)$

01.16.27.1525.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right) = i \sinh^{-1}\left(\frac{1}{\sqrt{-z}}\right) + \frac{\pi}{2}; \operatorname{Im}(z) > 0$$

01.16.27.1526.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right) = -i \sinh^{-1}\left(\frac{1}{\sqrt{-z}}\right) + \frac{\pi}{2}; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1527.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right) = -i \sinh^{-1}\left(\frac{1}{\sqrt{-z}}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.1528.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right) = i \sinh^{-1}\left(\frac{1}{\sqrt{-z}}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1529.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right) = \sqrt{z-1} \sqrt{\frac{1}{z-1}} \left( \frac{\sqrt{z}}{\sqrt{-z}} \sinh^{-1}\left(\frac{1}{\sqrt{-z}}\right) + \frac{\pi}{2} \right)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right)$

#### Involving $\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right)$ and $\sinh^{-1}(\sqrt{-z})$

01.16.27.1530.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right) = i \sinh^{-1}(\sqrt{-z}); 0 < \arg(z) \leq \pi$$

01.16.27.1531.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right) = -i \sinh^{-1}(\sqrt{-z}); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1532.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right) = -i \sinh^{-1}(\sqrt{-z}) - \pi; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1533.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right) = \frac{1}{2} \pi \left( \sqrt{1-z} \sqrt{\frac{1}{1-z}} - 1 \right) - \frac{\sqrt{-z}}{\sqrt{z}} \sinh^{-1}(\sqrt{-z})$$

### Involving $\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right)$

#### Involving $\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right)$ and $\sinh^{-1}(\sqrt{-z})$

01.16.27.1534.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right) = -i \sinh^{-1}(\sqrt{-z}); 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1535.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right) = i \sinh^{-1}(\sqrt{-z}) ; \operatorname{Im}(z) < 0$$

01.16.27.1536.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right) = \pi + i \sinh^{-1}(\sqrt{-z}) ; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1537.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right) = \frac{\pi}{2} \left(1 - \sqrt{1-z} \sqrt{\frac{1}{1-z}}\right) + \frac{\sqrt{1-z}}{\sqrt{z-1}} \sinh^{-1}(\sqrt{-z})$$

**Involving  $\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right)$**

**Involving  $\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right)$  and  $\sinh^{-1}(\sqrt{-z})$**

01.16.27.1538.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right) = i \sinh^{-1}(\sqrt{-z}) ; \operatorname{Im}(z) > 0$$

01.16.27.1539.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right) = -i \sinh^{-1}(\sqrt{-z}) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 1)$$

01.16.27.1540.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right) = -\pi - i \sinh^{-1}(\sqrt{-z}) ; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1541.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right) = \frac{\pi}{2} \left(\sqrt{\frac{1-z}{z}} \sqrt{\frac{z}{1-z}} - \sqrt{\frac{1}{z}} \sqrt{z}\right) - \sqrt{-z} \sqrt{\frac{1}{z}} \sinh^{-1}(\sqrt{-z})$$

**Involving  $\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right)$**

**Involving  $\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right)$  and  $\sinh^{-1}(\sqrt{-z})$**

01.16.27.1542.01

$$\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right) = \frac{\pi}{2} - i \sinh^{-1}(\sqrt{-z}) ; \operatorname{Im}(z) > 0$$

01.16.27.1543.01

$$\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right) = i \sinh^{-1}(\sqrt{-z}) + \frac{\pi}{2} /; -\pi < \arg(z) \leq 0$$

01.16.27.1544.01

$$\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right) = -i \sinh^{-1}(\sqrt{-z}) - \frac{\pi}{2} /; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.1545.01

$$\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right) = \frac{\pi}{2} \sqrt{z} \sqrt{\frac{1}{z}} + \frac{\sqrt{-z}}{\sqrt{z}} \sinh^{-1}(\sqrt{-z})$$

### Involving $\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right)$

#### Involving $\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right)$ and $\sinh^{-1}(\sqrt{-z})$

01.16.27.1546.01

$$\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right) = i \sinh^{-1}(\sqrt{-z}) - \frac{\pi}{2} /; \text{Im}(z) > 0$$

01.16.27.1547.01

$$\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right) = -i \sinh^{-1}(\sqrt{-z}) - \frac{\pi}{2} /; \text{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1548.01

$$\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right) = \frac{\pi}{2} + i \sinh^{-1}(\sqrt{-z}) /; (z \in \mathbb{R} \wedge z < 1)$$

01.16.27.1549.01

$$\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right) = \frac{\sqrt{z-1}}{\sqrt{1-z}} \sinh^{-1}(\sqrt{-z}) - \frac{\pi \sqrt{-z} \sqrt{z-1}}{2 \sqrt{1-z}} \sqrt{\frac{1}{z}}$$

### Involving $\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right)$

#### Involving $\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right)$ and $\sinh^{-1}(\sqrt{-z})$

01.16.27.1550.01

$$\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right) = \frac{\pi}{2} + i \sinh^{-1}(\sqrt{-z}) /; \text{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1551.01

$$\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right) = \frac{\pi}{2} - i \sinh^{-1}(\sqrt{-z}) /; \text{Im}(z) > 0$$

01.16.27.1552.01

$$\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right) = -\frac{\pi}{2} - i \sinh^{-1}(\sqrt{-z}) ; (z \in \mathbb{R} \wedge z < 0) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1553.01

$$\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right) = \sqrt{\frac{z}{1-z}} \sqrt{\frac{1-z}{z}} \left( \sqrt{\frac{1}{z}} \sqrt{-z} \sinh^{-1}(\sqrt{-z}) + \frac{\pi}{2} \right)$$

### Involving $\cot^{-1}\left(\sqrt{-z^2-1}\right)$

#### Involving $\cot^{-1}\left(\sqrt{-z^2-1}\right)$ and $\sinh^{-1}\left(\frac{1}{z}\right)$

01.16.27.1554.01

$$\cot^{-1}\left(\sqrt{-z^2-1}\right) = i \sinh^{-1}\left(\frac{1}{z}\right) ; 0 < \arg(z) < \frac{\pi}{2} \vee \frac{\pi}{2} < \arg(z) \leq \pi \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.1555.01

$$\cot^{-1}\left(\sqrt{-z^2-1}\right) = -i \sinh^{-1}\left(\frac{1}{z}\right) ; -\pi < \arg(z) < -\frac{\pi}{2} \vee -\frac{\pi}{2} < \arg(z) \leq 0 \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.1556.01

$$\cot^{-1}\left(\sqrt{-z^2-1}\right) = i \sinh^{-1}\left(\frac{1}{z}\right) - \pi ; (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.1557.01

$$\cot^{-1}\left(\sqrt{-z^2-1}\right) = -i \sinh^{-1}\left(\frac{1}{z}\right) - \pi ; (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.1558.01

$$\cot^{-1}\left(\sqrt{-z^2-1}\right) = \frac{\pi i}{2} \left( \frac{\sqrt{-i z - 1}}{\sqrt{i z + 1}} + \frac{\sqrt{i z - 1}}{\sqrt{1 - i z}} \right) - \frac{\sqrt{-z^2}}{z} \sinh^{-1}\left(\frac{1}{z}\right)$$

### Involving $\cot^{-1}\left(\frac{1}{\sqrt{-z^2-1}}\right)$

#### Involving $\cot^{-1}\left(\frac{1}{\sqrt{-z^2-1}}\right)$ and $\sinh^{-1}\left(\frac{1}{z}\right)$

01.16.27.1559.01

$$\cot^{-1}\left(\frac{1}{\sqrt{-z^2-1}}\right) = i \sinh^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2} ; -\pi < \arg(z) \leq 0$$

01.16.27.1560.01

$$\cot^{-1}\left(\frac{1}{\sqrt{-z^2-1}}\right) = -i \sinh^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2}; 0 < \arg(z) \leq \pi$$

01.16.27.1561.01

$$\cot^{-1}\left(\frac{1}{\sqrt{-z^2-1}}\right) = \frac{\pi}{2} + \frac{\sqrt{-z^2}}{z} \sinh^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\sqrt{-\frac{1}{z^2+1}}\right)$

Involving  $\cot^{-1}\left(\sqrt{-\frac{1}{z^2+1}}\right)$  and  $\sinh^{-1}\left(\frac{1}{z}\right)$

01.16.27.1562.01

$$\cot^{-1}\left(\sqrt{-\frac{1}{z^2+1}}\right) = \frac{\pi}{2} - i \sinh^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) < \frac{\pi}{2} \vee \frac{\pi}{2} < \arg(z) < \pi \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.1563.01

$$\cot^{-1}\left(\sqrt{-\frac{1}{z^2+1}}\right) = i \sinh^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2}; -\pi < \arg(z) < -\frac{\pi}{2} \vee -\frac{\pi}{2} < \arg(z) < 0 \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.1564.01

$$\cot^{-1}\left(\sqrt{-\frac{1}{z^2+1}}\right) = -i \sinh^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge z > 0) \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.1565.01

$$\cot^{-1}\left(\sqrt{-\frac{1}{z^2+1}}\right) = i \sinh^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge z < 0) \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.1566.01

$$\cot^{-1}\left(\sqrt{-\frac{1}{z^2+1}}\right) = \sqrt{-\frac{1}{z^2+1}} \sqrt{-z^2-1} \left(\frac{\sqrt{-z^2}}{z} \sinh^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2}\right)$$

Involving  $\cot^{-1}\left(\frac{z}{\sqrt{-z^2-1}}\right)$

Involving  $\cot^{-1}\left(\frac{z}{\sqrt{-z^2-1}}\right)$  and  $\sinh^{-1}(z)$



01.16.27.1567.01

$$\cot^{-1}\left(\frac{z}{\sqrt{-z^2-1}}\right) = -i \sinh^{-1}(z) - \frac{\pi}{2} /; 0 < \arg(z) < \frac{\pi}{2} \bigvee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.1568.01

$$\cot^{-1}\left(\frac{z}{\sqrt{-z^2-1}}\right) = i \sinh^{-1}(z) + \frac{\pi}{2} /; \frac{\pi}{2} < \arg(z) < \pi \bigvee (iz \in \mathbb{R} \wedge -1 < iz < 0) \bigvee (z \in \mathbb{R} \wedge z > 0)$$

01.16.27.1569.01

$$\cot^{-1}\left(\frac{z}{\sqrt{-z^2-1}}\right) = \frac{\pi}{2} - i \sinh^{-1}(z) /; -\pi < \arg(z) < -\frac{\pi}{2} \bigvee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.1570.01

$$\cot^{-1}\left(\frac{z}{\sqrt{-z^2-1}}\right) = i \sinh^{-1}(z) - \frac{\pi}{2} /; -\frac{\pi}{2} < \arg(z) < 0 \bigvee (z \in \mathbb{R} \wedge z < 0) \bigvee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.0032.01

$$\cot^{-1}\left(\frac{z}{\sqrt{-z^2-1}}\right) = -\frac{\sqrt{-z^2-1}}{\sqrt{z^2+1}} \left( \frac{\pi}{2} \sqrt{-\frac{1}{z^2}} z - \sinh^{-1}(z) \right)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1+z^2}}\right)$

### Involving $\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1+z^2}}\right)$ and $\sinh^{-1}(z)$

01.16.27.1571.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1+z^2}}\right) = i \sinh^{-1}(z) + \frac{\pi}{2} /; \text{Im}(z) > 0$$

01.16.27.1572.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1+z^2}}\right) = -i \sinh^{-1}(z) + \frac{\pi}{2} /; \text{Im}(z) < 0$$

01.16.27.1573.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1+z^2}}\right) = -i \sinh^{-1}(z) - \frac{\pi}{2} /; (z \in \mathbb{R} \wedge z > 0)$$

01.16.27.1574.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1+z^2}}\right) = i \sinh^{-1}(z) - \frac{\pi}{2} /; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.1575.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1+z^2}}\right) = \frac{z}{\sqrt{-z^2}} \sinh^{-1}(z) + \frac{1}{2} \pi \sqrt{-z^2} \sqrt{-\frac{1}{z^2}}$$

Involving  $\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{-z^2-1}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{-z^2-1}}\right)$  and  $\sinh^{-1}(z)$

01.16.27.1576.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{-z^2-1}}\right) = -i \sinh^{-1}(z) - \frac{\pi}{2} /; 0 < \arg(z) < \frac{\pi}{2} \vee \frac{\pi}{2} < \arg(z) < \pi \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.1577.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{-z^2-1}}\right) = i \sinh^{-1}(z) - \frac{\pi}{2} /; -\pi < \arg(z) < -\frac{\pi}{2} \vee -\frac{\pi}{2} < \arg(z) < 0 \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.1578.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{-z^2-1}}\right) = i \sinh^{-1}(z) + \frac{\pi}{2} /; (z \in \mathbb{R} \wedge z > 0) \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.1579.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{-z^2-1}}\right) = -i \sinh^{-1}(z) + \frac{\pi}{2} /; (z \in \mathbb{R} \wedge z < 0) \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.1580.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{-z^2-1}}\right) = \frac{\sqrt{z^2}}{\sqrt{-z^2-1}} \sqrt{-1 - \frac{1}{z^2}} \left( \sqrt{-\frac{1}{z^2}} z \sinh^{-1}(z) + \frac{\pi}{2} \right)$$

Involving  $\cot^{-1}\left(\sqrt{-\frac{z^2}{1+z^2}}\right)$

Involving  $\cot^{-1}\left(\sqrt{-\frac{z^2}{1+z^2}}\right)$  and  $\sinh^{-1}(z)$

01.16.27.1581.01

$$\cot^{-1}\left(\sqrt{-\frac{z^2}{1+z^2}}\right) = i \sinh^{-1}(z) + \frac{\pi}{2} /; 0 < \arg(z) < \frac{\pi}{2} \vee \frac{\pi}{2} < \arg(z) < \pi \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.1582.01

$$\cot^{-1}\left(\sqrt{-\frac{z^2}{1+z^2}}\right) = \frac{\pi}{2} - i \sinh^{-1}(z) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee -\frac{\pi}{2} < \arg(z) < 0 \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.1583.01

$$\cot^{-1}\left(\sqrt{-\frac{z^2}{1+z^2}}\right) = -i \sinh^{-1}(z) - \frac{\pi}{2} /; (i z \in \mathbb{R} \wedge i z < -1) \vee (z \in \mathbb{R} \wedge z > 0)$$

01.16.27.1584.01

$$\cot^{-1}\left(\sqrt{-\frac{z^2}{1+z^2}}\right) = i \sinh^{-1}(z) - \frac{\pi}{2} /; (i z \in \mathbb{R} \wedge i z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.1585.01

$$\cot^{-1}\left(\sqrt{-\frac{z^2}{1+z^2}}\right) = \sqrt{-\frac{z^2}{z^2+1}} \sqrt{-\frac{z^2+1}{z^2}} \left( \sqrt{-\frac{1}{z^2}} z \sinh^{-1}(z) + \frac{\pi}{2} \right)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{-z^2-1}}{z}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{-z^2-1}}{z}\right)$  and  $\sinh^{-1}(z)$

01.16.27.1586.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2-1}}{z}\right) = i \sinh^{-1}(z) /; 0 < \arg(z) < \frac{\pi}{2} \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.1587.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2-1}}{z}\right) = -i \sinh^{-1}(z) /; \frac{\pi}{2} < \arg(z) \leq \pi \vee -\frac{\pi}{2} < \arg(z) \leq 0 \vee (i z \in \mathbb{R} \wedge -1 < i z < 1)$$

01.16.27.1588.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2-1}}{z}\right) = i \sinh^{-1}(z) + \pi /; (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.1589.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2-1}}{z}\right) = i \sinh^{-1}(z) - \pi /; (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.0033.02

$$\cot^{-1}\left(\frac{\sqrt{-z^2-1}}{z}\right) = \frac{\sqrt{-z^2-1}}{\sqrt{z^2+1}} \left( -\sinh^{-1}(z) + \frac{\pi i}{2} \left( \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} - \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} \right) \right)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{1+z^2}}{\sqrt{-z^2}}\right)$

#### Involving $\cot^{-1}\left(\frac{\sqrt{1+z^2}}{\sqrt{-z^2}}\right)$ and $\sinh^{-1}(z)$

01.16.27.1590.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2}}{\sqrt{-z^2}}\right) = i \sinh^{-1}(z) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee -\frac{\pi}{2} < \arg(z) \leq 0 \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.1591.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2}}{\sqrt{-z^2}}\right) = -i \sinh^{-1}(z) /; 0 < \arg(z) < \frac{\pi}{2} \vee \frac{\pi}{2} < \arg(z) \leq \pi \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.1592.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2}}{\sqrt{-z^2}}\right) = -i \sinh^{-1}(z) - \pi /; (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.1593.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2}}{\sqrt{-z^2}}\right) = i \sinh^{-1}(z) - \pi /; (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.1594.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2}}{\sqrt{-z^2}}\right) = \frac{z}{\sqrt{-z^2}} \left( \frac{\pi i}{2} \left( \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} - \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} \right) - \sinh^{-1}(z) \right)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{-1-z^2}}{\sqrt{z^2}}\right)$

#### Involving $\cot^{-1}\left(\frac{\sqrt{-1-z^2}}{\sqrt{z^2}}\right)$ and $\sinh^{-1}(z)$

01.16.27.1595.01

$$\cot^{-1}\left(\frac{\sqrt{-1-z^2}}{\sqrt{z^2}}\right) = -i \sinh^{-1}(z) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee -\frac{\pi}{2} < \arg(z) \leq 0 \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.1596.01

$$\cot^{-1}\left(\frac{\sqrt{-1-z^2}}{\sqrt{z^2}}\right) = i \sinh^{-1}(z) /; 0 < \arg(z) < \frac{\pi}{2} \vee \frac{\pi}{2} < \arg(z) \leq \pi \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.1597.01

$$\cot^{-1}\left(\frac{\sqrt{-1-z^2}}{\sqrt{z^2}}\right) = i \sinh^{-1}(z) + \pi /; (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.1598.01

$$\cot^{-1}\left(\frac{\sqrt{-1-z^2}}{\sqrt{z^2}}\right) = -i \sinh^{-1}(z) + \pi /; (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.1599.01

$$\cot^{-1}\left(\frac{\sqrt{-1-z^2}}{\sqrt{z^2}}\right) = \frac{\sqrt{-z^2-1}}{z} \sqrt{\frac{z^2}{z^2+1}} \left( \frac{\pi i}{2} \left( \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} - \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} \right) - \sinh^{-1}(z) \right)$$

**Involving  $\cot^{-1}\left(\sqrt{-\frac{1+z^2}{z^2}}\right)$**

**Involving  $\cot^{-1}\left(\sqrt{-\frac{1+z^2}{z^2}}\right)$  and  $\sinh^{-1}(z)$**

01.16.27.1600.01

$$\cot^{-1}\left(\sqrt{-\frac{1+z^2}{z^2}}\right) = i \sinh^{-1}(z) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee -\frac{\pi}{2} < \arg(z) < 0 \vee (i z \in \mathbb{R} \wedge 0 < i z < 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.1601.01

$$\cot^{-1}\left(\sqrt{-\frac{1+z^2}{z^2}}\right) = -i \sinh^{-1}(z) /; 0 < \arg(z) < \frac{\pi}{2} \vee \frac{\pi}{2} < \arg(z) < \pi \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.1602.01

$$\cot^{-1}\left(\sqrt{-\frac{1+z^2}{z^2}}\right) = -i \sinh^{-1}(z) - \pi /; (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.1603.01

$$\cot^{-1}\left(\sqrt{-\frac{1+z^2}{z^2}}\right) = i \sinh^{-1}(z) - \pi /; (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.1604.01

$$\cot^{-1}\left(\sqrt{-\frac{1+z^2}{z^2}}\right) = z \sqrt{-\frac{1}{z^2}} \left( \frac{\pi i}{2} \left( \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} - \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} \right) - \sinh^{-1}(z) \right)$$

**Involving  $\cosh^{-1}$**

### Involving $\cot^{-1}(z)$

#### Involving $\cot^{-1}(z)$ and $\cosh^{-1}\left(\frac{2z}{1+z^2}\right)$

01.16.27.1605.01

$$\cot^{-1}(z) = \frac{1}{2} \left( i \cosh^{-1} \left( \frac{2z}{z^2+1} \right) + \frac{\pi}{2} \right); |z| > 1 \wedge \operatorname{Im}(z) \leq 0 \vee -\frac{\pi}{2} \leq \arg(z) < 0$$

01.16.27.1606.01

$$\cot^{-1}(z) = \frac{1}{2} \left( \frac{\pi}{2} - i \cosh^{-1} \left( \frac{2z}{z^2+1} \right) \right); |z| > 1 \wedge \operatorname{Im}(z) > 0 \vee |z| < 1 \wedge 0 \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.1607.01

$$\cot^{-1}(z) = \frac{1}{2} \left( \frac{\pi}{2} + \sqrt{\frac{1}{z}} \sqrt{-z} \cosh^{-1} \left( \frac{2z}{z^2+1} \right) \right); |z| > 1 \vee |z| < 1 \wedge -\frac{\pi}{2} \leq \arg(z) < 0 \vee |z| < 1 \wedge 0 < \arg(z) < \frac{\pi}{2}$$

01.16.27.1608.01

$$\cot^{-1}(z) = \frac{1}{2} \left( -i \cosh^{-1} \left( \frac{2z}{z^2+1} \right) - \frac{3\pi}{2} \right); |z| < 1 \wedge \frac{\pi}{2} \leq \arg(z) \leq \pi$$

01.16.27.1609.01

$$\cot^{-1}(z) = \frac{1}{2} \left( i \cosh^{-1} \left( \frac{2z}{z^2+1} \right) - \frac{3\pi}{2} \right); |z| < 1 \wedge -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.1610.01

$$\cot^{-1}(z) = \frac{1}{2} \left( -\sqrt{-\frac{1}{z}} \sqrt{z} \cosh^{-1} \left( \frac{2z}{z^2+1} \right) - \frac{3\pi}{2} \right); |z| < 1 \wedge \frac{\pi}{2} < \arg(z) \leq \pi \vee |z| < 1 \wedge -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.1611.01

$$\cot^{-1}(z) = \frac{\pi}{4} \left( \sqrt{\frac{1}{z^2}} z + \left( z \sqrt{\frac{1}{z^2}} - 1 \right) \sqrt{\left( \frac{z+1}{z-1} \right)^2 \frac{1-z}{1+z}} \right) + \frac{1}{2} \sqrt{-z-1} \sqrt{\frac{z^2}{z^2-1}} \sqrt{\frac{z-1}{z^2}} \cosh^{-1} \left( \frac{2z}{z^2+1} \right)$$

#### Involving $\cot^{-1}(z)$ and $\cosh^{-1}\left(\frac{1-z^2}{1+z^2}\right)$

01.16.27.1612.01

$$\cot^{-1}(z) = \frac{\pi}{2} - \frac{1}{2} i \cosh^{-1} \left( \frac{1-z^2}{z^2+1} \right); 0 < \arg(z) < \frac{\pi}{2}$$

01.16.27.1613.01

$$\cot^{-1}(z) = \frac{1}{2} i \cosh^{-1} \left( \frac{1-z^2}{z^2+1} \right) + \frac{\pi}{2}; -\frac{\pi}{2} \leq \arg(z) \leq 0$$

01.16.27.1614.01

$$\cot^{-1}(z) = -\frac{1}{2} i \cosh^{-1} \left( \frac{1-z^2}{z^2+1} \right) - \frac{\pi}{2}; \frac{\pi}{2} \leq \arg(z) \leq \pi$$

01.16.27.1615.01

$$\cot^{-1}(z) = \frac{1}{2} i \cosh^{-1}\left(\frac{1-z^2}{z^2+1}\right) - \frac{\pi}{2}; -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.1616.01

$$\cot^{-1}(z) = \frac{1}{2} \pi \sqrt{\frac{1}{z^2}} z + \frac{\sqrt{-z^2}}{2z} \cosh^{-1}\left(\frac{1-z^2}{z^2+1}\right)$$

Involving  $\cot^{-1}(z)$  and  $\cosh^{-1}\left(\frac{z^2-1}{z^2+1}\right)$

01.16.27.1617.01

$$\cot^{-1}(z) = -\frac{i}{2} \cosh^{-1}\left(\frac{z^2-1}{z^2+1}\right); 0 \leq \arg(z) < \frac{\pi}{2} \vee \frac{\pi}{2} < \arg(z) < \pi \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.1618.01

$$\cot^{-1}(z) = \frac{1}{2} i \cosh^{-1}\left(\frac{z^2-1}{z^2+1}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0) \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.1619.01

$$\cot^{-1}(z) = -\frac{i}{2} \cosh^{-1}\left(\frac{z^2-1}{z^2+1}\right) - \pi; (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.1620.01

$$\cot^{-1}(z) = \frac{1}{2} i \cosh^{-1}\left(\frac{z^2-1}{z^2+1}\right) + \pi; (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.1621.01

$$\cot^{-1}(z) = -\frac{\pi}{2} \left( \sqrt{\frac{z}{z+i}} \sqrt{\frac{z+i}{z}} - \sqrt{\frac{z}{z-i}} \sqrt{\frac{z-i}{z}} \right) - \frac{1}{2} z \sqrt{-\frac{1}{z^2}} \cosh^{-1}\left(\frac{z^2-1}{z^2+1}\right)$$

Involving  $\cot^{-1}(z)$  and  $\cosh^{-1}\left(\frac{1}{\sqrt{z^2+1}}\right)$

01.16.27.1622.01

$$\cot^{-1}(z) = i \cosh^{-1}\left(\frac{1}{\sqrt{z^2+1}}\right) + \frac{\pi}{2}; -\frac{\pi}{2} < \arg(z) \leq 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.1623.01

$$\cot^{-1}(z) = \frac{\pi}{2} - i \cosh^{-1}\left(\frac{1}{\sqrt{z^2+1}}\right); 0 < \arg(z) < \frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.1624.01

$$\cot^{-1}(z) = -\frac{\pi}{2} - i \cosh^{-1}\left(\frac{1}{\sqrt{z^2+1}}\right); \frac{\pi}{2} < \arg(z) \leq \pi \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.1625.01

$$\cot^{-1}(z) = i \cosh^{-1}\left(\frac{1}{\sqrt{z^2+1}}\right) - \frac{\pi}{2} /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.1626.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z + \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} - \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} \right) + \sqrt{\frac{1}{z^2}} z \sqrt{-z^2-1} \sqrt{\frac{1}{z^2+1}} \cosh^{-1}\left(\frac{1}{\sqrt{z^2+1}}\right)$$

Involving  $\cot^{-1}(z)$  and  $\cosh^{-1}\left(\sqrt{\frac{1}{z^2+1}}\right)$

01.16.27.1627.01

$$\cot^{-1}(z) = i \cosh^{-1}\left(\sqrt{\frac{1}{z^2+1}}\right) + \frac{\pi}{2} /; -\frac{\pi}{2} \leq \arg(z) \leq 0$$

01.16.27.1628.01

$$\cot^{-1}(z) = \frac{\pi}{2} - i \cosh^{-1}\left(\sqrt{\frac{1}{1+z^2}}\right) /; 0 < \arg(z) < \frac{\pi}{2}$$

01.16.27.1629.01

$$\cot^{-1}(z) = -\frac{\pi}{2} - i \cosh^{-1}\left(\sqrt{\frac{1}{1+z^2}}\right) /; \frac{\pi}{2} \leq \arg(z) \leq \pi$$

01.16.27.1630.01

$$\cot^{-1}(z) = i \cosh^{-1}\left(\sqrt{\frac{1}{1+z^2}}\right) - \frac{\pi}{2} /; -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.1631.01

$$\cot^{-1}(z) = z \sqrt{\frac{1}{z^2}} \left( \sqrt{-1-z^2} \sqrt{\frac{1}{1+z^2}} \cosh^{-1}\left(\sqrt{\frac{1}{z^2+1}}\right) + \frac{\pi}{2} \right)$$

Involving  $\cot^{-1}(z)$  and  $\cosh^{-1}\left(\frac{z}{\sqrt{z^2+1}}\right)$

01.16.27.1632.01

$$\cot^{-1}(z) = -i \cosh^{-1}\left(\frac{z}{\sqrt{z^2+1}}\right) /; 0 \leq \arg(z) < \frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.1633.01

$$\cot^{-1}(z) = i \cosh^{-1}\left(\frac{z}{\sqrt{z^2+1}}\right) /; -\frac{\pi}{2} < \arg(z) < 0 \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$



01.16.27.1634.01

$$\cot^{-1}(z) = -i \cosh^{-1}\left(\frac{z}{\sqrt{z^2+1}}\right) - \pi /; \frac{\pi}{2} < \arg(z) \leq \pi \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.1635.01

$$\cot^{-1}(z) = i \cosh^{-1}\left(\frac{z}{\sqrt{z^2+1}}\right) - \pi /; -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.1636.01

$$\cot^{-1}(z) = i \cosh^{-1}\left(\frac{z}{\sqrt{z^2+1}}\right) + \pi /; (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.1637.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} \right) - \sqrt{-\frac{1}{z}} \sqrt{z} \cosh^{-1}\left(\frac{z}{\sqrt{z^2+1}}\right)$$

Involving  $\cot^{-1}(z)$  and  $\cosh^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1+z^2}}\right)$

01.16.27.1638.01

$$\cot^{-1}(z) = -i \cosh^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1+z^2}}\right) /; 0 \leq \arg(z) < \frac{\pi}{2} \vee \frac{\pi}{2} < \arg(z) < \pi \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.1639.01

$$\cot^{-1}(z) = i \cosh^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1+z^2}}\right) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0) \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.1640.01

$$\cot^{-1}(z) = -i \cosh^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1+z^2}}\right) - \pi /; (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.1641.01

$$\cot^{-1}(z) = i \cosh^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2+1}}\right) + \pi /; (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.1642.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{z}{z-i}} \sqrt{\frac{z-i}{z}} - \sqrt{\frac{z}{z+i}} \sqrt{\frac{z+i}{z}} \right) - z \sqrt{-\frac{1}{z^2}} \cosh^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{z^2+1}}\right)$$

Involving  $\cot^{-1}(z)$  and  $\cosh^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{-1-z^2}}\right)$

01.16.27.1643.01

$$\cot^{-1}(z) = -i \cosh^{-1} \left( \frac{\sqrt{-z^2}}{\sqrt{-1-z^2}} \right); 0 \leq \arg(z) < \pi$$

01.16.27.1644.01

$$\cot^{-1}(z) = i \cosh^{-1} \left( \frac{\sqrt{-z^2}}{\sqrt{-1-z^2}} \right); -\pi < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.1645.01

$$\cot^{-1}(z) = -z \sqrt{-\frac{1}{z^2}} \cosh^{-1} \left( \frac{\sqrt{-z^2}}{\sqrt{-1-z^2}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\cosh^{-1} \left( \sqrt{\frac{z^2}{1+z^2}} \right)$

01.16.27.1646.01

$$\cot^{-1}(z) = -i \cosh^{-1} \left( \sqrt{\frac{z^2}{1+z^2}} \right); 0 \leq \arg(z) < \frac{\pi}{2} \vee \frac{\pi}{2} < \arg(z) < \pi \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.1647.01

$$\cot^{-1}(z) = i \cosh^{-1} \left( \sqrt{\frac{z^2}{1+z^2}} \right); -\pi < \arg(z) < -\frac{\pi}{2} \vee -\frac{\pi}{2} < \arg(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.1648.01

$$\cot^{-1}(z) = -i \cosh^{-1} \left( \sqrt{\frac{z^2}{z^2+1}} \right) - \pi; (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.1649.01

$$\cot^{-1}(z) = i \cosh^{-1} \left( \sqrt{\frac{z^2}{z^2+1}} \right) + \pi; (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.1650.01

$$\cot^{-1}(z) = -\frac{\pi}{2} \left( \sqrt{\frac{z}{z+i}} \sqrt{\frac{z+i}{z}} - \sqrt{\frac{z}{z-i}} \sqrt{\frac{z-i}{z}} \right) - z \sqrt{-\frac{1}{z^2}} \cosh^{-1} \left( \sqrt{\frac{z^2}{z^2+1}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\cosh^{-1} \left( \sqrt{\sqrt{1+z^2} + 1} / (\sqrt{2} (1+z^2)^{1/4}) \right)$

01.16.27.1651.01

$$\cot^{-1}(z) = \frac{\pi}{2} - 2i \cosh^{-1} \left( \frac{\sqrt{\sqrt{z^2+1} + 1}}{\sqrt{2} \sqrt[4]{z^2+1}} \right) /; 0 < \arg(z) < \frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.1652.01

$$\cot^{-1}(z) = \frac{\pi}{2} + 2i \cosh^{-1} \left( \frac{\sqrt{1 + \sqrt{z^2+1}}}{\sqrt{2} \sqrt[4]{z^2+1}} \right) /; -\frac{\pi}{2} < \arg(z) \leq 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.1653.01

$$\cot^{-1}(z) = -2i \cosh^{-1} \left( \frac{\sqrt{\sqrt{z^2+1} + 1}}{\sqrt{2} \sqrt[4]{z^2+1}} \right) - \frac{\pi}{2} /; \frac{\pi}{2} < \arg(z) \leq \pi \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.1654.01

$$\cot^{-1}(z) = 2i \cosh^{-1} \left( \frac{\sqrt{\sqrt{z^2+1} + 1}}{\sqrt{2} \sqrt[4]{z^2+1}} \right) - \frac{\pi}{2} /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.1655.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} + \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} \right) + \frac{2\sqrt{-z^2}}{z} \cosh^{-1} \left( \frac{\sqrt{\sqrt{z^2+1} + 1}}{\sqrt{2} \sqrt[4]{z^2+1}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\cosh^{-1} \left( \frac{\sqrt{\sqrt{1+z^2} - 1}}{\sqrt{2} (1+z^2)^{1/4}} \right)$

01.16.27.1656.01

$$\cot^{-1}(z) = -2i \cosh^{-1} \left( \frac{\sqrt{\sqrt{z^2+1} - 1}}{\sqrt{2} \sqrt[4]{z^2+1}} \right) - \frac{\pi}{2} /; 0 \leq \arg(z) < \frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.1657.01

$$\cot^{-1}(z) = 2i \cosh^{-1} \left( \frac{\sqrt{\sqrt{z^2+1} - 1}}{\sqrt{2} \sqrt[4]{z^2+1}} \right) - \frac{\pi}{2} /; -\frac{\pi}{2} < \arg(z) < 0$$

01.16.27.1658.01

$$\cot^{-1}(z) = 2i \cosh^{-1} \left( \frac{\sqrt{\sqrt{z^2+1}-1}}{\sqrt{2} \sqrt[4]{z^2+1}} \right) + \frac{\pi}{2} /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0) \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.1659.01

$$\cot^{-1}(z) = -2i \cosh^{-1} \left( \frac{\sqrt{\sqrt{z^2+1}-1}}{\sqrt{2} \sqrt[4]{z^2+1}} \right) + \frac{\pi}{2} /; \frac{\pi}{2} < \arg(z) < \pi$$

01.16.27.1660.01

$$\cot^{-1}(z) = -2i \cosh^{-1} \left( \frac{\sqrt{\sqrt{z^2+1}-1}}{\sqrt{2} \sqrt[4]{z^2+1}} \right) - \frac{3\pi}{2} /; (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.1661.01

$$\cot^{-1}(z) = 2i \cosh^{-1} \left( \frac{\sqrt{\sqrt{z^2+1}-1}}{\sqrt{2} \sqrt[4]{z^2+1}} \right) + \frac{3\pi}{2} /; (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.1662.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( -\frac{\sqrt{z^2}}{z} - \sqrt{\frac{z}{i+z}} \sqrt{\frac{i+z}{z}} + \sqrt{\frac{-i+z}{z}} \sqrt{\frac{z}{-i+z}} \right) - 2 \sqrt{-\frac{1}{z^2}} z \cosh^{-1} \left( \frac{\sqrt{\sqrt{z^2+1}-1}}{\sqrt{2} \sqrt[4]{z^2+1}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\cosh^{-1} \left( \sqrt{\frac{\sqrt{1+z^2}+1}{2\sqrt{1+z^2}}} \right)$

01.16.27.1663.01

$$\cot^{-1}(z) = \frac{\pi}{2} - 2i \cosh^{-1} \left( \sqrt{\frac{\sqrt{1+z^2}+1}{2\sqrt{1+z^2}}} \right) /; 0 < \arg(z) < \frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.1664.01

$$\cot^{-1}(z) = \frac{\pi}{2} + 2i \cosh^{-1} \left( \sqrt{\frac{\sqrt{1+z^2}+1}{2\sqrt{1+z^2}}} \right) /; -\frac{\pi}{2} < \arg(z) \leq 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.1665.01

$$\cot^{-1}(z) = -2i \cosh^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} + 1}{2\sqrt{1+z^2}}} \right) - \frac{\pi}{2} /; \frac{\pi}{2} < \arg(z) \leq \pi \quad \bigvee \quad (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.1666.01

$$\cot^{-1}(z) = 2i \cosh^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} + 1}{2\sqrt{1+z^2}}} \right) - \frac{\pi}{2} /; -\pi < \arg(z) < -\frac{\pi}{2} \quad \bigvee \quad (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.1667.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} + \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} \right) + \frac{2\sqrt{-z^2}}{z} \cosh^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} + 1}{2\sqrt{1+z^2}}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\cosh^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} - 1}{2\sqrt{1+z^2}}} \right)$

01.16.27.1668.01

$$\cot^{-1}(z) = -2i \cosh^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} - 1}{2\sqrt{1+z^2}}} \right) - \frac{\pi}{2} /; 0 \leq \arg(z) < \frac{\pi}{2} \quad \bigvee \quad (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.1669.01

$$\cot^{-1}(z) = 2i \cosh^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} - 1}{2\sqrt{1+z^2}}} \right) - \frac{\pi}{2} /; -\frac{\pi}{2} < \arg(z) < 0$$

01.16.27.1670.01

$$\cot^{-1}(z) = 2i \cosh^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} - 1}{2\sqrt{1+z^2}}} \right) + \frac{\pi}{2} /; -\pi < \arg(z) < -\frac{\pi}{2} \quad \bigvee \quad (z \in \mathbb{R} \wedge z < 0) \quad \bigvee \quad (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.1671.01

$$\cot^{-1}(z) = -2i \cosh^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} - 1}{2\sqrt{1+z^2}}} \right) + \frac{\pi}{2} /; \frac{\pi}{2} < \arg(z) < \pi$$

01.16.27.1672.01

$$\cot^{-1}(z) = -2i \cosh^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} - 1}{2\sqrt{1+z^2}}} \right) - \frac{3\pi}{2} /; (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.1673.01

$$\cot^{-1}(z) = 2i \cosh^{-1} \left( \sqrt{\frac{\sqrt{1+z^2}-1}{2\sqrt{1+z^2}}} \right) + \frac{3\pi}{2}; (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.1674.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( -\frac{\sqrt{z^2}}{z} - \sqrt{\frac{z}{i+z}} \sqrt{\frac{i+z}{z}} + \sqrt{\frac{-i+z}{z}} \sqrt{\frac{z}{-i+z}} \right) - 2 \sqrt{-\frac{1}{z^2}} z \cosh^{-1} \left( \sqrt{\frac{\sqrt{1+z^2}-1}{2\sqrt{1+z^2}}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\cosh^{-1} \left( \sqrt{\sqrt{1+z^2}+z} / (\sqrt{2}(1+z^2)^{1/4}) \right)$

01.16.27.1675.01

$$\cot^{-1}(z) = -2i \cosh^{-1} \left( \frac{\sqrt{\sqrt{z^2+1}+z}}{\sqrt{2}\sqrt[4]{z^2+1}} \right); 0 \leq \arg(z) < \frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.1676.01

$$\cot^{-1}(z) = 2i \cosh^{-1} \left( \frac{\sqrt{\sqrt{z^2+1}+z}}{\sqrt{2}\sqrt[4]{z^2+1}} \right); -\frac{\pi}{2} < \arg(z) < 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.1677.01

$$\cot^{-1}(z) = -2i \cosh^{-1} \left( \frac{\sqrt{z+\sqrt{z^2+1}}}{\sqrt{2}\sqrt[4]{z^2+1}} \right) - \pi; \frac{\pi}{2} < \arg(z) \leq \pi \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.1678.01

$$\cot^{-1}(z) = 2i \cosh^{-1} \left( \frac{\sqrt{z+\sqrt{z^2+1}}}{\sqrt{2}\sqrt[4]{z^2+1}} \right) - \pi; -\pi < \arg(z) < -\frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.1679.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} + \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} - 1 \right) - 2 \sqrt{z} \sqrt{-\frac{1}{z}} \cosh^{-1} \left( \frac{\sqrt{z+\sqrt{z^2+1}}}{\sqrt{2}\sqrt[4]{z^2+1}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\cosh^{-1}\left(\sqrt{\sqrt{1+z^2}-z}/\left(\sqrt{2}(1+z^2)^{1/4}\right)\right)$

01.16.27.1680.01

$$\cot^{-1}(z) = \pi - 2i \cosh^{-1}\left(\frac{\sqrt{\sqrt{z^2+1}-z}}{\sqrt{2}\sqrt[4]{z^2+1}}\right) ; 0 < \arg(z) < \frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.1681.01

$$\cot^{-1}(z) = 2i \cosh^{-1}\left(\frac{\sqrt{\sqrt{z^2+1}-z}}{\sqrt{2}\sqrt[4]{z^2+1}}\right) + \pi ; -\frac{\pi}{2} < \arg(z) \leq 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.1682.01

$$\cot^{-1}(z) = -2i \cosh^{-1}\left(\frac{\sqrt{\sqrt{z^2+1}-z}}{\sqrt{2}\sqrt[4]{z^2+1}}\right) ; \frac{\pi}{2} < \arg(z) < \pi \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.1683.01

$$\cot^{-1}(z) = 2i \cosh^{-1}\left(\frac{\sqrt{\sqrt{z^2+1}-z}}{\sqrt{2}\sqrt[4]{z^2+1}}\right) ; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0) \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.1684.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z + \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} - \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} + 1 \right) + 2\sqrt{\frac{1}{z}} \sqrt{-z} \cosh^{-1}\left(\frac{\sqrt{\sqrt{z^2+1}-z}}{\sqrt{2}\sqrt[4]{z^2+1}}\right)$$

Involving  $\cot^{-1}(z)$  and  $\cosh^{-1}\left(\sqrt{\left(\sqrt{1+z^2}+z\right)/\left(2\sqrt{1+z^2}\right)}\right)$

01.16.27.1685.01

$$\cot^{-1}(z) = -2i \cosh^{-1}\left(\sqrt{\frac{\sqrt{1+z^2}+z}{2\sqrt{1+z^2}}}\right) ; 0 \leq \arg(z) < \frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.1686.01

$$\cot^{-1}(z) = 2i \cosh^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} + z}{2\sqrt{1+z^2}}} \right) /; -\frac{\pi}{2} < \arg(z) < 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.1687.01

$$\cot^{-1}(z) = -2i \cosh^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} + z}{2\sqrt{1+z^2}}} \right) - \pi /; \frac{\pi}{2} < \arg(z) \leq \pi \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.1688.01

$$\cot^{-1}(z) = 2i \cosh^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} + z}{2\sqrt{1+z^2}}} \right) - \pi /; -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.1689.01

$$\cot^{-1}(z) = 2i \cosh^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} + z}{2\sqrt{1+z^2}}} \right) + \pi /; (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.1690.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} \right) - 2\sqrt{z} \sqrt{-\frac{1}{z}} \cosh^{-1} \left( \sqrt{\frac{z + \sqrt{z^2+1}}{2\sqrt{z^2+1}}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\cosh^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} - z}{2\sqrt{1+z^2}}} \right)$

01.16.27.1691.01

$$\cot^{-1}(z) = \pi - 2i \cosh^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} - z}{2\sqrt{1+z^2}}} \right) /; 0 < \arg(z) < \frac{\pi}{2}$$

01.16.27.1692.01

$$\cot^{-1}(z) = 2i \cosh^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} - z}{2\sqrt{1+z^2}}} \right) + \pi /; -\frac{\pi}{2} < \arg(z) \leq 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.1693.01

$$\cot^{-1}(z) = -2i \cosh^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} - z}{2\sqrt{1+z^2}}} \right) /; \frac{\pi}{2} < \arg(z) < \pi \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$



01.16.27.1694.01

$$\cot^{-1}(z) = 2i \cosh^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} - z}{2\sqrt{1+z^2}}} \right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0) \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.1695.01

$$\cot^{-1}(z) = -2i \cosh^{-1} \left( \sqrt{\frac{\sqrt{1+z^2} - z}{2\sqrt{1+z^2}}} \right) - \pi; (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.1696.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z + \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} \right) + 2\sqrt{\frac{1}{z}} \sqrt{-z} \cosh^{-1} \left( \sqrt{\frac{\sqrt{z^2+1} - z}{2\sqrt{z^2+1}}} \right)$$

### Involving $\cot^{-1}(\sqrt{z})$

#### Involving $\cot^{-1}(\sqrt{z})$ and $\cosh^{-1}\left(\frac{1-z}{1+z}\right)$

01.16.27.1697.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - \frac{1}{2}i \cosh^{-1}\left(\frac{1-z}{z+1}\right); \operatorname{Im}(z) > 0$$

01.16.27.1698.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} + \frac{1}{2}i \cosh^{-1}\left(\frac{1-z}{z+1}\right); -\pi < \arg(z) \leq 0$$

01.16.27.1699.01

$$\cot^{-1}(\sqrt{z}) = -\frac{i}{2} \cosh^{-1}\left(\frac{1-z}{z+1}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.1700.01

$$\cot^{-1}(\sqrt{z}) = \frac{\sqrt{-z^2}}{2z} \cosh^{-1}\left(\frac{1-z}{1+z}\right) + \frac{\pi}{2} \sqrt{\frac{1}{z}} \sqrt{z}$$

#### Involving $\cot^{-1}(\sqrt{z})$ and $\cosh^{-1}\left(\frac{z-1}{z+1}\right)$

01.16.27.1701.01

$$\cot^{-1}(\sqrt{z}) = -\frac{i}{2} \cosh^{-1}\left(\frac{z-1}{z+1}\right); 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1702.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2}i \cosh^{-1}\left(\frac{z-1}{z+1}\right); \operatorname{Im}(z) < 0$$

01.16.27.1703.01

$$\cot^{-1}(\sqrt{z}) = -\frac{i}{2} \cosh^{-1}\left(\frac{z-1}{z+1}\right) - \pi; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1704.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} \left( \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 1 \right) \pi - \frac{1}{2} \sqrt{z} \sqrt{-\frac{1}{z}} \cosh^{-1} \left( \frac{z-1}{z+1} \right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\cosh^{-1}\left(\frac{2\sqrt{z}}{1+z}\right)$

01.16.27.1705.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} i \cosh^{-1} \left( \frac{2\sqrt{z}}{z+1} \right) + \frac{\pi}{4}; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1706.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{4} - \frac{1}{2} i \cosh^{-1} \left( \frac{2\sqrt{z}}{z+1} \right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1) \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1707.01

$$\cot^{-1}(\sqrt{z}) = -\frac{i}{2} \cosh^{-1} \left( \frac{2\sqrt{z}}{z+1} \right) - \frac{3\pi}{4}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1708.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} \pi \left( \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 1 \right) + \frac{\sqrt{1-z}}{2\sqrt{z-1}} \cosh^{-1} \left( \frac{2\sqrt{z}}{z+1} \right) + \frac{\pi}{4}$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\cosh^{-1}\left(\frac{1}{\sqrt{1+z}}\right)$

01.16.27.1709.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - i \cosh^{-1} \left( \frac{1}{\sqrt{z+1}} \right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1710.01

$$\cot^{-1}(\sqrt{z}) = i \cosh^{-1} \left( \frac{1}{\sqrt{z+1}} \right) + \frac{\pi}{2}; -\pi < \arg(z) \leq 0$$

01.16.27.1711.01

$$\cot^{-1}(\sqrt{z}) = -i \cosh^{-1} \left( \frac{1}{\sqrt{z+1}} \right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1712.01

$$\cot^{-1}(\sqrt{z}) = \frac{\sqrt{-z^2}}{z} \cosh^{-1} \left( \frac{1}{\sqrt{z+1}} \right) + \frac{1}{2} \pi \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}}$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\cosh^{-1}\left(\sqrt{\frac{1}{1+z}}\right)$

01.16.27.1713.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - i \cosh^{-1}\left(\sqrt{\frac{1}{z+1}}\right); \operatorname{Im}(z) > 0$$

01.16.27.1714.01

$$\cot^{-1}(\sqrt{z}) = i \cosh^{-1}\left(\sqrt{\frac{1}{z+1}}\right) + \frac{\pi}{2}; -\pi < \arg(z) \leq 0$$

01.16.27.1715.01

$$\cot^{-1}(\sqrt{z}) = -i \cosh^{-1}\left(\sqrt{\frac{1}{z+1}}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.1716.01

$$\cot^{-1}(\sqrt{z}) = \frac{\sqrt{-z^2}}{z} \cosh^{-1}\left(\sqrt{\frac{1}{z+1}}\right) + \frac{1}{2} \pi \sqrt{\frac{1}{z}} \sqrt{z}$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\cosh^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right)$

01.16.27.1717.01

$$\cot^{-1}(\sqrt{z}) = i \cosh^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right); \operatorname{Im}(z) < 0$$

01.16.27.1718.01

$$\cot^{-1}(\sqrt{z}) = -i \cosh^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right); 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1719.01

$$\cot^{-1}(\sqrt{z}) = -i \cosh^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right) - \pi; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1720.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \left( \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 1 \right) - \sqrt{z} \sqrt{-\frac{1}{z}} \cosh^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\cosh^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-z-1}}\right)$

01.16.27.1721.01

$$\cot^{-1}(\sqrt{z}) = -i \cosh^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-z-1}}\right); \operatorname{Im}(z) \geq 0$$

01.16.27.1722.01

$$\cot^{-1}(\sqrt{z}) = i \cosh^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-z-1}}\right); \operatorname{Im}(z) < 0$$

01.16.27.1723.01

$$\cot^{-1}(\sqrt{z}) = -\sqrt{z} \sqrt{-\frac{1}{z}} \cosh^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-z-1}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\cosh^{-1}\left(\sqrt{\frac{z}{z+1}}\right)$

01.16.27.1724.01

$$\cot^{-1}(\sqrt{z}) = -i \cosh^{-1}\left(\sqrt{\frac{z}{z+1}}\right) /; 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1725.01

$$\cot^{-1}(\sqrt{z}) = i \cosh^{-1}\left(\sqrt{\frac{z}{z+1}}\right) /; \operatorname{Im}(z) < 0$$

01.16.27.1726.01

$$\cot^{-1}(\sqrt{z}) = -i \cosh^{-1}\left(\sqrt{\frac{z}{z+1}}\right) - \pi /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1727.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \left( \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 1 \right) - \sqrt{z} \sqrt{-\frac{1}{z}} \cosh^{-1}\left(\sqrt{\frac{z}{z+1}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\cosh^{-1}\left(\sqrt{\sqrt{1+z} + 1} / (\sqrt{2} (1+z)^{1/4})\right)$

01.16.27.1728.01

$$\cot^{-1}(\sqrt{z}) = 2i \cosh^{-1}\left(\frac{\sqrt{\sqrt{z+1} + 1}}{\sqrt{2} \sqrt[4]{z+1}}\right) + \frac{\pi}{2} /; -\pi < \arg(z) \leq 0$$

01.16.27.1729.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - 2i \cosh^{-1}\left(\frac{\sqrt{\sqrt{z+1} + 1}}{\sqrt{2} \sqrt[4]{z+1}}\right) /; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1730.01

$$\cot^{-1}(\sqrt{z}) = -2i \cosh^{-1}\left(\frac{\sqrt{\sqrt{z+1} + 1}}{\sqrt{2} \sqrt[4]{z+1}}\right) - \frac{\pi}{2} /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1731.01

$$\cot^{-1}(\sqrt{z}) = \frac{2\sqrt{-z^2}}{z} \cosh^{-1}\left(\frac{\sqrt{\sqrt{z+1} + 1}}{\sqrt{2} \sqrt[4]{z+1}}\right) + \frac{1}{2} \pi \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}}$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\cosh^{-1}\left(\sqrt{\sqrt{1+z} - 1} / (\sqrt{2} (1+z)^{1/4})\right)$

01.16.27.1732.01

$$\cot^{-1}(\sqrt{z}) = -2i \cosh^{-1} \left( \frac{\sqrt{\sqrt{z+1}-1}}{\sqrt{2} \sqrt[4]{z+1}} \right) - \frac{\pi}{2} /; 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1733.01

$$\cot^{-1}(\sqrt{z}) = 2i \cosh^{-1} \left( \frac{\sqrt{\sqrt{z+1}-1}}{\sqrt{2} \sqrt[4]{z+1}} \right) - \frac{\pi}{2} /; \operatorname{Im}(z) < 0$$

01.16.27.1734.01

$$\cot^{-1}(\sqrt{z}) = -2i \cosh^{-1} \left( \frac{\sqrt{\sqrt{z+1}-1}}{\sqrt{2} \sqrt[4]{z+1}} \right) - \frac{3\pi}{2} /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1735.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \left( \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 2 \right) - 2\sqrt{z} \sqrt{-\frac{1}{z}} \cosh^{-1} \left( \frac{\sqrt{\sqrt{z+1}-1}}{\sqrt{2} \sqrt[4]{z+1}} \right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\cosh^{-1} \left( \sqrt{(\sqrt{1+z}+1)/(2\sqrt{1+z})} \right)$

01.16.27.1736.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - 2i \cosh^{-1} \left( \sqrt{\frac{\sqrt{z+1}+1}}{2\sqrt{z+1}} \right) /; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1737.01

$$\cot^{-1}(\sqrt{z}) = 2i \cosh^{-1} \left( \sqrt{\frac{\sqrt{z+1}+1}}{2\sqrt{z+1}} \right) + \frac{\pi}{2} /; -\pi < \arg(z) \leq 0$$

01.16.27.1738.01

$$\cot^{-1}(\sqrt{z}) = -2i \cosh^{-1} \left( \sqrt{\frac{\sqrt{z+1}+1}}{2\sqrt{z+1}} \right) - \frac{\pi}{2} /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1739.01

$$\cot^{-1}(\sqrt{z}) = \frac{2\sqrt{-z^2}}{z} \cosh^{-1} \left( \sqrt{\frac{\sqrt{z+1}+1}}{2\sqrt{z+1}} \right) + \frac{1}{2}\pi \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}}$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\cosh^{-1} \left( \sqrt{(\sqrt{1+z}-1)/(2\sqrt{1+z})} \right)$

01.16.27.1740.01

$$\cot^{-1}(\sqrt{z}) = -2i \cosh^{-1} \left( \sqrt{\frac{\sqrt{z+1}-1}}{2\sqrt{z+1}} \right) - \frac{\pi}{2} /; 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1741.01

$$\cot^{-1}(\sqrt{z}) = 2i \cosh^{-1} \left( \sqrt{\frac{\sqrt{z+1} - 1}{2\sqrt{z+1}}} \right) - \frac{\pi}{2}; \operatorname{Im}(z) < 0$$

01.16.27.1742.01

$$\cot^{-1}(\sqrt{z}) = -2i \cosh^{-1} \left( \sqrt{\frac{\sqrt{z+1} - 1}{2\sqrt{z+1}}} \right) - \frac{3\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1743.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} \left( \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 2 \right) \pi - 2\sqrt{z} \sqrt{-\frac{1}{z}} \cosh^{-1} \left( \sqrt{\frac{\sqrt{z+1} - 1}{2\sqrt{z+1}}} \right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\cosh^{-1} \left( \frac{\sqrt{\sqrt{1+z} + \sqrt{z}}}{(\sqrt{2}(1+z)^{1/4})} \right)$

01.16.27.1744.01

$$\cot^{-1}(\sqrt{z}) = -2i \cosh^{-1} \left( \frac{\sqrt{\sqrt{z} + \sqrt{z+1}}}{\sqrt{2} \sqrt[4]{z+1}} \right); 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1745.01

$$\cot^{-1}(\sqrt{z}) = 2i \cosh^{-1} \left( \frac{\sqrt{\sqrt{z} + \sqrt{z+1}}}{\sqrt{2} \sqrt[4]{z+1}} \right); \operatorname{Im}(z) < 0$$

01.16.27.1746.01

$$\cot^{-1}(\sqrt{z}) = -2i \cosh^{-1} \left( \frac{\sqrt{\sqrt{z} + \sqrt{z+1}}}{\sqrt{2} \sqrt[4]{z+1}} \right) - \pi; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1747.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \left( \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 1 \right) - 2\sqrt{z} \sqrt{-\frac{1}{z}} \cosh^{-1} \left( \frac{\sqrt{\sqrt{z} + \sqrt{z+1}}}{\sqrt{2} \sqrt[4]{z+1}} \right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\cosh^{-1} \left( \frac{\sqrt{\sqrt{1+z} - \sqrt{z}}}{(\sqrt{2}(1+z)^{1/4})} \right)$

01.16.27.1748.01

$$\cot^{-1}(\sqrt{z}) = \pi - 2i \cosh^{-1} \left( \frac{\sqrt{\sqrt{z+1} - \sqrt{z}}}{\sqrt{2} \sqrt[4]{z+1}} \right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1749.01

$$\cot^{-1}(\sqrt{z}) = 2i \cosh^{-1} \left( \frac{\sqrt{\sqrt{z+1} - \sqrt{z}}}{\sqrt{2} \sqrt[4]{z+1}} \right) + \pi; -\pi < \arg(z) \leq 0$$

01.16.27.1750.01

$$\cot^{-1}(\sqrt{z}) = -2i \cosh^{-1}\left(\frac{\sqrt{\sqrt{z+1} - \sqrt{z}}}{\sqrt{2} \sqrt[4]{z+1}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1751.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2}\pi \left(\sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} + 1\right) + \frac{2\sqrt{-z^2}}{z} \cosh^{-1}\left(\frac{\sqrt{\sqrt{z+1} - \sqrt{z}}}{\sqrt{2} \sqrt[4]{z+1}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\cosh^{-1}\left(\sqrt{(\sqrt{1+z} + \sqrt{z})/(2\sqrt{1+z})}\right)$

01.16.27.1752.01

$$\cot^{-1}(\sqrt{z}) = -2i \cosh^{-1}\left(\sqrt{\frac{\sqrt{z} + \sqrt{z+1}}{2\sqrt{z+1}}}\right); 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1753.01

$$\cot^{-1}(\sqrt{z}) = 2i \cosh^{-1}\left(\sqrt{\frac{\sqrt{z} + \sqrt{z+1}}{2\sqrt{z+1}}}\right); \text{Im}(z) < 0$$

01.16.27.1754.01

$$\cot^{-1}(\sqrt{z}) = -2i \cosh^{-1}\left(\sqrt{\frac{\sqrt{z} + \sqrt{z+1}}{2\sqrt{z+1}}}\right) - \pi; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1755.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2}\left(\sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 1\right)\pi - 2\sqrt{z} \sqrt{-\frac{1}{z}} \cosh^{-1}\left(\sqrt{\frac{\sqrt{z} + \sqrt{z+1}}{2\sqrt{z+1}}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\cosh^{-1}\left(\sqrt{(\sqrt{1+z} - \sqrt{z})/(2\sqrt{1+z})}\right)$

01.16.27.1756.01

$$\cot^{-1}(\sqrt{z}) = 2i \cosh^{-1}\left(\sqrt{\frac{\sqrt{z+1} - \sqrt{z}}{2\sqrt{z+1}}}\right) + \pi; -\pi < \arg(z) \leq 0$$

01.16.27.1757.01

$$\cot^{-1}(\sqrt{z}) = \pi - 2i \cosh^{-1}\left(\sqrt{\frac{\sqrt{z+1} - \sqrt{z}}{2\sqrt{z+1}}}\right); \text{Im}(z) > 0$$

01.16.27.1758.01

$$\cot^{-1}(\sqrt{z}) = -2i \cosh^{-1}\left(\sqrt{\frac{\sqrt{z+1} - \sqrt{z}}{2\sqrt{z+1}}}\right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1759.01

$$\cot^{-1}(\sqrt{z}) = -\pi - 2i \operatorname{cosh}^{-1}\left(\sqrt{\frac{\sqrt{z+1} - \sqrt{z}}{2\sqrt{z+1}}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1760.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \left( 2\sqrt{\frac{1}{z+1}} \sqrt{z+1} + \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 1 \right) + \frac{2\sqrt{-z^2}}{z} \operatorname{cosh}^{-1}\left(\sqrt{\frac{\sqrt{z+1} - \sqrt{z}}{2\sqrt{z+1}}}\right)$$

### Involving $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$

#### Involving $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$ and $\operatorname{cosh}^{-1}\left(\frac{1-z}{1+z}\right)$

01.16.27.1761.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\frac{i}{2} \operatorname{cosh}^{-1}\left(\frac{1-z}{1+z}\right); -\pi < \arg(z) \leq 0$$

01.16.27.1762.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{i}{2} \operatorname{cosh}^{-1}\left(\frac{1-z}{1+z}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1763.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{i}{2} \operatorname{cosh}^{-1}\left(\frac{1-z}{1+z}\right) + \pi; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1764.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{1}{2} \left( 1 - \sqrt{z+1} \sqrt{\frac{1}{z+1}} \right) \pi - \frac{\sqrt{-z}}{2\sqrt{z}} \operatorname{cosh}^{-1}\left(\frac{1-z}{1+z}\right)$$

#### Involving $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$ and $\operatorname{cosh}^{-1}\left(\frac{z-1}{z+1}\right)$

01.16.27.1765.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{1}{2} i \operatorname{cosh}^{-1}\left(\frac{z-1}{z+1}\right) + \frac{\pi}{2}; \operatorname{Im}(z) \geq 0$$

01.16.27.1766.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\frac{1}{2} i \operatorname{cosh}^{-1}\left(\frac{z-1}{z+1}\right) + \frac{\pi}{2}; \operatorname{Im}(z) < 0$$

01.16.27.1767.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{1}{2} \sqrt{-\frac{1}{z}} \sqrt{z} \operatorname{cosh}^{-1}\left(\frac{z-1}{z+1}\right) + \frac{\pi}{2}$$

#### Involving $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$ and $\operatorname{cosh}^{-1}\left(\frac{2\sqrt{z}}{1+z}\right)$



01.16.27.1768.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{1}{2}\left(\frac{\pi}{2} - i \cosh^{-1}\left(\frac{2\sqrt{z}}{z+1}\right)\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1769.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{1}{2}\left(i \cosh^{-1}\left(\frac{2\sqrt{z}}{z+1}\right) + \frac{\pi}{2}\right); 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1770.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{1}{2}\left(\frac{\pi}{2} - \sqrt{\frac{1}{z-1}} \sqrt{z-1} \sqrt{\frac{1}{z}} \sqrt{-z} \cosh^{-1}\left(\frac{2\sqrt{z}}{z+1}\right)\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cosh^{-1}\left(\frac{1}{\sqrt{z+1}}\right)$

01.16.27.1771.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -i \cosh^{-1}\left(\frac{1}{\sqrt{z+1}}\right); -\pi < \arg(z) \leq 0$$

01.16.27.1772.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = i \cosh^{-1}\left(\frac{1}{\sqrt{z+1}}\right); 0 < \arg(z) \leq \pi$$

01.16.27.1773.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\frac{\sqrt{-z}}{\sqrt{z}} \cosh^{-1}\left(\frac{1}{\sqrt{z+1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cosh^{-1}\left(\sqrt{\frac{1}{z+1}}\right)$

01.16.27.1774.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -i \cosh^{-1}\left(\sqrt{\frac{1}{z+1}}\right); -\pi < \arg(z) \leq 0$$

01.16.27.1775.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = i \cosh^{-1}\left(\sqrt{\frac{1}{z+1}}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1776.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \pi + i \cosh^{-1}\left(\sqrt{\frac{1}{z+1}}\right); (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1777.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{1}{2}\left(1 - \sqrt{z+1} \sqrt{\frac{1}{z+1}}\right) \pi - \frac{\sqrt{-z}}{\sqrt{z}} \cosh^{-1}\left(\sqrt{\frac{1}{z+1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cosh^{-1}\left(\frac{\sqrt{z}}{\sqrt{1+z}}\right)$

01.16.27.1778.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = i \cosh^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right) + \frac{\pi}{2} /; \operatorname{Im}(z) \geq 0$$

01.16.27.1779.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -i \cosh^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right) + \frac{\pi}{2} /; \operatorname{Im}(z) < 0$$

01.16.27.1780.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \sqrt{-\frac{1}{z}} \sqrt{z} \cosh^{-1}\left(\frac{\sqrt{z}}{\sqrt{z+1}}\right) + \frac{\pi}{2}$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cosh^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-1-z}}\right)$

01.16.27.1781.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = i \cosh^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-z-1}}\right) + \frac{\pi}{2} /; 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1782.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - i \cosh^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-1-z}}\right) /; \operatorname{Im}(z) < 0$$

01.16.27.1783.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = i \cosh^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-z-1}}\right) - \frac{\pi}{2} /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1784.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \sqrt{-\frac{1}{z}} \sqrt{z} \cosh^{-1}\left(\frac{\sqrt{-z}}{\sqrt{-z-1}}\right) + \frac{1}{2} \pi \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}}$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cosh^{-1}\left(\sqrt{\frac{z}{1+z}}\right)$

01.16.27.1785.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = i \cosh^{-1}\left(\sqrt{\frac{z}{z+1}}\right) + \frac{\pi}{2} /; \operatorname{Im}(z) \geq 0$$

01.16.27.1786.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -i \cosh^{-1}\left(\sqrt{\frac{z}{z+1}}\right) + \frac{\pi}{2} /; \operatorname{Im}(z) < 0$$

01.16.27.1787.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \sqrt{-\frac{1}{z+1}} \sqrt{z+1} \cosh^{-1}\left(\sqrt{\frac{z}{z+1}}\right) + \frac{\pi}{2}$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cosh^{-1}\left(\frac{\sqrt{\sqrt{1+z}+1}}{\sqrt{2}(1+z)^{1/4}}\right)$

01.16.27.1788.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2i \cosh^{-1}\left(\frac{\sqrt{\sqrt{z+1}+1}}{\sqrt{2}\sqrt[4]{z+1}}\right); 0 < \arg(z) \leq \pi$$

01.16.27.1789.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -2i \cosh^{-1}\left(\frac{\sqrt{\sqrt{z+1}+1}}{\sqrt{2}\sqrt[4]{z+1}}\right); -\pi < \arg(z) \leq 0$$

01.16.27.1790.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\frac{2\sqrt{-z^2}}{z} \cosh^{-1}\left(\frac{\sqrt{\sqrt{z+1}+1}}{\sqrt{2}\sqrt[4]{z+1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cosh^{-1}\left(\frac{\sqrt{\sqrt{1+z}-1}}{\sqrt{2}(1+z)^{1/4}}\right)$

01.16.27.1791.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \pi + 2i \cosh^{-1}\left(\frac{\sqrt{\sqrt{z+1}-1}}{\sqrt{2}\sqrt[4]{z+1}}\right); \operatorname{Im}(z) \geq 0$$

01.16.27.1792.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \pi - 2i \cosh^{-1}\left(\frac{\sqrt{\sqrt{z+1}-1}}{\sqrt{2}\sqrt[4]{z+1}}\right); \operatorname{Im}(z) < 0$$

01.16.27.1793.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2\sqrt{-\frac{1}{z}}\sqrt{z} \cosh^{-1}\left(\frac{\sqrt{\sqrt{z+1}-1}}{\sqrt{2}\sqrt[4]{z+1}}\right) + \pi$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cosh^{-1}\left(\frac{\sqrt{(\sqrt{1+z}+1)/(2\sqrt{1+z})}}{\sqrt{z}}\right)$

01.16.27.1794.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -2i \cosh^{-1}\left(\sqrt{\frac{\sqrt{z+1}+1}{2\sqrt{z+1}}}\right); -\pi < \arg(z) \leq 0$$

01.16.27.1795.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2i \cosh^{-1}\left(\sqrt{\frac{\sqrt{z+1}+1}{2\sqrt{z+1}}}\right); 0 < \arg(z) \leq \pi$$

01.16.27.1796.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\frac{2\sqrt{-z}}{\sqrt{z}} \cosh^{-1}\left(\sqrt{\frac{\sqrt{z+1}+1}{2\sqrt{z+1}}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cosh^{-1}\left(\sqrt{(\sqrt{1+z}-1)/(2\sqrt{1+z})}\right)$

01.16.27.1797.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \pi + 2i \cosh^{-1}\left(\sqrt{\frac{\sqrt{z+1}-1}{2\sqrt{z+1}}}\right); \operatorname{Im}(z) \geq 0$$

01.16.27.1798.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \pi - 2i \cosh^{-1}\left(\sqrt{\frac{\sqrt{z+1}-1}{2\sqrt{z+1}}}\right); \operatorname{Im}(z) < 0$$

01.16.27.1799.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2\sqrt{-\frac{1}{z}} \sqrt{z} \cosh^{-1}\left(\sqrt{\frac{\sqrt{z+1}-1}{2\sqrt{z+1}}}\right) + \pi$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cosh^{-1}\left(\sqrt{\sqrt{1+z}+\sqrt{z}} / (\sqrt{2}(1+z)^{1/4})\right)$

01.16.27.1800.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} + 2i \cosh^{-1}\left(\frac{\sqrt{\sqrt{z}+\sqrt{z+1}}}{\sqrt{2}\sqrt[4]{z+1}}\right); \operatorname{Im}(z) \geq 0$$

01.16.27.1801.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - 2i \cosh^{-1}\left(\frac{\sqrt{\sqrt{z}+\sqrt{z+1}}}{\sqrt{2}\sqrt[4]{z+1}}\right); \operatorname{Im}(z) < 0$$

01.16.27.1802.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2\sqrt{-\frac{1}{z}} \sqrt{z} \cosh^{-1}\left(\frac{\sqrt{\sqrt{z}+\sqrt{z+1}}}{\sqrt{2}\sqrt[4]{z+1}}\right) + \frac{\pi}{2}$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cosh^{-1}\left(\sqrt{\sqrt{1+z}-\sqrt{z}} / (\sqrt{2}(1+z)^{1/4})\right)$

01.16.27.1803.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2i \cosh^{-1}\left(\frac{\sqrt{\sqrt{z+1}-\sqrt{z}}}{\sqrt{2}\sqrt[4]{z+1}}\right) - \frac{\pi}{2}; 0 < \arg(z) \leq \pi$$

01.16.27.1804.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -2i \cosh^{-1}\left(\frac{\sqrt{\sqrt{z+1}-\sqrt{z}}}{\sqrt{2}\sqrt[4]{z+1}}\right) - \frac{\pi}{2}; -\pi < \arg(z) \leq 0$$

01.16.27.1805.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\frac{2\sqrt{-z^2}}{z} \cosh^{-1}\left(\frac{\sqrt{\sqrt{z+1}-\sqrt{z}}}{\sqrt{2}\sqrt[4]{z+1}}\right) - \frac{\pi}{2}$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cosh^{-1}\left(\sqrt{\frac{(\sqrt{1+z} + \sqrt{z})}{(2\sqrt{1+z})}}\right)$

01.16.27.1806.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} + 2i \cosh^{-1}\left(\sqrt{\frac{\sqrt{z} + \sqrt{z+1}}{2\sqrt{z+1}}}\right); \operatorname{Im}(z) \geq 0$$

01.16.27.1807.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - 2i \cosh^{-1}\left(\sqrt{\frac{\sqrt{z} + \sqrt{z+1}}{2\sqrt{z+1}}}\right); \operatorname{Im}(z) < 0$$

01.16.27.1808.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2\sqrt{-\frac{1}{z}} \sqrt{z} \cosh^{-1}\left(\sqrt{\frac{\sqrt{z} + \sqrt{z+1}}{2\sqrt{z+1}}}\right) + \frac{\pi}{2}$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\cosh^{-1}\left(\sqrt{\frac{(\sqrt{1+z} - \sqrt{z})}{(2\sqrt{1+z})}}\right)$

01.16.27.1809.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2i \cosh^{-1}\left(\sqrt{\frac{\sqrt{z+1}-\sqrt{z}}{2\sqrt{z+1}}}\right) - \frac{\pi}{2}; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1810.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -2i \cosh^{-1}\left(\sqrt{\frac{\sqrt{z+1}-\sqrt{z}}{2\sqrt{z+1}}}\right) - \frac{\pi}{2}; -\pi < \arg(z) \leq 0$$

01.16.27.1811.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2i \cosh^{-1}\left(\sqrt{\frac{\sqrt{z+1}-\sqrt{z}}{2\sqrt{z+1}}}\right) + \frac{3\pi}{2}; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1812.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \left(-\sqrt{\frac{1}{z+1}} \sqrt{z+1} + \frac{1}{2}\right)\pi - \frac{2\sqrt{-z^2}}{z} \cosh^{-1}\left(\sqrt{\frac{\sqrt{z+1}-\sqrt{z}}{2\sqrt{z+1}}}\right)$$

### Involving $\cot^{-1}(\sqrt{z-1})$

Involving  $\cot^{-1}(\sqrt{z-1})$  and  $\cosh^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.1813.01

$$\cot^{-1}(\sqrt{z-1}) = \frac{\pi}{2} - i \cosh^{-1}\left(\frac{1}{\sqrt{z}}\right); 0 < \arg(z) \leq \pi$$

01.16.27.1814.01

$$\cot^{-1}(\sqrt{z-1}) = i \cosh^{-1}\left(\frac{1}{\sqrt{z}}\right) + \frac{\pi}{2}; -\pi < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1815.01

$$\cot^{-1}(\sqrt{z-1}) = -i \cosh^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1816.01

$$\cot^{-1}(\sqrt{z-1}) = \frac{1}{2}\pi \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} - \frac{\sqrt{z-1}}{\sqrt{1-z}} \cosh^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

### Involving $\cot^{-1}\left(\frac{1}{\sqrt{z-1}}\right)$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z-1}}\right)$  and  $\cosh^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.1817.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z-1}}\right) = i \cosh^{-1}\left(\frac{1}{\sqrt{z}}\right); 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1818.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z-1}}\right) = -i \cosh^{-1}\left(\frac{1}{\sqrt{z}}\right); -\pi < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1819.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z-1}}\right) = \frac{\sqrt{z-1}}{\sqrt{1-z}} \cosh^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

### Involving $\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right)$

Involving  $\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right)$  and  $\cosh^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.1820.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right) = i \cosh^{-1}\left(\frac{1}{\sqrt{z}}\right); \operatorname{Im}(z) > 0$$

01.16.27.1821.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right) = -i \cosh^{-1}\left(\frac{1}{\sqrt{z}}\right); \operatorname{Im}(z) \leq 0$$

01.16.27.1822.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right) = -\sqrt{1-z} \sqrt{\frac{1}{z-1}} \cosh^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right)$  and  $\cosh^{-1}(\sqrt{z})$

01.16.27.1823.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right) = \frac{\pi}{2} - i \cosh^{-1}(\sqrt{z}); \operatorname{Im}(z) < 0$$

01.16.27.1824.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right) = \frac{\pi}{2} + i \cosh^{-1}(\sqrt{z}); 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1825.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right) = -\frac{\pi}{2} - i \cosh^{-1}(\sqrt{z}); (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1826.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right) = \frac{1}{2} \pi \sqrt{1-z} \sqrt{\frac{1}{1-z}} + \frac{\sqrt{z-1}}{\sqrt{1-z}} \cosh^{-1}(\sqrt{z})$$

### Involving $\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right)$  and  $\cosh^{-1}(\sqrt{z})$

01.16.27.1827.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right) = -i \cosh^{-1}(\sqrt{z}) - \frac{\pi}{2}; 0 < \arg(z) \leq \pi$$

01.16.27.1828.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right) = i \cosh^{-1}(\sqrt{z}) - \frac{\pi}{2}; \operatorname{Im}(z) < 0$$

01.16.27.1829.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right) = i \cosh^{-1}(\sqrt{z}) + \frac{\pi}{2}; (z \in \mathbb{R} \wedge z > 0)$$

01.16.27.1830.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right) = i \cosh^{-1}(\sqrt{z}) + \frac{\pi}{2}; (z \in \mathbb{R} \wedge z > 0)$$

01.16.27.1831.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right) = \frac{\sqrt{-z}}{\sqrt{z}} \cosh^{-1}(\sqrt{z}) - \frac{\pi \sqrt{-z}}{2} \sqrt{-\frac{1}{z}}$$

Involving  $\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right)$

Involving  $\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right)$  and  $\cosh^{-1}(\sqrt{z})$

01.16.27.1832.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right) = \frac{\pi}{2} + i \cosh^{-1}(\sqrt{z}); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1833.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right) = \frac{\pi}{2} - i \cosh^{-1}(\sqrt{z}); \operatorname{Im}(z) < 0$$

01.16.27.1834.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right) = -i \cosh^{-1}(\sqrt{z}) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge z < 0) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1835.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right) = \frac{\pi}{2} \left( \sqrt{\frac{1}{1-z}} \sqrt{1-z} + \sqrt{\frac{1}{z}} \sqrt{z} - 1 \right) + \sqrt{\frac{1}{1-z}} \sqrt{1-z} z \sqrt{-\frac{1}{z^2}} \cosh^{-1}(\sqrt{z})$$

Involving  $\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right)$  and  $\cosh^{-1}(\sqrt{z})$

01.16.27.1836.01

$$\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right) = i \cosh^{-1}(\sqrt{z}); -\pi < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$



01.16.27.1837.01

$$\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right) = -i \cosh^{-1}(\sqrt{z}) /; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1838.01

$$\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right) = -i \cosh^{-1}(\sqrt{z}) - \pi /; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.1839.01

$$\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right) = \frac{1}{2} \pi \left( \sqrt{z} \sqrt{\frac{1}{z} - 1} \right) - \frac{\sqrt{z-1}}{\sqrt{1-z}} \cosh^{-1}(\sqrt{z})$$

### Involving $\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right)$

#### Involving $\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right)$ and $\cosh^{-1}(\sqrt{z})$

01.16.27.1840.01

$$\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right) = i \cosh^{-1}(\sqrt{z}) /; \operatorname{Im}(z) > 0$$

01.16.27.1841.01

$$\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right) = -i \cosh^{-1}(\sqrt{z}) /; -\pi < \arg(z) \leq 0$$

01.16.27.1842.01

$$\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right) = i \cosh^{-1}(\sqrt{z}) + \pi /; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.1843.01

$$\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right) = \frac{1}{2} \pi \left( 1 - \sqrt{z} \sqrt{\frac{1}{z}} \right) + \frac{\sqrt{z}}{\sqrt{-z}} \cosh^{-1}(\sqrt{z})$$

### Involving $\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right)$

#### Involving $\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right)$ and $\cosh^{-1}(\sqrt{z})$

01.16.27.1844.01

$$\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right) = -i \cosh^{-1}(\sqrt{z}) /; 0 \leq \arg(z) < \pi$$

01.16.27.1845.01

$$\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right) = i \cosh^{-1}(\sqrt{z}) /; \operatorname{Im}(z) < 0$$

01.16.27.1846.01

$$\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right) = -i \cosh^{-1}(\sqrt{z}) - \pi /; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.1847.01

$$\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right) = -\frac{\pi}{2} \left(1 - \sqrt{\frac{1}{z}} \sqrt{z}\right) + \sqrt{\frac{1}{1-z}} (-\sqrt{z-1}) \cosh^{-1}(\sqrt{z})$$

### Involving $\cot^{-1}\left(\frac{\sqrt{1+cz}}{\sqrt{1-cz}}\right)$

#### Involving $\cot^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right)$ and $\cosh^{-1}(z)$

01.16.27.1848.01

$$\cot^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right) = \frac{i}{2} \cosh^{-1}(z) /; \text{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1849.01

$$\cot^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right) = -\frac{i}{2} \cosh^{-1}(z) /; \text{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.16.27.1850.01

$$\cot^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right) = -\frac{i}{2} \cosh^{-1}(z) - \pi /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1851.01

$$\cot^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right) = \frac{\pi}{2} \left(\sqrt{z+1} \sqrt{\frac{1}{z+1} - 1}\right) + \frac{\sqrt{1-z}}{2\sqrt{z-1}} \cosh^{-1}(z)$$

#### Involving $\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right)$ and $\cosh^{-1}(z)$

01.16.27.1852.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right) = \frac{\pi}{2} - \frac{1}{2} i \cosh^{-1}(z) /; \text{Im}(z) < 0$$

01.16.27.1853.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right) = \frac{i}{2} \cosh^{-1}(z) + \frac{\pi}{2} /; 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1854.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right) = -\frac{i}{2} \cosh^{-1}(z) - \frac{\pi}{2} /; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1855.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right) = \frac{\sqrt{z-1}}{2\sqrt{1-z}} \cosh^{-1}(z) + \frac{\pi}{2} \sqrt{\frac{1}{1-z}} \sqrt{1-z}$$

### Involving $\cot^{-1}\left(\frac{\sqrt{-1+cz}}{\sqrt{-1-cz}}\right)$

#### Involving $\cot^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right)$ and $\cosh^{-1}(z)$

01.16.27.1856.01

$$\cot^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right) = \frac{i}{2} \cosh^{-1}(z) ; \operatorname{Im}(z) > 0$$

01.16.27.1857.01

$$\cot^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right) = -\frac{i}{2} \cosh^{-1}(z) ; -\pi < \arg(z) \leq 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1858.01

$$\cot^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right) = \frac{i}{2} \cosh^{-1}(z) + \pi ; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1859.01

$$\cot^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right) = \frac{\sqrt{z+1}}{2\sqrt{-z-1}} \cosh^{-1}(z) - \frac{1}{2} \left( \sqrt{\frac{1}{z+1}} \sqrt{z+1} - 1 \right) \pi$$

#### Involving $\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right)$ and $\cosh^{-1}(z)$

01.16.27.1860.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right) = \frac{1}{2} i \cosh^{-1}(z) - \frac{\pi}{2} ; \operatorname{Im}(z) < 0$$

01.16.27.1861.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right) = -\frac{i}{2} \cosh^{-1}(z) - \frac{\pi}{2} ; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1862.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right) = \frac{1}{2} i \cosh^{-1}(z) + \frac{\pi}{2} ; (z \in \mathbb{R} \wedge z > -1)$$

01.16.27.1863.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right) = \frac{\sqrt{-z-1}}{2\sqrt{z+1}} \cosh^{-1}(z) - \frac{\pi}{2} \sqrt{-z-1} \sqrt{-\frac{1}{z+1}}$$

### Involving $\cot^{-1}\left(\sqrt{\frac{1+cz}{1-cz}}\right)$

Involving  $\cot^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right)$  and  $\cosh^{-1}(z)$

01.16.27.1864.01

$$\cot^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right) = -\frac{i}{2} \cosh^{-1}(z) /; 0 \leq \arg(z) < \pi \wedge (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1865.01

$$\cot^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right) = \frac{i}{2} \cosh^{-1}(z) /; \operatorname{Im}(z) < 0$$

01.16.27.1866.01

$$\cot^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right) = -\frac{i}{2} \cosh^{-1}(z) - \pi /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1867.01

$$\cot^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z+1}} \sqrt{z+1} - 1 \right) - \frac{1}{2} \sqrt{z} \sqrt{-\frac{1}{z}} \cosh^{-1}(z)$$

Involving  $\cot^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right)$  and  $\cosh^{-1}(z)$

01.16.27.1868.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right) = \frac{1}{2} i \cosh^{-1}(z) + \frac{\pi}{2} /; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.16.27.1869.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right) = -\frac{1}{2} i \cosh^{-1}(z) + \frac{\pi}{2} /; \operatorname{Im}(z) < 0$$

01.16.27.1870.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right) = -\frac{1}{2} i \cosh^{-1}(z) - \frac{\pi}{2} /; (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1871.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right) = \sqrt{\frac{1-z}{1+z}} \sqrt{\frac{1+z}{1-z}} \left( \frac{1}{2} \sqrt{-\frac{1}{z}} \sqrt{z} \cosh^{-1}(z) + \frac{\pi}{2} \right)$$

Involving  $\cot^{-1}\left(\sqrt{z^2 - 1}\right)$

Involving  $\cot^{-1}\left(\sqrt{z^2 - 1}\right)$  and  $\cosh^{-1}\left(\frac{1}{z}\right)$

01.16.27.1872.01

$$\cot^{-1}\left(\sqrt{z^2-1}\right) = \frac{\pi}{2} - i \cosh^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) \leq \frac{\pi}{2}$$

01.16.27.1873.01

$$\cot^{-1}\left(\sqrt{z^2-1}\right) = i \cosh^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2}; -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1874.01

$$\cot^{-1}\left(\sqrt{z^2-1}\right) = i \cosh^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2}; \frac{\pi}{2} < \arg(z) < \pi$$

01.16.27.1875.01

$$\cot^{-1}\left(\sqrt{z^2-1}\right) = -i \cosh^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2}; -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1876.01

$$\cot^{-1}\left(\sqrt{z^2-1}\right) = -i \cosh^{-1}\left(\frac{1}{z}\right) - \frac{3\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1877.01

$$\cot^{-1}\left(\sqrt{z^2-1}\right) = \frac{\pi}{2} \left( \sqrt{\frac{z+1}{z-1}} \sqrt{\frac{z-1}{z+1}} + \frac{\sqrt{z^2}}{z} - 1 \right) - \frac{\sqrt{z-1} \sqrt{z^2}}{\sqrt{1-z} \sqrt{z}} \sqrt{\frac{1}{z}} \cosh^{-1}\left(\frac{1}{z}\right)$$

## Involving $\cot^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right)$

### Involving $\cot^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right)$ and $\cosh^{-1}\left(\frac{1}{z}\right)$

01.16.27.1878.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right) = i \cosh^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1879.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right) = -i \cosh^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1880.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right) = \pi - i \cosh^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} < \arg(z) < \pi$$

01.16.27.1881.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right) = i \cosh^{-1}\left(\frac{1}{z}\right) + \pi; -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.1882.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right) = \frac{\pi}{2} \left(1 - \frac{\sqrt{z^2}}{z}\right) + \frac{\sqrt{z-1} \sqrt{z^2}}{\sqrt{1-z} \sqrt{z}} \sqrt{\frac{1}{z}} \cosh^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right)$

Involving  $\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right)$  and  $\cosh^{-1}\left(\frac{1}{z}\right)$

01.16.27.1883.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right) = i \cosh^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) < \frac{\pi}{2}$$

01.16.27.1884.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right) = -i \cosh^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) \leq 0 \vee (i z \in \mathbb{R} \wedge i z < 0)$$

01.16.27.1885.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right) = \pi - i \cosh^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} < \arg(z) < \pi$$

01.16.27.1886.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right) = i \cosh^{-1}\left(\frac{1}{z}\right) + \pi; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1887.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right) = -i \cosh^{-1}\left(\frac{1}{z}\right) - \pi; (z \in \mathbb{R} \wedge -1 < z < 0) \vee (i z \in \mathbb{R} \wedge i z > 0)$$

01.16.27.1888.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right) = \frac{\pi}{2} \sqrt{\frac{1}{z^2-1}} \sqrt{z^2-1} \left(1 - \frac{\sqrt{z^2}}{z}\right) + \frac{\sqrt{z-1} \sqrt{z^2} \sqrt{z^2-1}}{\sqrt{(1-z)z}} \sqrt{\frac{1}{z}} \sqrt{\frac{1}{z^2-1}} \cosh^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(z \sqrt{\frac{z^2-1}{z^2}}\right)$

Involving  $\cot^{-1}\left(z \sqrt{\frac{z^2-1}{z^2}}\right)$  and  $\cosh^{-1}\left(\frac{1}{z}\right)$

01.16.27.1889.01

$$\cot^{-1}\left(z\sqrt{\frac{z^2-1}{z^2}}\right) = \frac{\pi}{2} - i \cosh^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) > 0$$

01.16.27.1890.01

$$\cot^{-1}\left(z\sqrt{\frac{z^2-1}{z^2}}\right) = i \cosh^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2}; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1891.01

$$\cot^{-1}\left(z\sqrt{\frac{z^2-1}{z^2}}\right) = -i \cosh^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1892.01

$$\cot^{-1}\left(z\sqrt{\frac{z^2-1}{z^2}}\right) = i \cosh^{-1}\left(\frac{1}{z}\right) + \frac{3\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1893.01

$$\cot^{-1}\left(z\sqrt{\frac{z^2-1}{z^2}}\right) = \frac{\pi}{2} \left( \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} - \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} + 1 \right) - \frac{\sqrt{z-1} \sqrt{z}}{\sqrt{1-z}} \sqrt{\frac{1}{z}} \cosh^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{z}{\sqrt{-z^2-1}}\right)$

Involving  $\cot^{-1}\left(\frac{z}{\sqrt{-z^2-1}}\right)$  and  $\cosh^{-1}(iz)$

01.16.27.0034.01

$$\cot^{-1}\left(\frac{z}{\sqrt{-z^2-1}}\right) = \frac{\sqrt{-z^2-1}}{2\sqrt{z^2+1}} \left( \frac{2i\sqrt{1-iz}}{\sqrt{iz-1}} \cosh^{-1}(iz) - \pi \left( i + \sqrt{-\frac{1}{z^2}} z \right) \right)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right)$  and  $\cosh^{-1}(z)$

01.16.27.1894.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right) = -i \cosh^{-1}(z); 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1) \vee (iz \in \mathbb{R} \wedge iz > 0)$$

01.16.27.1895.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right) = i \cosh^{-1}(z) /; -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1896.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right) = -i \cosh^{-1}(z) - \pi /; (i z \in \mathbb{R} \wedge i z < 0)$$

01.16.27.1897.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right) = i \cosh^{-1}(z) + \pi /; \frac{\pi}{2} < \arg(z) \leq \pi$$

01.16.27.1898.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right) = -i \cosh^{-1}(z) + \pi /; -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.1899.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} \sqrt{z^2} - \frac{\sqrt{z^2}}{z} \right) + \frac{z \sqrt{1-z}}{\sqrt{z^2} \sqrt{z-1}} \cosh^{-1}(z)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right)$

### Involving $\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right)$ and $\cosh^{-1}(z)$

01.16.27.1900.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) = i \cosh^{-1}(z) /; 0 < \arg(z) < \frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z > 0)$$

01.16.27.1901.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) = -i \cosh^{-1}(z) /; -\frac{\pi}{2} < \arg(z) \leq 0$$

01.16.27.1902.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) = i \cosh^{-1}(z) + \pi /; (i z \in \mathbb{R} \wedge i z < 0) \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1903.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) = -i \cosh^{-1}(z) - \pi /; \frac{\pi}{2} < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$



01.16.27.1904.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) = i \cosh^{-1}(z) - \pi /; -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.1905.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) = \frac{\pi z \sqrt{z^2-1}}{2(\sqrt{-z^2} \sqrt{1-z^2})} \left(\sqrt{\frac{1}{z^2}} z - 1\right) + \frac{\sqrt{z} \sqrt{z^2-1}}{\sqrt{z-1} \sqrt{z+1} \sqrt{-z}} \cosh^{-1}(z)$$

Involving  $\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right)$

Involving  $\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right)$  and  $\cosh^{-1}(z)$

01.16.27.1906.01

$$\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) = -i \cosh^{-1}(z) /; 0 \leq \arg(z) < \frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z > 0)$$

01.16.27.1907.01

$$\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) = i \cosh^{-1}(z) /; -\frac{\pi}{2} < \arg(z) < 0$$

01.16.27.1908.01

$$\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) = i \cosh^{-1}(z) + \pi /; \frac{\pi}{2} < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1909.01

$$\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) = -i \cosh^{-1}(z) + \pi /; -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.1910.01

$$\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) = -i \cosh^{-1}(z) - \pi /; (z \in \mathbb{R} \wedge z < -1) \vee (i z \in \mathbb{R} \wedge i z < 0)$$

01.16.27.1911.01

$$\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) = \frac{\pi}{2} \sqrt{\frac{z^2}{1-z^2}} \sqrt{\frac{1-z^2}{z^2}} \left(1 - z \sqrt{\frac{1}{z^2}}\right) - \frac{\sqrt{z-1} \sqrt{z+1}}{z} \sqrt{\frac{z^2}{1-z^2}} \cosh^{-1}(z)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right)$  and  $\cosh^{-1}(z)$

01.16.27.1912.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right) = i \cosh^{-1}(z) + \frac{\pi}{2} /; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.16.27.1913.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right) = -i \cosh^{-1}(z) + \frac{\pi}{2} /; \operatorname{Im}(z) < 0$$

01.16.27.1914.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right) = -i \cosh^{-1}(z) - \frac{\pi}{2} /; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1915.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right) = i \cosh^{-1}(z) + \frac{3\pi}{2} /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1916.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right) = \frac{\pi}{2} \left( -\sqrt{\frac{1}{z+1}} \sqrt{z+1} + \sqrt{\frac{1}{1-z}} \sqrt{1-z} + 1 \right) - \frac{\sqrt{1-z}}{\sqrt{z-1}} \cosh^{-1}(z)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right)$  and  $\cosh^{-1}(z)$

01.16.27.1917.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right) = i \cosh^{-1}(z) + \frac{\pi}{2} /; 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1918.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right) = \frac{\pi}{2} - i \cosh^{-1}(z) /; -\frac{\pi}{2} < \arg(z) < 0$$

01.16.27.1919.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right) = -i \cosh^{-1}(z) - \frac{\pi}{2} /; \frac{\pi}{2} < \arg(z) < \pi \bigvee (z \in \mathbb{R} \wedge z > 1) \bigvee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1920.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right) = i \cosh^{-1}(z) - \frac{\pi}{2} /; -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.16.27.1921.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right) = -i \cosh^{-1}(z) - \frac{3\pi}{2} /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1922.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right) = \frac{\pi \sqrt{z^2}}{2z} \left( -\sqrt{\frac{1}{z+1}} \sqrt{z+1} + \sqrt{\frac{1}{1-z}} \sqrt{1-z} + 1 \right) + \frac{\sqrt{z-1} z}{\sqrt{1-z} \sqrt{z^2}} \cosh^{-1}(z)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right)$

### Involving $\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right)$ and $\cosh^{-1}(z)$

01.16.27.1923.01

$$\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) = -i \cosh^{-1}(z) - \frac{\pi}{2} /; 0 < \arg(z) \leq \frac{\pi}{2} \bigvee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1924.01

$$\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) = -\frac{\pi}{2} + i \cosh^{-1}(z) /; -\frac{\pi}{2} < \arg(z) < 0$$

01.16.27.1925.01

$$\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) = i \cosh^{-1}(z) + \frac{\pi}{2} /; \frac{\pi}{2} < \arg(z) < \pi \bigvee (z \in \mathbb{R} \wedge z > 0)$$

01.16.27.1926.01

$$\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) = -i \cosh^{-1}(z) + \frac{\pi}{2} /; -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.16.27.1927.01

$$\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) = i \cosh^{-1}(z) + \frac{3\pi}{2} /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1928.01

$$\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) = \frac{\pi z \sqrt{z^2-1}}{2\sqrt{-z^2}\sqrt{1-z^2}} \left(-\sqrt{\frac{1}{z+1}}\sqrt{z+1} + \sqrt{\frac{1}{1-z}}\sqrt{1-z} + 1\right) - \frac{\sqrt{z}\sqrt{z^2-1}}{\sqrt{-z}\sqrt{z-1}\sqrt{z+1}} \cosh^{-1}(z)$$

Involving  $\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right)$

Involving  $\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right)$  and  $\cosh^{-1}(z)$

01.16.27.1929.01

$$\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) = i \cosh^{-1}(z) + \frac{\pi}{2} /; 0 < \arg(z) < \frac{\pi}{2} \bigvee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1930.01

$$\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) = \frac{\pi}{2} - i \cosh^{-1}(z) /; -\frac{\pi}{2} \leq \arg(z) < 0$$

01.16.27.1931.01

$$\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) = -i \cosh^{-1}(z) - \frac{\pi}{2} /; \frac{\pi}{2} \leq \arg(z) < \pi \bigvee (z \in \mathbb{R} \wedge z > 1) \bigvee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.1932.01

$$\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) = i \cosh^{-1}(z) - \frac{\pi}{2} /; -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.1933.01

$$\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) = -i \cosh^{-1}(z) - \frac{3\pi}{2} /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1934.01

$$\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) = \frac{\pi}{2} \sqrt{\frac{1}{z^2}} z \left(-\sqrt{\frac{1}{z+1}}\sqrt{z+1} + \sqrt{\frac{1}{1-z}}\sqrt{1-z} + 1\right) - \frac{\sqrt{1-z} z}{\sqrt{z-1}} \sqrt{\frac{1}{z^2}} \cosh^{-1}(z)$$

**Involving  $\tanh^{-1}$**

**Involving  $\cot^{-1}(z)$**

Involving  $\cot^{-1}(z)$  and  $\tanh^{-1}(iz)$

01.16.27.1935.01

$$\cot^{-1}(z) = i \tanh^{-1}(iz) + \frac{\pi}{2} /; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1) \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.1936.01

$$\cot^{-1}(z) = i \tanh^{-1}(iz) - \frac{\pi}{2} /; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge -1 < iz < 0) \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.1937.01

$$\cot^{-1}(z) = \frac{\pi \sqrt{z^2}}{2z} + i \tanh^{-1}(iz) /; iz \notin (-1, 1)$$

01.16.27.1938.01

$$\cot^{-1}(z) = i \tanh^{-1}(iz) + \frac{1}{2} \pi \operatorname{sgn}(\operatorname{Re}(z)) /; \operatorname{Re}(z) \neq 0$$

01.16.27.1939.01

$$\cot^{-1}(z) = i \tanh^{-1}(iz) + \frac{\pi}{2z} \sqrt{z^2} \sqrt{\frac{z^2+1}{z^2}} \sqrt{\frac{z^2}{z^2+1}}$$

### Involving $\cot^{-1}(z)$ and $\tanh^{-1}\left(\frac{i}{z}\right)$

01.16.27.0035.01

$$\cot^{-1}(z) = -i \tanh^{-1}\left(\frac{i}{z}\right)$$

### Involving $\cot^{-1}(iz)$

#### Involving $\cot^{-1}(iz)$ and $\tanh^{-1}(z)$

01.16.27.1940.01

$$\cot^{-1}(iz) = -i \tanh^{-1}(z) - \frac{\pi}{2} /; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1) \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.1941.01

$$\cot^{-1}(iz) = \frac{\pi}{2} - i \tanh^{-1}(z) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1942.01

$$\cot^{-1}(iz) = -i \tanh^{-1}(z) - \frac{\pi i \sqrt{-z^2}}{2z} /; z \notin (-1, 1)$$

01.16.27.1943.01

$$\cot^{-1}(iz) = -i \tanh^{-1}(z) - \frac{1}{2} \pi \operatorname{sgn}(\operatorname{Im}(z)) /; \operatorname{Im}(z) \neq 0$$

01.16.27.1944.01

$$\cot^{-1}(iz) = -i \tanh^{-1}(z) - \frac{\pi i}{2z} \sqrt{-z^2} \sqrt{\frac{z^2}{z^2-1}} \sqrt{\frac{z^2-1}{z^2}}$$

Involving  $\cot^{-1}(iz)$  and  $\tanh^{-1}\left(\frac{1}{z}\right)$

01.16.27.1945.01

$$\cot^{-1}(iz) = -i \tanh^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}(\sqrt{-z})$

Involving  $\cot^{-1}(\sqrt{-z})$  and  $\tanh^{-1}(\sqrt{z})$

01.16.27.1946.01

$$\cot^{-1}(\sqrt{-z}) = \frac{\pi}{2} - i \tanh^{-1}(\sqrt{z}) ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1947.01

$$\cot^{-1}(\sqrt{-z}) = i \tanh^{-1}(\sqrt{z}) + \frac{\pi}{2} ; 0 < \arg(z) \leq \pi$$

01.16.27.1948.01

$$\cot^{-1}(\sqrt{-z}) = -\frac{\pi}{2} - i \tanh^{-1}(\sqrt{z}) ; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1949.01

$$\cot^{-1}(\sqrt{-z}) = \frac{\sqrt{z}}{\sqrt{-z}} \tanh^{-1}(\sqrt{z}) + \frac{\pi}{2} \sqrt{\frac{1}{1-z}} \sqrt{1-z} \sqrt{-\frac{1}{z}} \sqrt{-z}$$

Involving  $\cot^{-1}(\sqrt{-z})$  and  $\tanh^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.1950.01

$$\cot^{-1}(\sqrt{-z}) = i \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right) ; 0 < \arg(z) \leq \pi$$

01.16.27.1951.01

$$\cot^{-1}(\sqrt{-z}) = -i \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right) ; -\pi < \arg(z) \leq 0$$

01.16.27.1952.01

$$\cot^{-1}(\sqrt{-z}) = -\frac{\sqrt{-z^2}}{z} \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\cot^{-1}(\sqrt{-z})$  and  $\tanh^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.16.27.1953.01

$$\cot^{-1}(\sqrt{-z}) = i \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right) ; \operatorname{Im}(z) > 0$$

01.16.27.1954.01

$$\cot^{-1}(\sqrt{-z}) = -i \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) \leq 0$$

01.16.27.1955.01

$$\cot^{-1}(\sqrt{-z}) = -\sqrt{\frac{1}{z}} \sqrt{-z} \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

Involving  $\cot^{-1}(\sqrt{-z})$  and  $\tanh^{-1}\left(1/\sqrt{\frac{1}{z}}\right)$

01.16.27.1956.01

$$\cot^{-1}(\sqrt{-z}) = \frac{\pi}{2} - i \tanh^{-1}\left(1/\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.1957.01

$$\cot^{-1}(\sqrt{-z}) = i \tanh^{-1}\left(1/\sqrt{\frac{1}{z}}\right) + \frac{\pi}{2}; \operatorname{Im}(z) > 0$$

01.16.27.1958.01

$$\cot^{-1}(\sqrt{-z}) = -\frac{\pi}{2} - i \tanh^{-1}\left(1/\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1959.01

$$\cot^{-1}(\sqrt{-z}) = \frac{\pi}{2} \sqrt{1-z} \sqrt{\frac{1}{1-z}} \sqrt{-z} \sqrt{-\frac{1}{z}} - \sqrt{-z} \sqrt{\frac{1}{z}} \tanh^{-1}\left(1/\sqrt{\frac{1}{z}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right)$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right)$  and  $\tanh^{-1}(\sqrt{z})$

01.16.27.1960.01

$$\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right) = i \tanh^{-1}(\sqrt{z}); -\pi < \arg(z) \leq 0$$

01.16.27.1961.01

$$\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right) = -i \tanh^{-1}(\sqrt{z}); 0 < \arg(z) \leq \pi$$

01.16.27.1962.01

$$\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right) = \frac{\sqrt{-z^2}}{z} \tanh^{-1}(\sqrt{z})$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right)$  and  $\tanh^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.1963.01

$$\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right) = \frac{\pi}{2} - i \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right); 0 < \arg(z) \leq \pi$$

01.16.27.1964.01

$$\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right) = \frac{\pi}{2} + i \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.1965.01

$$\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right) = -\frac{\pi}{2} + i \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1966.01

$$\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right) = \frac{\pi}{2} \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} + \frac{\sqrt{-z}}{\sqrt{z}} \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right)$  and  $\tanh^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.16.27.1967.01

$$\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right) = \frac{\pi}{2} - i \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) > 0$$

01.16.27.1968.01

$$\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right) = \frac{\pi}{2} + i \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.1969.01

$$\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right) = -\frac{\pi}{2} + i \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.1970.01

$$\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right) = \frac{\pi}{2} \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} + \sqrt{-z} \sqrt{\frac{1}{z}} \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right)$  and  $\tanh^{-1}\left(1/\sqrt{\frac{1}{z}}\right)$

01.16.27.1971.01

$$\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right) = i \tanh^{-1}\left(1/\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) \leq 0$$

01.16.27.1972.01

$$\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right) = -i \tanh^{-1}\left(1/\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) > 0$$



01.16.27.1973.01

$$\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right) = \sqrt{-z} \sqrt{\frac{1}{z}} \tanh^{-1}\left(1/\sqrt{\frac{1}{z}}\right)$$

### Involving $\cot^{-1}(\sqrt{z^2})$

#### Involving $\cot^{-1}(\sqrt{z^2})$ and $\tanh^{-1}(iz)$

01.16.27.1974.01

$$\cot^{-1}(\sqrt{z^2}) = \frac{\pi}{2} + i \tanh^{-1}(iz) \text{ ; } \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.1975.01

$$\cot^{-1}(\sqrt{z^2}) = -i \tanh^{-1}(iz) + \frac{\pi}{2} \text{ ; } \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.1976.01

$$\cot^{-1}(\sqrt{z^2}) = -i \tanh^{-1}(iz) - \frac{\pi}{2} \text{ ; } (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.1977.01

$$\cot^{-1}(\sqrt{z^2}) = i \tanh^{-1}(iz) - \frac{\pi}{2} \text{ ; } (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.1978.01

$$\cot^{-1}(\sqrt{z^2}) = \frac{iz}{\sqrt{z^2}} \tanh^{-1}(iz) + \frac{\pi}{2} \sqrt{z^2} \sqrt{\frac{1}{z^2}} \sqrt{\frac{1-iz}{1+iz}} \sqrt{\frac{1+iz}{1-iz}}$$

#### Involving $\cot^{-1}(\sqrt{z^2})$ and $\tanh^{-1}(\frac{i}{z})$

01.16.27.1979.01

$$\cot^{-1}(\sqrt{z^2}) = -i \tanh^{-1}\left(\frac{i}{z}\right) \text{ ; } -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.16.27.1980.01

$$\cot^{-1}(\sqrt{z^2}) = i \tanh^{-1}\left(\frac{i}{z}\right) \text{ ; } \frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.16.27.1981.01

$$\cot^{-1}(\sqrt{z^2}) = -i \frac{\sqrt{z^2}}{z} \tanh^{-1}\left(\frac{i}{z}\right)$$

### Involving $\cot^{-1}(a(bz^c)^m)$

#### Involving $\cot^{-1}(a(bz^c)^m)$ and $\tanh^{-1}(\frac{i}{a} b^{-m} z^{-mc})$

01.16.27.1982.01

$$\cot^{-1}(a (b z^c)^m) = -\frac{i (b z^c)^m}{b^m z^{m c}} \tanh^{-1}\left(\frac{i}{a} b^{-m} z^{-m c}\right); 2 m \in \mathbb{Z}$$

### Involving $\cot^{-1}\left(\frac{1-z}{1+z}\right)$

#### Involving $\cot^{-1}\left(\frac{1-z}{1+z}\right)$ and $\tanh^{-1}(i z)$

01.16.27.1983.01

$$\cot^{-1}\left(\frac{1-z}{1+z}\right) = \frac{\pi}{4} - i \tanh^{-1}(i z); |z| < 1 \vee \frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.16.27.1984.01

$$\cot^{-1}\left(\frac{1-z}{1+z}\right) = -i \tanh^{-1}(i z) - \frac{3\pi}{4}; |z| > 1 \wedge -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.16.27.1985.01

$$\cot^{-1}\left(\frac{1-z}{1+z}\right) = -\frac{\pi}{4} \left( \left( \frac{\sqrt{z^2}}{z} + 1 \right) \left( 1 - \frac{1-z^2}{z} \sqrt{\frac{z^2}{(z^2-1)^2}} \right) - 2 \sqrt{i z + 1} \sqrt{\frac{1}{i z + 1} + 1} \right) - i \tanh^{-1}(i z); |z| \neq 1$$

#### Involving $\cot^{-1}\left(\frac{1-z}{1+z}\right)$ and $\tanh^{-1}\left(\frac{i}{z}\right)$

01.16.27.1986.01

$$\cot^{-1}\left(\frac{1-z}{1+z}\right) = i \tanh^{-1}\left(\frac{i}{z}\right) - \frac{\pi}{4}; |z| > 1 \vee |z| < 1 \wedge \frac{\pi}{2} \leq \arg(z) \leq \pi \vee |z| < 1 \wedge -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.1987.01

$$\cot^{-1}\left(\frac{1-z}{1+z}\right) = \frac{3\pi}{4} + i \tanh^{-1}\left(\frac{i}{z}\right); |z| < 1 \wedge -\frac{\pi}{2} \leq \arg(z) < -\frac{\pi}{2}$$

01.16.27.1988.01

$$\cot^{-1}\left(\frac{1-z}{1+z}\right) = \frac{\pi}{4} \left( \left( \sqrt{\frac{1}{z^2}} z + 1 \right) \left( 1 - \frac{z^2-1}{z} \sqrt{\frac{z^2}{(z^2-1)^2}} \right) - 2 \sqrt{\frac{z+i}{z}} \sqrt{\frac{z}{z+i} + 1} \right) + i \tanh^{-1}\left(\frac{i}{z}\right); |z| \neq 1$$

### Involving $\cot^{-1}\left(\frac{z-1}{z+1}\right)$

#### Involving $\cot^{-1}\left(\frac{z-1}{z+1}\right)$ and $\tanh^{-1}(i z)$

01.16.27.1989.01

$$\cot^{-1}\left(\frac{z-1}{z+1}\right) = -\frac{\pi}{4} + i \tanh^{-1}(i z); |z| < 1 \vee \frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.16.27.1990.01

$$\cot^{-1}\left(\frac{z-1}{z+1}\right) = i \tanh^{-1}(i z) + \frac{3\pi}{4}; |z| > 1 \wedge -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.16.27.1991.01

$$\cot^{-1}\left(\frac{z-1}{z+1}\right) = \frac{\pi}{4} \left( \left( \frac{\sqrt{z^2}}{z} + 1 \right) \left( -\frac{1-z^2}{z} \sqrt{\frac{z^2}{(z^2-1)^2} + 1} \right) - 2\sqrt{1+iz} \sqrt{\frac{1}{1+iz} + 1} \right) + i \tanh^{-1}(iz) /; |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{z-1}{z+1}\right)$  and  $\tanh^{-1}\left(\frac{i}{z}\right)$

01.16.27.1992.01

$$\cot^{-1}\left(\frac{z-1}{z+1}\right) = -i \tanh^{-1}\left(\frac{i}{z}\right) + \frac{\pi}{4} /; |z| > 1 \vee \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.1993.01

$$\cot^{-1}\left(\frac{z-1}{z+1}\right) = -i \tanh^{-1}\left(\frac{i}{z}\right) - \frac{3\pi}{4} /; |z| < 1 \wedge -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.1994.01

$$\cot^{-1}\left(\frac{z-1}{z+1}\right) = -\frac{1}{4}\pi \left( \left( \sqrt{\frac{1}{z^2}} z + 1 \right) \left( -\frac{z^2-1}{z} \sqrt{\frac{z^2}{(z^2-1)^2} + 1} \right) - 2\sqrt{\frac{z+i}{z}} \sqrt{\frac{z}{z+i} + 1} \right) - i \tanh^{-1}\left(\frac{i}{z}\right) /; |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{1+z}{1-z}\right)$

Involving  $\cot^{-1}\left(\frac{1+z}{1-z}\right)$  and  $\tanh^{-1}(iz)$

01.16.27.1995.01

$$\cot^{-1}\left(\frac{1+z}{1-z}\right) = \frac{\pi}{4} + i \tanh^{-1}(iz) /; |z| < 1 \vee -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.16.27.1996.01

$$\cot^{-1}\left(\frac{1+z}{1-z}\right) = i \tanh^{-1}(iz) - \frac{3\pi}{4} /; |z| > 1 \wedge \left(\frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}\right)$$

01.16.27.1997.01

$$\cot^{-1}\left(\frac{1+z}{1-z}\right) = -\frac{\pi}{4} \left( -\left( \frac{\sqrt{z^2}}{z} - 1 \right) \left( \frac{1-z^2}{z} \sqrt{\frac{z^2}{(z^2-1)^2} + 1} \right) - 2\sqrt{1-iz} \sqrt{\frac{1}{1-iz} + 1} \right) + i \tanh^{-1}(iz) /; |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{1+z}{1-z}\right)$  and  $\tanh^{-1}\left(\frac{i}{z}\right)$

01.16.27.1998.01

$$\cot^{-1}\left(\frac{1+z}{1-z}\right) = -i \tanh^{-1}\left(\frac{i}{z}\right) - \frac{\pi}{4} /; |z| > 1 \vee -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.1999.01

$$\cot^{-1}\left(\frac{1+z}{1-z}\right) = -i \tanh^{-1}\left(\frac{i}{z}\right) + \frac{3\pi}{4} /; |z| < 1 \wedge \left(\frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}\right)$$

01.16.27.2000.01

$$\cot^{-1}\left(\frac{1+z}{1-z}\right) = \frac{1}{4}\pi \left( -\left(\sqrt{\frac{1}{z^2}} z - 1\right) \left(\frac{z^2-1}{z} \sqrt{\frac{z^2}{(z^2-1)^2}} + 1\right) - 2\sqrt{\frac{z-i}{z}} \sqrt{\frac{z}{z-i}} + 1 \right) - i \tanh^{-1}\left(\frac{i}{z}\right); |z| \neq 1$$

### Involving $\cot^{-1}\left(\frac{z+1}{z-1}\right)$

#### Involving $\cot^{-1}\left(\frac{z+1}{z-1}\right)$ and $\tanh^{-1}(iz)$

01.16.27.2001.01

$$\cot^{-1}\left(\frac{z+1}{z-1}\right) = -\frac{\pi}{4} - i \tanh^{-1}(iz); |z| < 1 \vee -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.16.27.2002.01

$$\cot^{-1}\left(\frac{z+1}{z-1}\right) = -i \tanh^{-1}(iz) + \frac{3\pi}{4}; |z| > 1 \wedge \left(\frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}\right)$$

01.16.27.2003.01

$$\cot^{-1}\left(\frac{z+1}{z-1}\right) = \frac{\pi}{4} \left( -\left(\sqrt{\frac{1}{z^2}} - 1\right) \left(\frac{1-z^2}{z} \sqrt{\frac{z^2}{(z^2-1)^2}} + 1\right) - 2\sqrt{1-iz} \sqrt{\frac{1}{1-iz}} + 1 \right) - i \tanh^{-1}(iz); |z| \neq 1$$

#### Involving $\cot^{-1}\left(\frac{z+1}{z-1}\right)$ and $\tanh^{-1}\left(\frac{i}{z}\right)$

01.16.27.2004.01

$$\cot^{-1}\left(\frac{z+1}{z-1}\right) = i \tanh^{-1}\left(\frac{i}{z}\right) + \frac{\pi}{4}; |z| > 1 \vee -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.2005.01

$$\cot^{-1}\left(\frac{z+1}{z-1}\right) = i \tanh^{-1}\left(\frac{i}{z}\right) - \frac{3\pi}{4}; |z| < 1 \wedge \left(\frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}\right)$$

01.16.27.2006.01

$$\cot^{-1}\left(\frac{z+1}{z-1}\right) = -\frac{1}{4}\pi \left( -\left(\sqrt{\frac{1}{z^2}} z - 1\right) \left(\frac{z^2-1}{z} \sqrt{\frac{z^2}{(z^2-1)^2}} + 1\right) - 2\sqrt{\frac{z-i}{z}} \sqrt{\frac{z}{z-i}} + 1 \right) + i \tanh^{-1}\left(\frac{i}{z}\right); |z| \neq 1$$

### Involving $\cot^{-1}\left(\frac{2z}{1-z^2}\right)$

#### Involving $\cot^{-1}\left(\frac{2z}{1-z^2}\right)$ and $\tanh^{-1}(iz)$

01.16.27.2007.01

$$\cot^{-1}\left(\frac{2z}{1-z^2}\right) = \frac{\pi}{2} + 2i \tanh^{-1}(iz); \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2008.01

$$\cot^{-1}\left(\frac{2z}{1-z^2}\right) = 2i \tanh^{-1}(iz) - \frac{\pi}{2}; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2009.01

$$\cot^{-1}\left(\frac{2z}{1-z^2}\right) = z\sqrt{z^{-2}}\sqrt{\frac{1}{z^2+1}}\sqrt{z^2+1}\frac{\pi}{2} + 2i \tanh^{-1}(iz)$$

Involving  $\cot^{-1}\left(\frac{2z}{1-z^2}\right)$  and  $\tanh^{-1}\left(\frac{i}{z}\right)$

01.16.27.2010.01

$$\cot^{-1}\left(\frac{2z}{1-z^2}\right) = -2i \tanh^{-1}\left(\frac{i}{z}\right) - \frac{\pi}{2} /; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2011.01

$$\cot^{-1}\left(\frac{2z}{1-z^2}\right) = -2i \tanh^{-1}\left(\frac{i}{z}\right) + \frac{\pi}{2} /; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2012.01

$$\cot^{-1}\left(\frac{2z}{1-z^2}\right) = -2i \tanh^{-1}\left(\frac{i}{z}\right) - \frac{\pi z}{2}\sqrt{z^{-2}}\sqrt{\frac{1}{z^2+1}}\sqrt{z^2+1}$$

Involving  $\cot^{-1}\left(\frac{2z}{z^2-1}\right)$

Involving  $\cot^{-1}\left(\frac{2z}{z^2-1}\right)$  and  $\tanh^{-1}(iz)$

01.16.27.2013.01

$$\cot^{-1}\left(\frac{2z}{z^2-1}\right) = -\frac{\pi}{2} - 2i \tanh^{-1}(iz) /; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2014.01

$$\cot^{-1}\left(\frac{2z}{z^2-1}\right) = -2i \tanh^{-1}(iz) + \frac{\pi}{2} /; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2015.01

$$\cot^{-1}\left(\frac{2z}{z^2-1}\right) = -z\sqrt{z^{-2}}\sqrt{\frac{1}{z^2+1}}\sqrt{z^2+1}\frac{\pi}{2} - 2i \tanh^{-1}(iz)$$

Involving  $\cot^{-1}\left(\frac{2z}{z^2-1}\right)$  and  $\tanh^{-1}\left(\frac{i}{z}\right)$

01.16.27.2016.01

$$\cot^{-1}\left(\frac{2z}{z^2-1}\right) = 2i \tanh^{-1}\left(\frac{i}{z}\right) + \frac{\pi}{2} /; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2017.01

$$\cot^{-1}\left(\frac{2z}{z^2-1}\right) = 2i \tanh^{-1}\left(\frac{i}{z}\right) - \frac{\pi}{2} /; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2018.01

$$\cot^{-1}\left(\frac{2z}{z^2-1}\right) = 2i \tanh^{-1}\left(\frac{i}{z}\right) + \frac{\pi z}{2} \sqrt{z^{-2}} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1}$$

### Involving $\cot^{-1}\left(\frac{1-z^2}{2z}\right)$

#### Involving $\cot^{-1}\left(\frac{1-z^2}{2z}\right)$ and $\tanh^{-1}(iz)$

01.16.27.2019.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = -2i \tanh^{-1}(iz) /; |z| < 1$$

01.16.27.2020.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = -2i \tanh^{-1}(iz) - \pi /; |z| > 1 \wedge -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.16.27.2021.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = -2i \tanh^{-1}(iz) + \pi /; |z| > 1 \wedge \left(\frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2}\right)$$

01.16.27.2022.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = -2i \tanh^{-1}(iz) - \frac{\sqrt{z^2} \pi}{z} /; |z| > 1$$

01.16.27.2023.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = \left(\frac{(1-z)}{1+z} \sqrt{\left(\frac{1+z}{-1+z}\right)^2} - 1\right) \frac{\pi \sqrt{z^2}}{2z} - 2i \tanh^{-1}(iz) /; |z| \neq 1$$

#### Involving $\cot^{-1}\left(\frac{1-z^2}{2z}\right)$ and $\tanh^{-1}\left(\frac{i}{z}\right)$

01.16.27.2024.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = \pi + 2i \tanh^{-1}\left(\frac{i}{z}\right) /; |z| < 1 \wedge -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.2025.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = 2i \tanh^{-1}\left(\frac{i}{z}\right) - \pi /; |z| < 1 \wedge \left(\frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}\right)$$

01.16.27.2026.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = z \pi \sqrt{\frac{1}{z^2}} + 2i \tanh^{-1}\left(\frac{i}{z}\right) /; |z| < 1$$

01.16.27.2027.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = 2i \tanh^{-1}\left(\frac{i}{z}\right) /; |z| > 1$$

01.16.27.2028.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = \left(1 + \frac{(1-z)}{1+z} \sqrt{\left(\frac{1+z}{-1+z}\right)^2}\right) z \sqrt{z^{-2}} \frac{\pi}{2} + 2i \tanh^{-1}\left(\frac{i}{z}\right); |z| \neq 1$$

### Involving $\cot^{-1}\left(\frac{z^2-1}{2z}\right)$

Involving  $\cot^{-1}\left(\frac{z^2-1}{2z}\right)$  and  $\tanh^{-1}(iz)$

01.16.27.2029.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = 2i \tanh^{-1}(iz); |z| < 1$$

01.16.27.2030.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = 2i \tanh^{-1}(iz) + \pi; |z| > 1 \wedge -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.16.27.2031.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = 2i \tanh^{-1}(iz) - \pi; |z| > 1 \wedge \left(\frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2}\right)$$

01.16.27.2032.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = 2i \tanh^{-1}(iz) + \frac{\sqrt{z^2} \pi}{z}; |z| > 1$$

01.16.27.2033.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = -\left(\frac{(1-z)}{1+z} \sqrt{\left(\frac{1+z}{-1+z}\right)^2} - 1\right) \frac{\pi \sqrt{z^2}}{2z} + 2i \tanh^{-1}(iz); |z| \neq 1$$

### Involving $\cot^{-1}\left(\frac{z^2-1}{2z}\right)$ and $\tanh^{-1}\left(\frac{i}{z}\right)$

01.16.27.2034.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = -\pi - 2i \tanh^{-1}\left(\frac{i}{z}\right); |z| < 1 \wedge -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.2035.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = -2i \tanh^{-1}\left(\frac{i}{z}\right) + \pi; |z| < 1 \wedge \left(\frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}\right)$$

01.16.27.2036.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = -z \pi \sqrt{\frac{1}{z^2}} - 2i \tanh^{-1}\left(\frac{i}{z}\right); |z| < 1$$

01.16.27.2037.01

$$\cot^{-1}\left(\frac{z^2 - 1}{2z}\right) = -2i \tanh^{-1}\left(\frac{i}{z}\right); |z| > 1$$

01.16.27.2038.01

$$\cot^{-1}\left(\frac{z^2 - 1}{2z}\right) = -\left(1 + \frac{(1-z)}{1+z} \sqrt{\left(\frac{1+z}{-1+z}\right)^2}\right) z \sqrt{z^{-2}} \frac{\pi}{2} - 2i \tanh^{-1}\left(\frac{i}{z}\right); |z| \neq 1$$

### Involving $\cot^{-1}\left(\frac{2\sqrt{-z}}{1+z}\right)$

#### Involving $\cot^{-1}\left(\frac{2\sqrt{-z}}{1+z}\right)$ and $\tanh^{-1}(\sqrt{z})$

01.16.27.2039.01

$$\cot^{-1}\left(\frac{2\sqrt{-z}}{1+z}\right) = 2i \tanh^{-1}(\sqrt{z}) + \frac{\pi}{2}; 0 < \arg(z) \leq \pi$$

01.16.27.2040.01

$$\cot^{-1}\left(\frac{2\sqrt{-z}}{1+z}\right) = \frac{\pi}{2} - 2i \tanh^{-1}(\sqrt{z}); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.2041.01

$$\cot^{-1}\left(\frac{2\sqrt{-z}}{1+z}\right) = -2i \tanh^{-1}(\sqrt{z}) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.2042.01

$$\cot^{-1}\left(\frac{2\sqrt{-z}}{1+z}\right) = \frac{\pi}{2} \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} - \frac{2\sqrt{-z}}{\sqrt{z}} \tanh^{-1}(\sqrt{z})$$

#### Involving $\cot^{-1}\left(\frac{2\sqrt{-z}}{1+z}\right)$ and $\tanh^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.2043.01

$$\cot^{-1}\left(\frac{2\sqrt{-z}}{1+z}\right) = 2i \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{\pi}{2}; 0 < \arg(z) \leq \pi$$

01.16.27.2044.01

$$\cot^{-1}\left(\frac{2\sqrt{-z}}{1+z}\right) = -2i \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{\pi}{2}; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.2045.01

$$\cot^{-1}\left(\frac{2\sqrt{-z}}{1+z}\right) = -2i \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right) + \frac{\pi}{2}; (z \in \mathbb{R} \wedge 0 < z < 1)$$



01.16.27.2046.01

$$\cot^{-1}\left(\frac{2\sqrt{-z}}{1+z}\right) = -\frac{2\sqrt{-z}}{\sqrt{z}} \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{\pi}{2} \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}}$$

Involving  $\cot^{-1}\left(\frac{2\sqrt{-z}}{1+z}\right)$  and  $\tanh^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.16.27.2047.01

$$\cot^{-1}\left(\frac{2\sqrt{-z}}{1+z}\right) = 2i \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right) - \frac{\pi}{2}; 0 < \arg(z) < \pi$$

01.16.27.2048.01

$$\cot^{-1}\left(\frac{2\sqrt{-z}}{1+z}\right) = -2i \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right) - \frac{\pi}{2}; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.2049.01

$$\cot^{-1}\left(\frac{2\sqrt{-z}}{1+z}\right) = -2i \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right) + \frac{\pi}{2}; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.2050.01

$$\cot^{-1}\left(\frac{2\sqrt{-z}}{1+z}\right) = -2\sqrt{-z} \sqrt{\frac{1}{z}} \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right) - \frac{\pi}{2} \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}}$$

Involving  $\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right)$

Involving  $\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right)$  and  $\tanh^{-1}(\sqrt{z})$

01.16.27.2051.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = 2i \tanh^{-1}(\sqrt{z}); |z| < 1 \wedge -\pi < \arg(z) \leq 0$$

01.16.27.2052.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = -2i \tanh^{-1}(\sqrt{z}); |z| < 1 \wedge 0 < \arg(z) \leq \pi$$

01.16.27.2053.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = \frac{2\sqrt{-z}}{\sqrt{z}} \tanh^{-1}(\sqrt{z}); |z| < 1$$

01.16.27.2054.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = 2i \tanh^{-1}(\sqrt{z}) - \pi; |z| > 1 \wedge -\pi < \arg(z) \leq 0$$

01.16.27.2055.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = -2i \tanh^{-1}(\sqrt{z}) - \pi; |z| > 1 \wedge 0 < \arg(z) \leq \pi$$

$$\text{01.16.27.2056.01} \\ \cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = \frac{2\sqrt{-z}}{\sqrt{z}} \tanh^{-1}(\sqrt{z}) - \pi ; |z| > 1$$

$$\text{01.16.27.2057.01} \\ \cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = \frac{2\sqrt{-z}}{\sqrt{z}} \tanh^{-1}(\sqrt{z}) - \frac{\pi}{2} \left(1 - \frac{1-z}{1+z} \sqrt{\left(\frac{z+1}{z-1}\right)^2}\right) ; |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right)$  and  $\tanh^{-1}\left(\frac{1}{\sqrt{z}}\right)$

$$\text{01.16.27.2058.01} \\ \cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = \pi - 2i \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right) ; |z| < 1 \wedge 0 < \arg(z) \leq \pi$$

$$\text{01.16.27.2059.01} \\ \cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = \pi + 2i \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right) ; |z| < 1 \wedge \text{Im}(z) < 0$$

$$\text{01.16.27.2060.01} \\ \cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = -\pi + 2i \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right) ; (z \in \mathbb{R} \wedge 0 < z < 1)$$

$$\text{01.16.27.2061.01} \\ \cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = \frac{2\sqrt{-z}}{\sqrt{z}} \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right) + \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} \pi ; |z| < 1$$

$$\text{01.16.27.2062.01} \\ \cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = 2i \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right) ; |z| > 1 \wedge -\pi < \arg(z) \leq 0$$

$$\text{01.16.27.2063.01} \\ \cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = -2i \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right) ; |z| > 1 \wedge 0 < \arg(z) \leq \pi$$

$$\text{01.16.27.2064.01} \\ \cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = \frac{2\sqrt{-z}}{\sqrt{z}} \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right) ; |z| > 1$$

$$\text{01.16.27.2065.01} \\ \cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = \frac{\pi}{2} \left(\frac{1+z}{1-z} \sqrt{\left(\frac{z-1}{z+1}\right)^2} + 2\sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} - 1\right) + \frac{2\sqrt{-z}}{\sqrt{z}} \tanh^{-1}\left(\frac{1}{\sqrt{z}}\right) ; |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right)$  and  $\tanh^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.16.27.2066.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = \pi - 2i \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right); |z| < 1 \wedge 0 < \arg(z) < \pi$$

01.16.27.2067.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = \pi + 2i \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right); |z| < 1 \wedge (\operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0))$$

01.16.27.2068.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = -\pi + 2i \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.2069.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = 2\sqrt{\frac{1}{z}}\sqrt{-z} \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right) + \sqrt{\frac{z-1}{z}}\sqrt{\frac{z}{z-1}}\pi; |z| < 1$$

01.16.27.2070.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = 2i \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right); |z| > 1 \wedge -\pi < \arg(z) \leq 0$$

01.16.27.2071.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = -2i \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right); |z| > 1 \wedge 0 < \arg(z) < \pi$$

01.16.27.2072.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = 2\sqrt{-z}\sqrt{\frac{1}{z}} \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right); |z| > 1$$

01.16.27.2073.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = \frac{\pi}{2} \left( \frac{1+z}{1-z} \sqrt{\frac{(z-1)^2}{(z+1)^2}} + 2\sqrt{\frac{z}{z-1}}\sqrt{\frac{z-1}{z}} - 1 \right) + 2\sqrt{-z}\sqrt{\frac{1}{z}} \tanh^{-1}\left(\sqrt{\frac{1}{z}}\right); |z| \neq 1$$

**Involving  $\cot^{-1}\left(\sqrt{1+z^2} + cz\right)$**

**Involving  $\cot^{-1}\left(\sqrt{1+z^2} + z\right)$  and  $\tanh^{-1}(iz)$**

01.16.27.2074.01

$$\cot^{-1}\left(\sqrt{1+z^2} + z\right) = \frac{\pi}{4} + \frac{i}{2} \tanh^{-1}(iz)$$

**Involving  $\cot^{-1}\left(\sqrt{1+z^2} + z\right)$  and  $\tanh^{-1}\left(\frac{i}{z}\right)$**

01.16.27.2075.01

$$\cot^{-1}\left(\sqrt{1+z^2}+z\right)=-\frac{i}{2}\tanh^{-1}\left(\frac{i}{z}\right); \operatorname{Re}(z)>0 \vee (i z \in \mathbb{R} \wedge i z < -1) \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.2076.01

$$\cot^{-1}\left(\sqrt{1+z^2}+z\right)=-\frac{i}{2}\tanh^{-1}\left(\frac{i}{z}\right)+\frac{\pi}{2}; \operatorname{Re}(z)<0 \vee (i z \in \mathbb{R} \wedge i z > 1) \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.2077.01

$$\cot^{-1}\left(\sqrt{1+z^2}+z\right)=\left(1-z\sqrt{z^{-2}}\sqrt{z^2+1}\sqrt{\frac{1}{z^2+1}}\right)\frac{\pi}{4}-\frac{i}{2}\tanh^{-1}\left(\frac{i}{z}\right)$$

Involving  $\cot^{-1}\left(\sqrt{1+z^2}-z\right)$  and  $\tanh^{-1}(i z)$

01.16.27.2078.01

$$\cot^{-1}\left(\sqrt{z^2+1}-z\right)=-\frac{i}{2}\tanh^{-1}(i z)+\frac{\pi}{4}$$

Involving  $\cot^{-1}\left(\sqrt{1+z^2}-z\right)$  and  $\tanh^{-1}\left(\frac{i}{z}\right)$

01.16.27.2079.01

$$\cot^{-1}\left(\sqrt{1+z^2}-z\right)=\frac{\pi}{2}+\frac{i}{2}\tanh^{-1}\left(\frac{i}{z}\right); \operatorname{Re}(z)>0 \vee (i z \in \mathbb{R} \wedge i z < -1) \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.2080.01

$$\cot^{-1}\left(\sqrt{1+z^2}-z\right)=\frac{i}{2}\tanh^{-1}\left(\frac{i}{z}\right); \operatorname{Re}(z)<0 \vee (i z \in \mathbb{R} \wedge i z > 1) \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.2081.01

$$\cot^{-1}\left(\sqrt{1+z^2}-z\right)=\left(1+z\sqrt{z^{-2}}\sqrt{z^2+1}\sqrt{\frac{1}{z^2+1}}\right)\frac{\pi}{4}+\frac{i}{2}\tanh^{-1}\left(\frac{i}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}+c z}\right)$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}+z}\right)$  and  $\tanh^{-1}(i z)$

01.16.27.2082.01

$$\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}+z}\right)=-\frac{i}{2}\tanh^{-1}(i z)+\frac{\pi}{4}$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}+z}\right)$  and  $\tanh^{-1}\left(\frac{i}{z}\right)$

01.16.27.2083.01

$$\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}+z}\right) = \frac{1}{2} i \tanh^{-1}\left(\frac{i}{z}\right) + \frac{\pi}{2} /; \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge i z < -1) \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.2084.01

$$\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}+z}\right) = \frac{i}{2} \tanh^{-1}\left(\frac{i}{z}\right) /; \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge i z > 1) \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.2085.01

$$\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}+z}\right) = \left(1+z\sqrt{z^{-2}}\sqrt{z^2+1}\sqrt{\frac{1}{z^2+1}}\right)\frac{\pi}{4} + \frac{i}{2} \tanh^{-1}\left(\frac{i}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}-z}\right)$  and  $\tanh^{-1}(i z)$

01.16.27.2086.01

$$\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}-z}\right) = \frac{\pi}{4} + \frac{i}{2} \tanh^{-1}(i z)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}-z}\right)$  and  $\tanh^{-1}\left(\frac{i}{z}\right)$

01.16.27.2087.01

$$\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}-z}\right) = -\frac{i}{2} \tanh^{-1}\left(\frac{i}{z}\right) /; \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge i z < -1) \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.2088.01

$$\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}-z}\right) = \frac{\pi}{2} - \frac{1}{2} i \tanh^{-1}\left(\frac{i}{z}\right) /; \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge i z > 1) \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.2089.01

$$\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}-z}\right) = \left(1-z\sqrt{z^{-2}}\sqrt{z^2+1}\sqrt{\frac{1}{z^2+1}}\right)\frac{\pi}{4} - \frac{i}{2} \tanh^{-1}\left(\frac{i}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{1+z^2}+a}{z}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{1+z^2}+1}{z}\right)$  and  $\tanh^{-1}(i z)$

01.16.27.2090.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2+1}}{z}\right) = -\frac{i}{2} \tanh^{-1}(iz)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{1+z^2+1}}{z}\right)$  and  $\tanh^{-1}\left(\frac{i}{z}\right)$

01.16.27.2091.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2+1}}{z}\right) = \frac{\pi}{4} + \frac{i}{2} \tanh^{-1}\left(\frac{i}{z}\right); \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2092.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2+1}}{z}\right) = \frac{i}{2} \tanh^{-1}\left(\frac{i}{z}\right) - \frac{\pi}{4}; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2093.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2+1}}{z}\right) = \frac{\pi z}{4} \sqrt{\frac{1}{z^2}} \sqrt{z^2+1} \sqrt{\frac{1}{z^2+1}} + \frac{i}{2} \tanh^{-1}\left(\frac{i}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{1+z^2-1}}{z}\right)$  and  $\tanh^{-1}(iz)$

01.16.27.2094.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2-1}}{z}\right) = \frac{\pi}{2} + \frac{i}{2} \tanh^{-1}(iz); \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2095.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2-1}}{z}\right) = \frac{i}{2} \tanh^{-1}(iz) - \frac{\pi}{2}; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2096.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2-1}}{z}\right) = z \sqrt{z^{-2}} \sqrt{z^2+1} \sqrt{\frac{1}{z^2+1}} \frac{\pi}{2} + \frac{i}{2} \tanh^{-1}(iz)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{1+z^2-1}}{z}\right)$  and  $\tanh^{-1}\left(\frac{i}{z}\right)$

01.16.27.2097.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2-1}}{z}\right) = \frac{\pi}{4} - \frac{i}{2} \tanh^{-1}\left(\frac{i}{z}\right); \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2098.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2}-1}{z}\right) = -\frac{i}{2} \tanh^{-1}\left(\frac{i}{z}\right) - \frac{\pi}{4}; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2099.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2}-1}{z}\right) = \frac{\pi z}{4} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} \sqrt{\frac{1}{z^2}} - \frac{i}{2} \tanh^{-1}\left(\frac{i}{z}\right)$$

### Involving $\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+a}}\right)$

### Involving $\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+1}}\right)$ and $\tanh^{-1}(iz)$

01.16.27.2100.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+1}}\right) = \frac{\pi}{2} + \frac{i}{2} \tanh^{-1}(iz); \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2101.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+1}}\right) = \frac{i}{2} \tanh^{-1}(iz) - \frac{\pi}{2}; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2102.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+1}}\right) = z \sqrt{z^{-2}} \sqrt{z^2+1} \sqrt{\frac{1}{z^2+1}} \frac{\pi}{2} + \frac{i}{2} \tanh^{-1}(iz)$$

### Involving $\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+1}}\right)$ and $\tanh^{-1}\left(\frac{i}{z}\right)$

01.16.27.2103.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+1}}\right) = \frac{\pi}{4} - \frac{i}{2} \tanh^{-1}\left(\frac{i}{z}\right); \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2104.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+1}}\right) = -\frac{i}{2} \tanh^{-1}\left(\frac{i}{z}\right) - \frac{\pi}{4}; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2105.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+1}}\right) = \frac{\pi z}{4} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} \sqrt{\frac{1}{z^2}} - \frac{i}{2} \tanh^{-1}\left(\frac{i}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{z}{\sqrt{1+z^2}-1}\right)$  and  $\tanh^{-1}(iz)$

01.16.27.2106.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2}-1}\right) = -\frac{i}{2} \tanh^{-1}(iz)$$

Involving  $\cot^{-1}\left(\frac{z}{\sqrt{1+z^2}-1}\right)$  and  $\tanh^{-1}\left(\frac{i}{z}\right)$

01.16.27.2107.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2}-1}\right) = \frac{\pi}{4} + \frac{i}{2} \tanh^{-1}\left(\frac{i}{z}\right); \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2108.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2}-1}\right) = \frac{i}{2} \tanh^{-1}\left(\frac{i}{z}\right) - \frac{\pi}{4}; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2109.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2}-1}\right) = \frac{\pi z}{4} \sqrt{\frac{1}{z^2}} \sqrt{z^2+1} \sqrt{\frac{1}{z^2+1}} + \frac{i}{2} \tanh^{-1}\left(\frac{i}{z}\right)$$

**Involving  $\coth^{-1}$**

**Involving  $\cot^{-1}(z)$**

Involving  $\cot^{-1}(z)$  and  $\coth^{-1}(iz)$

01.16.27.0036.01

$$\cot^{-1}(z) = i \coth^{-1}(iz)$$

Involving  $\cot^{-1}(z)$  and  $\coth^{-1}\left(\frac{i}{z}\right)$

01.16.27.2110.01

$$\cot^{-1}(z) = -i \coth^{-1}\left(\frac{i}{z}\right) + \frac{\pi}{2}; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2111.01

$$\cot^{-1}(z) = -i \coth^{-1}\left(\frac{i}{z}\right) - \frac{\pi}{2}; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2112.01

$$\cot^{-1}(z) = \frac{\pi \sqrt{z^2}}{2z} - i \coth^{-1}\left(\frac{i}{z}\right); iz \notin (-1, 1)$$



01.16.27.2113.01

$$\cot^{-1}(z) = \frac{1}{2} \pi \operatorname{sgn}(\operatorname{Re}(z)) - i \coth^{-1}\left(\frac{i}{z}\right); \operatorname{Re}(z) \neq 0$$

01.16.27.2114.01

$$\cot^{-1}(z) = \frac{\pi}{2} \sqrt{\frac{1}{z^2}} z \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} - i \coth^{-1}\left(\frac{i}{z}\right)$$

### Involving $\cot^{-1}(i z)$

Involving  $\cot^{-1}(i z)$  and  $\coth^{-1}(z)$

01.16.27.0037.01

$$\cot^{-1}(i z) = -i \coth^{-1}(z)$$

Involving  $\cot^{-1}(i z)$  and  $\coth^{-1}\left(\frac{1}{z}\right)$

01.16.27.2115.01

$$\cot^{-1}(i z) = -i \coth^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2}; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.2116.01

$$\cot^{-1}(i z) = \frac{\pi}{2} - i \coth^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2117.01

$$\cot^{-1}(i z) = -i \coth^{-1}\left(\frac{1}{z}\right) - \frac{\pi i \sqrt{-z^2}}{2z}; z \notin (-1, 1)$$

01.16.27.2118.01

$$\cot^{-1}(i z) = -i \coth^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2} \operatorname{sgn}(\operatorname{Im}(z)); \operatorname{Im}(z) \neq 0$$

01.16.27.2119.01

$$\cot^{-1}(i z) = \frac{\pi i}{2} \sqrt{-\frac{1}{z^2}} z \sqrt{\frac{1}{1-z^2}} \sqrt{1-z^2} - i \coth^{-1}\left(\frac{1}{z}\right)$$

### Involving $\cot^{-1}(\sqrt{-z})$

Involving  $\cot^{-1}(\sqrt{-z})$  and  $\coth^{-1}(\sqrt{z})$

01.16.27.2120.01

$$\cot^{-1}(\sqrt{-z}) = i \coth^{-1}(\sqrt{z}); 0 < \arg(z) \leq \pi$$

01.16.27.2121.01

$$\cot^{-1}(\sqrt{-z}) = -i \coth^{-1}(\sqrt{z}); -\pi < \arg(z) \leq 0$$

01.16.27.0038.01

$$\cot^{-1}(\sqrt{-z}) = -\frac{\sqrt{-z^2}}{z} \coth^{-1}(\sqrt{z})$$

Involving  $\cot^{-1}(\sqrt{-z})$  and  $\coth^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.2122.01

$$\cot^{-1}(\sqrt{-z}) = \frac{\pi}{2} - i \coth^{-1}\left(\frac{1}{\sqrt{z}}\right) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.2123.01

$$\cot^{-1}(\sqrt{-z}) = i \coth^{-1}\left(\frac{1}{\sqrt{z}}\right) + \frac{\pi}{2} /; 0 < \arg(z) \leq \pi$$

01.16.27.2124.01

$$\cot^{-1}(\sqrt{-z}) = -\frac{\pi}{2} - i \coth^{-1}\left(\frac{1}{\sqrt{z}}\right) /; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.2125.01

$$\cot^{-1}(\sqrt{-z}) = \frac{\sqrt{z}}{\sqrt{-z}} \coth^{-1}\left(\frac{1}{\sqrt{z}}\right) + \frac{\pi}{2} \sqrt{\frac{1}{1-z}} \sqrt{1-z} \sqrt{-\frac{1}{z}} \sqrt{-z}$$

Involving  $\cot^{-1}(\sqrt{-z})$  and  $\coth^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.16.27.2126.01

$$\cot^{-1}(\sqrt{-z}) = i \coth^{-1}\left(\sqrt{\frac{1}{z}}\right) + \frac{\pi}{2} /; \operatorname{Im}(z) > 0$$

01.16.27.2127.01

$$\cot^{-1}(\sqrt{-z}) = \frac{\pi}{2} - i \coth^{-1}\left(\sqrt{\frac{1}{z}}\right) /; -\pi < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.2128.01

$$\cot^{-1}(\sqrt{-z}) = -i \coth^{-1}\left(\sqrt{\frac{1}{z}}\right) - \frac{\pi}{2} /; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.2129.01

$$\cot^{-1}(\sqrt{-z}) = \frac{\pi}{2} \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} - \sqrt{-z} \sqrt{\frac{1}{z}} \coth^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

Involving  $\cot^{-1}(\sqrt{-z})$  and  $\coth^{-1}\left(1/\sqrt{\frac{1}{z}}\right)$

01.16.27.2130.01

$$\cot^{-1}(\sqrt{-z}) = i \coth^{-1}\left(1 / \sqrt{\frac{1}{z}}\right) /; \operatorname{Im}(z) > 0$$

01.16.27.2131.01

$$\cot^{-1}(\sqrt{-z}) = -i \coth^{-1}\left(1 / \sqrt{\frac{1}{z}}\right) /; \operatorname{Im}(z) \leq 0$$

01.16.27.2132.01

$$\cot^{-1}(\sqrt{-z}) = -\sqrt{-z} \sqrt{\frac{1}{z}} \coth^{-1}\left(1 / \sqrt{\frac{1}{z}}\right)$$

### Involving $\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right)$

#### Involving $\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right)$ and $\coth^{-1}(\sqrt{z})$

01.16.27.2133.01

$$\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right) = \frac{\pi}{2} - i \coth^{-1}(\sqrt{z}) /; 0 < \arg(z) \leq \pi$$

01.16.27.2134.01

$$\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right) = i \coth^{-1}(\sqrt{z}) + \frac{\pi}{2} /; -\pi < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.2135.01

$$\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right) = i \coth^{-1}(\sqrt{z}) - \frac{\pi}{2} /; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.2136.01

$$\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right) = \frac{\sqrt{-z}}{\sqrt{z}} \coth^{-1}(\sqrt{z}) + \frac{1}{2} \pi \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}}$$

#### Involving $\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right)$ and $\coth^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.2137.01

$$\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right) = i \coth^{-1}\left(\frac{1}{\sqrt{z}}\right) /; -\pi < \arg(z) \leq 0$$

01.16.27.2138.01

$$\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right) = -i \coth^{-1}\left(\frac{1}{\sqrt{z}}\right) /; 0 < \arg(z) \leq \pi$$

01.16.27.2139.01

$$\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right) = \frac{\sqrt{-z^2}}{z} \coth^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right)$  and  $\coth^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.16.27.2140.01

$$\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right) = i \coth^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) \leq 0$$

01.16.27.2141.01

$$\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right) = -i \coth^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) > 0$$

01.16.27.2142.01

$$\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right) = \sqrt{-z} \sqrt{\frac{1}{z}} \coth^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right)$  and  $\coth^{-1}\left(1/\sqrt{\frac{1}{z}}\right)$

01.16.27.2143.01

$$\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right) = \frac{\pi}{2} - i \coth^{-1}\left(1/\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) > 0$$

01.16.27.2144.01

$$\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right) = \frac{\pi}{2} + i \coth^{-1}\left(1/\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.2145.01

$$\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right) = -\frac{\pi}{2} + i \coth^{-1}\left(1/\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.2146.01

$$\cot^{-1}\left(\frac{1}{\sqrt{-z}}\right) = \frac{\pi}{2} \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} + \sqrt{-z} \sqrt{\frac{1}{z}} \coth^{-1}\left(1/\sqrt{\frac{1}{z}}\right)$$

Involving  $\cot^{-1}\left(\sqrt{z^2}\right)$

Involving  $\cot^{-1}\left(\sqrt{z^2}\right)$  and  $\coth^{-1}(iz)$

01.16.27.2147.01

$$\cot^{-1}\left(\sqrt{z^2}\right) = i \coth^{-1}(iz); -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.16.27.2148.01

$$\cot^{-1}\left(\sqrt{z^2}\right) = -i \coth^{-1}(i z) /; \frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.16.27.2149.01

$$\cot^{-1}\left(\sqrt{z^2}\right) = \frac{i \sqrt{z^2}}{z} \coth^{-1}(i z)$$

Involving  $\cot^{-1}\left(\sqrt{z^2}\right)$  and  $\coth^{-1}\left(\frac{i}{z}\right)$

01.16.27.2150.01

$$\cot^{-1}\left(\sqrt{z^2}\right) = \frac{\pi}{2} - i \coth^{-1}\left(\frac{i}{z}\right) /; \operatorname{Re}(z) > 0 \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.2151.01

$$\cot^{-1}\left(\sqrt{z^2}\right) = i \coth^{-1}\left(\frac{i}{z}\right) + \frac{\pi}{2} /; \operatorname{Re}(z) < 0 \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.2152.01

$$\cot^{-1}\left(\sqrt{z^2}\right) = i \coth^{-1}\left(\frac{i}{z}\right) - \frac{\pi}{2} /; (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.2153.01

$$\cot^{-1}\left(\sqrt{z^2}\right) = -i \coth^{-1}\left(\frac{i}{z}\right) - \frac{\pi}{2} /; (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.2154.01

$$\cot^{-1}\left(\sqrt{z^2}\right) = \frac{\pi}{2} \sqrt{\frac{z^2}{z^2+1}} \sqrt{\frac{z^2+1}{z^2}} - \frac{i \sqrt{z^2}}{z} \coth^{-1}\left(\frac{i}{z}\right)$$

Involving  $\cot^{-1}\left(a(b z^c)^m\right)$

Involving  $\cot^{-1}\left(a(b z^c)^m\right)$  and  $\coth^{-1}\left(i a b^m z^{m c}\right)$

01.16.27.2155.01

$$\cot^{-1}\left(a(b z^c)^m\right) = \frac{i(b z^c)^m}{b^m z^{m c}} \coth^{-1}\left(i a b^m z^{m c}\right) /; 2 m \in \mathbb{Z}$$

Involving  $\cot^{-1}\left(\frac{1-z}{1+z}\right)$

Involving  $\cot^{-1}\left(\frac{1-z}{1+z}\right)$  and  $\coth^{-1}(i z)$

01.16.27.2156.01

$$\cot^{-1}\left(\frac{1-z}{1+z}\right) = -i \coth^{-1}(i z) - \frac{\pi}{4} /; |z| > 1 \vee |z| < 1 \wedge \frac{\pi}{2} \leq \arg(z) \leq \pi \vee |z| < 1 \wedge -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.2157.01

$$\cot^{-1}\left(\frac{1-z}{1+z}\right) = -i \coth^{-1}(iz) + \frac{3\pi}{4} ; |z| < 1 \wedge -\frac{\pi}{2} \leq \arg(z) < -\frac{\pi}{2}$$

01.16.27.2158.01

$$\cot^{-1}\left(\frac{1-z}{1+z}\right) = \frac{\pi}{4} \left( \left( \sqrt{\frac{1}{z^2}} z + 1 \right) \left( 1 - \frac{z^2-1}{z} \sqrt{\frac{z^2}{(z^2-1)^2}} \right) - 2 \sqrt{\frac{z+i}{z}} \sqrt{\frac{z}{z+i}} + 1 \right) - i \coth^{-1}(iz) ; |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{1-z}{1+z}\right)$  and  $\coth^{-1}\left(\frac{i}{z}\right)$

01.16.27.2159.01

$$\cot^{-1}\left(\frac{1-z}{1+z}\right) = i \coth^{-1}\left(\frac{i}{z}\right) + \frac{\pi}{4} ; |z| < 1 \vee |z| > 1 \wedge \frac{\pi}{2} < \arg(z) \leq \pi \vee |z| > 1 \wedge -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.16.27.2160.01

$$\cot^{-1}\left(\frac{1-z}{1+z}\right) = i \coth^{-1}\left(\frac{i}{z}\right) - \frac{3\pi}{4} ; |z| > 1 \wedge -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.16.27.2161.01

$$\cot^{-1}\left(\frac{1-z}{1+z}\right) = i \coth^{-1}\left(\frac{i}{z}\right) - \frac{\pi}{4} \left( \left( \frac{\sqrt{z^2}}{z} + 1 \right) \left( 1 - \frac{1-z^2}{z} \sqrt{\frac{z^2}{(z^2-1)^2}} \right) - 2 \sqrt{iz+1} \sqrt{\frac{1}{iz+1}} + 1 \right) ; |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{z-1}{z+1}\right)$

Involving  $\cot^{-1}\left(\frac{z-1}{z+1}\right)$  and  $\coth^{-1}(iz)$

01.16.27.2162.01

$$\cot^{-1}\left(\frac{z-1}{z+1}\right) = i \coth^{-1}(iz) + \frac{\pi}{4} ; |z| > 1 \vee |z| < 1 \wedge \frac{\pi}{2} \leq \arg(z) \leq \pi \vee |z| < 1 \wedge -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.2163.01

$$\cot^{-1}\left(\frac{z-1}{z+1}\right) = i \coth^{-1}(iz) - \frac{3\pi}{4} ; |z| < 1 \wedge -\frac{\pi}{2} \leq \arg(z) < -\frac{\pi}{2}$$

01.16.27.2164.01

$$\cot^{-1}\left(\frac{z-1}{z+1}\right) = -\frac{\pi}{4} \left( \left( \sqrt{\frac{1}{z^2}} z + 1 \right) \left( 1 - \frac{z^2-1}{z} \sqrt{\frac{z^2}{(z^2-1)^2}} \right) - 2 \sqrt{\frac{z+i}{z}} \sqrt{\frac{z}{z+i}} + 1 \right) + i \coth^{-1}(iz) ; |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{z-1}{z+1}\right)$  and  $\coth^{-1}\left(\frac{i}{z}\right)$

01.16.27.2165.01

$$\cot^{-1}\left(\frac{z-1}{z+1}\right) = -i \coth^{-1}\left(\frac{i}{z}\right) - \frac{\pi}{4} ; |z| < 1 \vee |z| > 1 \wedge \frac{\pi}{2} < \arg(z) \leq \pi \vee |z| > 1 \wedge -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.16.27.2166.01

$$\cot^{-1}\left(\frac{z-1}{z+1}\right) = -i \coth^{-1}\left(\frac{i}{z}\right) + \frac{3\pi}{4} ; |z| > 1 \wedge -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.16.27.2167.01

$$\cot^{-1}\left(\frac{z-1}{z+1}\right) = -i \coth^{-1}\left(\frac{i}{z}\right) + \frac{\pi}{4} \left( \left( \frac{\sqrt{z^2}}{z} + 1 \right) \left( 1 - \frac{1-z^2}{z} \sqrt{\frac{z^2}{(z^2-1)^2}} \right) - 2\sqrt{iz+1} \sqrt{\frac{1}{iz+1} + 1} \right); |z| \neq 1$$

### Involving $\cot^{-1}\left(\frac{1+z}{1-z}\right)$

#### Involving $\cot^{-1}\left(\frac{1+z}{1-z}\right)$ and $\coth^{-1}(iz)$

01.16.27.2168.01

$$\cot^{-1}\left(\frac{1+z}{1-z}\right) = i \coth^{-1}(iz) - \frac{\pi}{4}; |z| > 1 \vee -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.2169.01

$$\cot^{-1}\left(\frac{1+z}{1-z}\right) = i \coth^{-1}(iz) + \frac{3\pi}{4}; |z| < 1 \wedge \left( \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2} \right)$$

01.16.27.2170.01

$$\cot^{-1}\left(\frac{1+z}{1-z}\right) = \frac{1}{4}\pi \left( - \left( \frac{\sqrt{1}}{\sqrt{z^2}} z - 1 \right) \left( \frac{z^2-1}{z} \sqrt{\frac{z^2}{(z^2-1)^2}} + 1 \right) - 2\sqrt{\frac{z-i}{z}} \sqrt{\frac{z}{z-i} + 1} \right) + i \coth^{-1}(iz); |z| \neq 1$$

#### Involving $\cot^{-1}\left(\frac{1+z}{1-z}\right)$ and $\coth^{-1}\left(\frac{i}{z}\right)$

01.16.27.2171.01

$$\cot^{-1}\left(\frac{1+z}{1-z}\right) = \frac{\pi}{4} - i \coth^{-1}\left(\frac{i}{z}\right); |z| < 1 \vee -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.16.27.2172.01

$$\cot^{-1}\left(\frac{1+z}{1-z}\right) = -i \coth^{-1}\left(\frac{i}{z}\right) - \frac{3\pi}{4}; |z| > 1 \wedge \left( \frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2} \right)$$

01.16.27.2173.01

$$\cot^{-1}\left(\frac{1+z}{1-z}\right) = -\frac{\pi}{4} \left( - \left( \frac{\sqrt{z^2}}{z} - 1 \right) \left( \frac{1-z^2}{z} \sqrt{\frac{z^2}{(z^2-1)^2}} + 1 \right) - 2\sqrt{1-iz} \sqrt{\frac{1}{1-iz} + 1} \right) - i \coth^{-1}\left(\frac{i}{z}\right); |z| \neq 1$$

### Involving $\cot^{-1}\left(\frac{z+1}{z-1}\right)$

#### Involving $\cot^{-1}\left(\frac{z+1}{z-1}\right)$ and $\coth^{-1}(iz)$

01.16.27.2174.01

$$\cot^{-1}\left(\frac{z+1}{z-1}\right) = -i \coth^{-1}(iz) + \frac{\pi}{4}; |z| > 1 \vee -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.2175.01

$$\cot^{-1}\left(\frac{z+1}{z-1}\right) = -i \coth^{-1}(iz) - \frac{3\pi}{4}; |z| < 1 \wedge \left( \frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2} \right)$$

01.16.27.2176.01

$$\cot^{-1}\left(\frac{z+1}{z-1}\right) = -\frac{1}{4}\pi \left( -\left( \sqrt{\frac{1}{z^2}} z - 1 \right) \left( \frac{z^2-1}{z} \sqrt{\frac{z^2}{(z^2-1)^2}} + 1 \right) - 2\sqrt{\frac{z-i}{z}} \sqrt{\frac{z}{z-i}} + 1 \right) - i \coth^{-1}(iz) /; |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{z+1}{z-1}\right)$  and  $\coth^{-1}\left(\frac{i}{z}\right)$

01.16.27.2177.01

$$\cot^{-1}\left(\frac{z+1}{z-1}\right) = -\frac{\pi}{4} + i \coth^{-1}\left(\frac{i}{z}\right) /; |z| < 1 \vee -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.16.27.2178.01

$$\cot^{-1}\left(\frac{z+1}{z-1}\right) = i \coth^{-1}\left(\frac{i}{z}\right) + \frac{3\pi}{4} /; |z| > 1 \wedge \left( \frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2} \right)$$

01.16.27.2179.01

$$\cot^{-1}\left(\frac{z+1}{z-1}\right) = \frac{\pi}{4} \left( -\left( \frac{\sqrt{z^2}}{z} - 1 \right) \left( \frac{1-z^2}{z} \sqrt{\frac{z^2}{(z^2-1)^2}} + 1 \right) - 2\sqrt{1-iz} \sqrt{\frac{1}{1-iz}} + 1 \right) + i \coth^{-1}\left(\frac{i}{z}\right) /; |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{2z}{1-z^2}\right)$

Involving  $\cot^{-1}\left(\frac{2z}{1-z^2}\right)$  and  $\coth^{-1}(iz)$

01.16.27.2180.01

$$\cot^{-1}\left(\frac{2z}{1-z^2}\right) = 2i \coth^{-1}(iz) - \frac{\pi}{2} /; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2181.01

$$\cot^{-1}\left(\frac{2z}{1-z^2}\right) = 2i \coth^{-1}(iz) + \frac{\pi}{2} /; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2182.01

$$\cot^{-1}\left(\frac{2z}{1-z^2}\right) = 2i \coth^{-1}(iz) - \frac{\pi z}{2} \sqrt{z^{-2}} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1}$$

Involving  $\cot^{-1}\left(\frac{2z}{1-z^2}\right)$  and  $\coth^{-1}\left(\frac{i}{z}\right)$

01.16.27.2183.01

$$\cot^{-1}\left(\frac{2z}{1-z^2}\right) = \frac{\pi}{2} - 2i \coth^{-1}\left(\frac{i}{z}\right) /; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2184.01

$$\cot^{-1}\left(\frac{2z}{1-z^2}\right) = -2i \coth^{-1}\left(\frac{i}{z}\right) - \frac{\pi}{2} /; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$



01.16.27.2185.01

$$\cot^{-1}\left(\frac{2z}{1-z^2}\right) = z\sqrt{z^{-2}}\sqrt{\frac{1}{z^2+1}}\sqrt{z^2+1}\frac{\pi}{2} - 2i\coth^{-1}\left(\frac{i}{z}\right)$$

### Involving $\cot^{-1}\left(\frac{2z}{z^2-1}\right)$

#### Involving $\cot^{-1}\left(\frac{2z}{z^2-1}\right)$ and $\coth^{-1}(iz)$

01.16.27.2186.01

$$\cot^{-1}\left(\frac{2z}{z^2-1}\right) = -2i\coth^{-1}(iz) + \frac{\pi}{2}; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2187.01

$$\cot^{-1}\left(\frac{2z}{z^2-1}\right) = -2i\coth^{-1}(iz) - \frac{\pi}{2}; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2188.01

$$\cot^{-1}\left(\frac{2z}{z^2-1}\right) = -2i\coth^{-1}(iz) + \frac{\pi z}{2}\sqrt{z^{-2}}\sqrt{\frac{1}{z^2+1}}\sqrt{z^2+1}$$

#### Involving $\cot^{-1}\left(\frac{2z}{z^2-1}\right)$ and $\coth^{-1}\left(\frac{i}{z}\right)$

01.16.27.2189.01

$$\cot^{-1}\left(\frac{2z}{z^2-1}\right) = -\frac{\pi}{2} + 2i\coth^{-1}\left(\frac{i}{z}\right); \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2190.01

$$\cot^{-1}\left(\frac{2z}{z^2-1}\right) = 2i\coth^{-1}\left(\frac{i}{z}\right) + \frac{\pi}{2}; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2191.01

$$\cot^{-1}\left(\frac{2z}{z^2-1}\right) = -z\sqrt{z^{-2}}\sqrt{\frac{1}{z^2+1}}\sqrt{z^2+1}\frac{\pi}{2} + 2i\coth^{-1}\left(\frac{i}{z}\right)$$

### Involving $\cot^{-1}\left(\frac{1-z^2}{2z}\right)$

#### Involving $\cot^{-1}\left(\frac{1-z^2}{2z}\right)$ and $\coth^{-1}(iz)$

01.16.27.2192.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = \pi - 2i\coth^{-1}(iz); |z| < 1 \wedge -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.2193.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = -2i \coth^{-1}(iz) - \pi /; |z| < 1 \wedge \left(\frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}\right)$$

01.16.27.2194.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = z \pi \sqrt{\frac{1}{z^2}} - 2i \coth^{-1}(iz) /; |z| < 1$$

01.16.27.2195.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = -2i \coth^{-1}(iz) /; |z| > 1$$

01.16.27.2196.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = \left(1 + \frac{(1-z)}{1+z} \sqrt{\left(\frac{1+z}{-1+z}\right)^2}\right) z \sqrt{z^{-2}} \frac{\pi}{2} - 2i \coth^{-1}(iz) /; |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{1-z^2}{2z}\right)$  and  $\coth^{-1}\left(\frac{i}{z}\right)$

01.16.27.2197.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = 2i \coth^{-1}\left(\frac{i}{z}\right) /; |z| < 1$$

01.16.27.2198.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = 2i \coth^{-1}\left(\frac{i}{z}\right) - \pi /; |z| > 1 \wedge -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.16.27.2199.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = 2i \coth^{-1}\left(\frac{i}{z}\right) + \pi /; |z| > 1 \wedge \left(\frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2}\right)$$

01.16.27.2200.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = 2i \coth^{-1}\left(\frac{i}{z}\right) - \frac{\sqrt{z^2} \pi}{z} /; |z| > 1$$

01.16.27.2201.01

$$\cot^{-1}\left(\frac{1-z^2}{2z}\right) = \left(\frac{(1-z)}{1+z} \sqrt{\left(\frac{1+z}{-1+z}\right)^2} - 1\right) \frac{\pi \sqrt{z^2}}{2z} + 2i \coth^{-1}\left(\frac{i}{z}\right) /; |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{z^2-1}{2z}\right)$

Involving  $\cot^{-1}\left(\frac{z^2-1}{2z}\right)$  and  $\coth^{-1}(iz)$

01.16.27.2202.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = -\pi + 2i \operatorname{coth}^{-1}(iz) /; |z| < 1 \wedge -\frac{\pi}{2} \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.2203.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = 2i \operatorname{coth}^{-1}(iz) + \pi /; |z| < 1 \wedge \left(\frac{\pi}{2} \leq \arg(z) \leq \pi \vee -\pi < \arg(z) < -\frac{\pi}{2}\right)$$

01.16.27.2204.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = -z\pi \sqrt{\frac{1}{z^2}} + 2i \operatorname{coth}^{-1}(iz) /; |z| < 1$$

01.16.27.2205.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = 2i \operatorname{coth}^{-1}(iz) /; |z| > 1$$

01.16.27.2206.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = -\left(1 + \frac{(1-z)}{1+z} \sqrt{\left(\frac{1+z}{-1+z}\right)^2}\right) z \sqrt{z^{-2}} \frac{\pi}{2} + 2i \operatorname{coth}^{-1}(iz) /; |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{z^2-1}{2z}\right)$  and  $\operatorname{coth}^{-1}\left(\frac{i}{z}\right)$

01.16.27.2207.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = -2i \operatorname{coth}^{-1}\left(\frac{i}{z}\right) /; |z| < 1$$

01.16.27.2208.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = -2i \operatorname{coth}^{-1}\left(\frac{i}{z}\right) + \pi /; |z| > 1 \wedge -\frac{\pi}{2} < \arg(z) \leq \frac{\pi}{2}$$

01.16.27.2209.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = -2i \operatorname{coth}^{-1}\left(\frac{i}{z}\right) - \pi /; |z| > 1 \wedge \left(\frac{\pi}{2} < \arg(z) \leq \pi \vee -\pi < \arg(z) \leq -\frac{\pi}{2}\right)$$

01.16.27.2210.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = -2i \operatorname{coth}^{-1}\left(\frac{i}{z}\right) + \frac{\sqrt{z^2}\pi}{z} /; |z| > 1$$

01.16.27.2211.01

$$\cot^{-1}\left(\frac{z^2-1}{2z}\right) = -\left(\frac{(1-z)}{1+z} \sqrt{\left(\frac{1+z}{-1+z}\right)^2} - 1\right) \frac{\pi \sqrt{z^2}}{2z} - 2i \operatorname{coth}^{-1}\left(\frac{i}{z}\right) /; |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{2\sqrt{-z}}{1+z}\right)$

Involving  $\cot^{-1}\left(\frac{2\sqrt{-z}}{1+z}\right)$  and  $\coth^{-1}(\sqrt{z})$

01.16.27.2212.01

$$\cot^{-1}\left(\frac{2\sqrt{-z}}{1+z}\right) = 2i \coth^{-1}(\sqrt{z}) - \frac{\pi}{2}; 0 < \arg(z) \leq \pi$$

01.16.27.2213.01

$$\cot^{-1}\left(\frac{2\sqrt{-z}}{1+z}\right) = -2i \coth^{-1}(\sqrt{z}) - \frac{\pi}{2}; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.2214.01

$$\cot^{-1}\left(\frac{2\sqrt{-z}}{1+z}\right) = -2i \coth^{-1}(\sqrt{z}) + \frac{\pi}{2}; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.2215.01

$$\cot^{-1}\left(\frac{2\sqrt{-z}}{1+z}\right) = -\frac{2\sqrt{-z}}{\sqrt{z}} \coth^{-1}(\sqrt{z}) - \frac{\pi}{2} \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}}$$

Involving  $\cot^{-1}\left(\frac{2\sqrt{-z}}{1+z}\right)$  and  $\coth^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.2216.01

$$\cot^{-1}\left(\frac{2\sqrt{-z}}{1+z}\right) = 2i \coth^{-1}\left(\frac{1}{\sqrt{z}}\right) + \frac{\pi}{2}; 0 < \arg(z) \leq \pi$$

01.16.27.2217.01

$$\cot^{-1}\left(\frac{2\sqrt{-z}}{1+z}\right) = \frac{\pi}{2} - 2i \coth^{-1}\left(\frac{1}{\sqrt{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.2218.01

$$\cot^{-1}\left(\frac{2\sqrt{-z}}{1+z}\right) = -2i \coth^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.2219.01

$$\cot^{-1}\left(\frac{2\sqrt{-z}}{1+z}\right) = \frac{\pi}{2} \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} - \frac{2\sqrt{-z}}{\sqrt{z}} \coth^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\cot^{-1}\left(\frac{2\sqrt{-z}}{1+z}\right)$  and  $\coth^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.16.27.2220.01

$$\cot^{-1}\left(\frac{2\sqrt{-z}}{1+z}\right) = \frac{\pi}{2} + 2i \coth^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) > 0$$

01.16.27.2221.01

$$\cot^{-1}\left(\frac{2\sqrt{-z}}{1+z}\right) = \frac{\pi}{2} - 2i \operatorname{coth}^{-1}\left(\sqrt{\frac{1}{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.2222.01

$$\cot^{-1}\left(\frac{2\sqrt{-z}}{1+z}\right) = -\frac{\pi}{2} - 2i \operatorname{coth}^{-1}\left(\sqrt{\frac{1}{z}}\right); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.2223.01

$$\cot^{-1}\left(\frac{2\sqrt{-z}}{1+z}\right) = \frac{\pi}{2} \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} - 2\sqrt{-z} \sqrt{\frac{1}{z}} \operatorname{coth}^{-1}\left(\sqrt{\frac{1}{z}}\right)$$

### Involving $\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right)$

#### Involving $\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right)$ and $\operatorname{coth}^{-1}(\sqrt{z})$

01.16.27.2224.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = \pi - 2i \operatorname{coth}^{-1}(\sqrt{z}); |z| < 1 \wedge 0 < \arg(z) \leq \pi$$

01.16.27.2225.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = \pi + 2i \operatorname{coth}^{-1}(\sqrt{z}); |z| < 1 \wedge \operatorname{Im}(z) < 0$$

01.16.27.2226.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = -\pi + 2i \operatorname{coth}^{-1}(\sqrt{z}); (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.2227.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = \frac{2\sqrt{-z}}{\sqrt{z}} \operatorname{coth}^{-1}(\sqrt{z}) + \sqrt{\frac{z-1}{z}} \sqrt{\frac{z}{z-1}} \pi; |z| < 1$$

01.16.27.2228.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = 2i \operatorname{coth}^{-1}(\sqrt{z}); |z| > 1 \wedge -\pi < \arg(z) \leq 0$$

01.16.27.2229.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = -2i \operatorname{coth}^{-1}(\sqrt{z}); |z| > 1 \wedge 0 < \arg(z) \leq \pi$$

01.16.27.2230.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = \frac{2\sqrt{-z}}{\sqrt{z}} \operatorname{coth}^{-1}(\sqrt{z}); |z| > 1$$

01.16.27.2231.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = \frac{\pi}{2} \left( \frac{1+z}{1-z} \sqrt{\left(\frac{z-1}{z+1}\right)^2} + 2\sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} - 1 \right) + \frac{2\sqrt{-z}}{\sqrt{z}} \coth^{-1}(\sqrt{z}) ; |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right)$  and  $\coth^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.2232.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = 2i \coth^{-1}\left(\frac{1}{\sqrt{z}}\right) ; |z| < 1 \wedge -\pi < \arg(z) \leq 0$$

01.16.27.2233.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = -2i \coth^{-1}\left(\frac{1}{\sqrt{z}}\right) ; |z| < 1 \wedge 0 < \arg(z) \leq \pi$$

01.16.27.2234.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = \frac{2\sqrt{-z}}{\sqrt{z}} \coth^{-1}\left(\frac{1}{\sqrt{z}}\right) ; |z| < 1$$

01.16.27.2235.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = 2i \coth^{-1}\left(\frac{1}{\sqrt{z}}\right) - \pi ; |z| > 1 \wedge -\pi < \arg(z) \leq 0$$

01.16.27.2236.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = -2i \coth^{-1}\left(\frac{1}{\sqrt{z}}\right) - \pi ; |z| > 1 \wedge 0 < \arg(z) \leq \pi$$

01.16.27.2237.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = \frac{2\sqrt{-z}}{\sqrt{z}} \coth^{-1}\left(\frac{1}{\sqrt{z}}\right) - \pi ; |z| > 1$$

01.16.27.2238.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = \frac{2\sqrt{-z}}{\sqrt{z}} \coth^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{\pi}{2} \left( 1 - \frac{1-z}{1+z} \sqrt{\left(\frac{z+1}{z-1}\right)^2} \right) ; |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right)$  and  $\coth^{-1}\left(\sqrt{\frac{1}{z}}\right)$

01.16.27.2239.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = 2i \coth^{-1}\left(\sqrt{\frac{1}{z}}\right) ; |z| < 1 \wedge \text{Im}(z) \leq 0$$

01.16.27.2240.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = -2i \coth^{-1}\left(\sqrt{\frac{1}{z}}\right) ; |z| < 1 \wedge \text{Im}(z) > 0$$

01.16.27.2241.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = 2\sqrt{\frac{1}{z}}\sqrt{-z}\coth^{-1}\left(\sqrt{\frac{1}{z}}\right); |z| < 1$$

01.16.27.2242.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = 2i\coth^{-1}\left(\sqrt{\frac{1}{z}}\right) - \pi; |z| > 1 \wedge \text{Im}(z) \leq 0$$

01.16.27.2243.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = -2i\coth^{-1}\left(\sqrt{\frac{1}{z}}\right) - \pi; |z| > 1 \wedge \text{Im}(z) > 0$$

01.16.27.2244.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = 2\sqrt{\frac{1}{z}}\sqrt{-z}\coth^{-1}\left(\sqrt{\frac{1}{z}}\right) - \pi; |z| > 1$$

01.16.27.2245.01

$$\cot^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right) = 2\sqrt{-z}\sqrt{\frac{1}{z}}\coth^{-1}\left(\sqrt{\frac{1}{z}}\right) - \frac{\pi}{2}\left(1 - \frac{1+z}{1-z}\sqrt{\left(\frac{1-z}{1+z}\right)^2}\right); |z| \neq 1$$

### Involving $\cot^{-1}\left(\sqrt{1+z^2} + cz\right)$

### Involving $\cot^{-1}\left(\sqrt{1+z^2} + z\right)$ and $\coth^{-1}(iz)$

01.16.27.2246.01

$$\cot^{-1}\left(\sqrt{1+z^2} + z\right) = \frac{i}{2}\coth^{-1}(iz); \text{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2247.01

$$\cot^{-1}\left(\sqrt{1+z^2} + z\right) = \frac{i}{2}\coth^{-1}(iz) + \frac{\pi}{2}; \text{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2248.01

$$\cot^{-1}\left(\sqrt{1+z^2} + z\right) = \left(1 - z\sqrt{z^{-2}}\sqrt{z^2+1}\sqrt{\frac{1}{z^2+1}}\right)\frac{\pi}{4} + \frac{i}{2}\coth^{-1}(iz)$$

### Involving $\cot^{-1}\left(\sqrt{1+z^2} + z\right)$ and $\coth^{-1}\left(\frac{i}{z}\right)$

01.16.27.2249.01

$$\cot^{-1}\left(\sqrt{1+z^2} + z\right) = \frac{\pi}{4} - \frac{i}{2}\coth^{-1}\left(\frac{i}{z}\right)$$

Involving  $\cot^{-1}\left(\sqrt{1+z^2}-z\right)$  and  $\coth^{-1}(iz)$

01.16.27.2250.01

$$\cot^{-1}\left(\sqrt{1+z^2}-z\right)=\frac{\pi}{2}-\frac{i}{2}\coth^{-1}(iz); \operatorname{Re}(z)>0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2251.01

$$\cot^{-1}\left(\sqrt{1+z^2}-z\right)=-\frac{i}{2}\coth^{-1}(iz); \operatorname{Re}(z)<0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2252.01

$$\cot^{-1}\left(\sqrt{1+z^2}-z\right)=\left(1+z\sqrt{z^{-2}}\sqrt{z^2+1}\sqrt{\frac{1}{z^2+1}}\right)\frac{\pi}{4}-\frac{i}{2}\coth^{-1}(iz)$$

Involving  $\cot^{-1}\left(\sqrt{1+z^2}-z\right)$  and  $\coth^{-1}\left(\frac{i}{z}\right)$

01.16.27.2253.01

$$\cot^{-1}\left(\sqrt{1+z^2}-z\right)=\frac{i}{2}\coth^{-1}\left(\frac{i}{z}\right)+\frac{\pi}{4}$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}+cz}\right)$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}+z}\right)$  and  $\coth^{-1}(iz)$

01.16.27.2254.01

$$\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}+z}\right)=\frac{\pi}{2}-\frac{i}{2}\coth^{-1}(iz); \operatorname{Re}(z)>0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2255.01

$$\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}+z}\right)=-\frac{i}{2}\coth^{-1}(iz); \operatorname{Re}(z)<0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2256.01

$$\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}+z}\right)=\left(1+z\sqrt{z^{-2}}\sqrt{z^2+1}\sqrt{\frac{1}{z^2+1}}\right)\frac{\pi}{4}-\frac{i}{2}\coth^{-1}(iz)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}+z}\right)$  and  $\coth^{-1}\left(\frac{i}{z}\right)$



01.16.27.2257.01

$$\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}+z}\right) = \frac{i}{2} \coth^{-1}\left(\frac{i}{z}\right) + \frac{\pi}{4}$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}-z}\right)$  and  $\coth^{-1}(iz)$

01.16.27.2258.01

$$\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}-z}\right) = \frac{i}{2} \coth^{-1}(iz) /; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2259.01

$$\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}-z}\right) = \frac{1}{2} i \coth^{-1}(iz) + \frac{\pi}{2} /; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2260.01

$$\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}-z}\right) = \left(1 - z \sqrt{z^{-2}} \sqrt{z^2+1} \sqrt{\frac{1}{z^2+1}}\right) \frac{\pi}{4} + \frac{i}{2} \coth^{-1}(iz)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}-z}\right)$  and  $\coth^{-1}\left(\frac{i}{z}\right)$

01.16.27.2261.01

$$\cot^{-1}\left(\frac{1}{\sqrt{1+z^2}-z}\right) = \frac{\pi}{4} - \frac{i}{2} \coth^{-1}\left(\frac{i}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{1+z^2}+a}{z}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{1+z^2}+1}{z}\right)$  and  $\coth^{-1}(iz)$

01.16.27.2262.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2}+1}{z}\right) = \frac{\pi}{4} - \frac{i}{2} \coth^{-1}(iz) /; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2263.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2}+1}{z}\right) = -\frac{i}{2} \coth^{-1}(iz) - \frac{\pi}{4} /; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2264.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2+1}}{z}\right) = \frac{\pi z}{4} \sqrt{\frac{1}{z^2}} \sqrt{z^2+1} \sqrt{\frac{1}{z^2+1}} - \frac{i}{2} \coth^{-1}(iz)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{1+z^2+1}}{z}\right)$  and  $\coth^{-1}\left(\frac{i}{z}\right)$

01.16.27.2265.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2+1}}{z}\right) = \frac{i}{2} \coth^{-1}\left(\frac{i}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{1+z^2-1}}{z}\right)$  and  $\coth^{-1}(iz)$

01.16.27.2266.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2-1}}{z}\right) = \frac{\pi}{4} + \frac{i}{2} \coth^{-1}(iz) /; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2267.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2-1}}{z}\right) = \frac{i}{2} \coth^{-1}(iz) - \frac{\pi}{4} /; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2268.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2-1}}{z}\right) = \frac{\pi z}{4} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} \sqrt{\frac{1}{z^2}} + \frac{i}{2} \coth^{-1}(iz)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{1+z^2-1}}{z}\right)$  and  $\coth^{-1}\left(\frac{i}{z}\right)$

01.16.27.2269.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2-1}}{z}\right) = \frac{\pi}{2} - \frac{i}{2} \coth^{-1}\left(\frac{i}{z}\right) /; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2270.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2-1}}{z}\right) = -\frac{i}{2} \coth^{-1}\left(\frac{i}{z}\right) - \frac{\pi}{2} /; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2271.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2-1}}{z}\right) = z \sqrt{z^{-2}} \sqrt{z^2+1} \sqrt{\frac{1}{z^2+1}} \frac{\pi}{2} - \frac{i}{2} \coth^{-1}\left(\frac{i}{z}\right)$$

### Involving $\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+a}}\right)$

#### Involving $\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+1}}\right)$ and $\coth^{-1}(iz)$

01.16.27.2272.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+1}}\right) = \frac{\pi}{4} + \frac{i}{2} \coth^{-1}(iz) ; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2273.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+1}}\right) = \frac{i}{2} \coth^{-1}(iz) - \frac{\pi}{4} ; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2274.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+1}}\right) = \frac{\pi z}{4} \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} \sqrt{\frac{1}{z^2}} + \frac{i}{2} \coth^{-1}(iz)$$

#### Involving $\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+1}}\right)$ and $\coth^{-1}\left(\frac{i}{z}\right)$

01.16.27.2275.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+1}}\right) = \frac{\pi}{2} - \frac{i}{2} \coth^{-1}\left(\frac{i}{z}\right) ; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2276.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+1}}\right) = -\frac{i}{2} \coth^{-1}\left(\frac{i}{z}\right) - \frac{\pi}{2} ; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2277.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2+1}}\right) = z \sqrt{z^{-2}} \sqrt{z^2+1} \sqrt{\frac{1}{z^2+1}} \frac{\pi}{2} - \frac{i}{2} \coth^{-1}\left(\frac{i}{z}\right)$$

#### Involving $\cot^{-1}\left(\frac{z}{\sqrt{1+z^2-1}}\right)$ and $\coth^{-1}(iz)$

01.16.27.2278.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2-1}}\right) = \frac{\pi}{4} - \frac{i}{2} \coth^{-1}(iz) ; \operatorname{Re}(z) > 0 \vee (iz \in \mathbb{R} \wedge iz < -1) \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2279.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2}-1}\right) = -\frac{i}{2} \coth^{-1}(iz) - \frac{\pi}{4} /; \operatorname{Re}(z) < 0 \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2280.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2}-1}\right) = \frac{\pi z}{4} \sqrt{\frac{1}{z^2}} \sqrt{z^2+1} \sqrt{\frac{1}{z^2+1}} - \frac{i}{2} \coth^{-1}(iz)$$

Involving  $\cot^{-1}\left(\frac{z}{\sqrt{1+z^2}-1}\right)$  and  $\coth^{-1}\left(\frac{i}{z}\right)$

01.16.27.2281.01

$$\cot^{-1}\left(\frac{z}{\sqrt{1+z^2}-1}\right) = \frac{i}{2} \coth^{-1}\left(\frac{i}{z}\right)$$

**Involving  $\operatorname{csch}^{-1}$**

**Involving  $\cot^{-1}(z)$**

Involving  $\cot^{-1}(z)$  and  $\operatorname{csch}^{-1}\left(\sqrt{-z^2-1}\right)$

01.16.27.2282.01

$$\cot^{-1}(z) = -i \operatorname{csch}^{-1}\left(\sqrt{-z^2-1}\right) /; 0 < \arg(z) < \frac{\pi}{2} \vee \frac{\pi}{2} < \arg(z) \leq \pi \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.2283.01

$$\cot^{-1}(z) = i \operatorname{csch}^{-1}\left(\sqrt{-z^2-1}\right) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee -\frac{\pi}{2} < \arg(z) \leq 0 \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.2284.01

$$\cot^{-1}(z) = \pi - i \operatorname{csch}^{-1}\left(\sqrt{-z^2-1}\right) /; (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2285.01

$$\cot^{-1}(z) = i \operatorname{csch}^{-1}\left(\sqrt{-z^2-1}\right) - \pi /; (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2286.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{z-i}{z}} \sqrt{\frac{z}{z-i}} - \sqrt{\frac{z+i}{z}} \sqrt{\frac{z}{z+i}} \right) - z \sqrt{-\frac{1}{z^2}} \sqrt{-z^2-1} \sqrt{-\frac{1}{z^2+1}} \operatorname{csch}^{-1}\left(\sqrt{-z^2-1}\right)$$

Involving  $\cot^{-1}(z)$  and  $\operatorname{csch}^{-1}\left(\frac{\sqrt{-1-z^2}}{z}\right)$

01.16.27.2287.01

$$\cot^{-1}(z) = i \operatorname{csch}^{-1}\left(\frac{\sqrt{-1-z^2}}{z}\right) + \frac{\pi}{2} /; 0 < \arg(z) < \frac{\pi}{2}$$

01.16.27.2288.01

$$\cot^{-1}(z) = -i \operatorname{csch}^{-1}\left(\frac{\sqrt{-1-z^2}}{z}\right) + \frac{\pi}{2} /; -\frac{\pi}{2} \leq \arg(z) \leq 0$$

01.16.27.2289.01

$$\cot^{-1}(z) = -i \operatorname{csch}^{-1}\left(\frac{\sqrt{-1-z^2}}{z}\right) - \frac{\pi}{2} /; \frac{\pi}{2} \leq \arg(z) \leq \pi$$

01.16.27.2290.01

$$\cot^{-1}(z) = i \operatorname{csch}^{-1}\left(\frac{\sqrt{-1-z^2}}{z}\right) - \frac{\pi}{2} /; -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.2291.01

$$\cot^{-1}(z) = \frac{\pi z}{2} \sqrt{\frac{1}{z^2} - \sqrt{-z^2 - 1}} \sqrt{\frac{1}{z^2 + 1}} \operatorname{csch}^{-1}\left(\frac{\sqrt{-1-z^2}}{z}\right)$$

Involving  $\cot^{-1}(z)$  and  $\operatorname{csch}^{-1}\left(\frac{\sqrt{1+z^2}}{\sqrt{-z^2}}\right)$

01.16.27.2292.01

$$\cot^{-1}(z) = -i \operatorname{csch}^{-1}\left(\frac{\sqrt{1+z^2}}{\sqrt{-z^2}}\right) + \frac{\pi}{2} /; 0 < \arg(z) < \frac{\pi}{2} \sqrt{i z \in \mathbb{R} \wedge i z > 1}$$

01.16.27.2293.01

$$\cot^{-1}(z) = i \operatorname{csch}^{-1}\left(\frac{\sqrt{1+z^2}}{\sqrt{-z^2}}\right) + \frac{\pi}{2} /; -\frac{\pi}{2} < \arg(z) \leq 0 \sqrt{i z \in \mathbb{R} \wedge 0 < i z < 1}$$

01.16.27.2294.01

$$\cot^{-1}(z) = -i \operatorname{csch}^{-1}\left(\frac{\sqrt{1+z^2}}{\sqrt{-z^2}}\right) - \frac{\pi}{2} /; \frac{\pi}{2} < \arg(z) \leq \pi \sqrt{i z \in \mathbb{R} \wedge -1 < i z < 0}$$

01.16.27.2295.01

$$\cot^{-1}(z) = i \operatorname{csch}^{-1}\left(\frac{\sqrt{1+z^2}}{\sqrt{-z^2}}\right) - \frac{\pi}{2} /; -\pi < \arg(z) < -\frac{\pi}{2} \sqrt{i z \in \mathbb{R} \wedge i z < -1}$$

01.16.27.2296.01

$$\cot^{-1}(z) = \frac{\sqrt{-z} \sqrt{z^2 + 1}}{\sqrt{z}} \sqrt{\frac{1}{z^2 + 1}} \operatorname{csch}^{-1}\left(\frac{\sqrt{1+z^2}}{\sqrt{-z^2}}\right) + \frac{\pi z}{2} \sqrt{\frac{1}{z^2}}$$

Involving  $\cot^{-1}(z)$  and  $\operatorname{csch}^{-1}\left(\frac{\sqrt{-1-z^2}}{\sqrt{z^2}}\right)$

01.16.27.2297.01

$$\cot^{-1}(z) = i \operatorname{csch}^{-1}\left(\frac{\sqrt{-1-z^2}}{\sqrt{z^2}}\right) + \frac{\pi}{2} /; 0 < \arg(z) < \frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z > 0)$$

01.16.27.2298.01

$$\cot^{-1}(z) = -i \operatorname{csch}^{-1}\left(\frac{\sqrt{-1-z^2}}{\sqrt{z^2}}\right) + \frac{\pi}{2} /; -\frac{\pi}{2} < \arg(z) \leq 0$$

01.16.27.2299.01

$$\cot^{-1}(z) = i \operatorname{csch}^{-1}\left(\frac{\sqrt{-1-z^2}}{\sqrt{z^2}}\right) - \frac{\pi}{2} /; \frac{\pi}{2} < \arg(z) \leq \pi$$

01.16.27.2300.01

$$\cot^{-1}(z) = -i \operatorname{csch}^{-1}\left(\frac{\sqrt{-1-z^2}}{\sqrt{z^2}}\right) - \frac{\pi}{2} /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z < 0)$$

01.16.27.2301.01

$$\cot^{-1}(z) = \frac{\pi z}{2} \sqrt{\frac{1}{z^2} - z} \frac{\sqrt{-z^2-1}}{\sqrt{z^2}} \sqrt{\frac{1}{z^2+1}} \operatorname{csch}^{-1}\left(\frac{\sqrt{-1-z^2}}{\sqrt{z^2}}\right)$$

Involving  $\cot^{-1}(z)$  and  $\operatorname{csch}^{-1}\left(\sqrt{-\frac{z^2+1}{z^2}}\right)$

01.16.27.2302.01

$$\cot^{-1}(z) = -i \operatorname{csch}^{-1}\left(\sqrt{-\frac{z^2+1}{z^2}}\right) + \frac{\pi}{2} /; 0 \leq \arg(z) < \frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.2303.01

$$\cot^{-1}(z) = i \operatorname{csch}^{-1}\left(\sqrt{-\frac{z^2+1}{z^2}}\right) + \frac{\pi}{2} /; -\frac{\pi}{2} < \arg(z) < 0 \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.2304.01

$$\cot^{-1}(z) = -i \operatorname{csch}^{-1}\left(\sqrt{-\frac{z^2+1}{z^2}}\right) - \frac{\pi}{2} /; \frac{\pi}{2} < \arg(z) < \pi \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.2305.01

$$\cot^{-1}(z) = i \operatorname{csch}^{-1} \left( \sqrt{-\frac{z^2+1}{z^2}} \right) - \frac{\pi}{2} /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0) \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.2306.01

$$\cot^{-1}(z) = \frac{\pi z}{2} \sqrt{\frac{1}{z^2}} - z \sqrt{-\frac{z^2+1}{z^2}} \sqrt{\frac{1}{z^2+1}} \operatorname{csch}^{-1} \left( \sqrt{-\frac{z^2+1}{z^2}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\operatorname{csch}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{1-\sqrt{1+z^2}}} \right)$

01.16.27.2307.01

$$\cot^{-1}(z) = -2i \operatorname{csch}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{1-\sqrt{1+z^2}}} \right) + \frac{\pi}{2} /; 0 < \arg(z) < \frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.2308.01

$$\cot^{-1}(z) = 2i \operatorname{csch}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{1-\sqrt{1+z^2}}} \right) + \frac{\pi}{2} /; -\frac{\pi}{2} < \arg(z) \leq 0 \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.2309.01

$$\cot^{-1}(z) = -2i \operatorname{csch}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{1-\sqrt{1+z^2}}} \right) - \frac{\pi}{2} /; \frac{\pi}{2} < \arg(z) \leq \pi \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.2310.01

$$\cot^{-1}(z) = 2i \operatorname{csch}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{1-\sqrt{1+z^2}}} \right) - \frac{\pi}{2} /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.2311.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{1}{i z + 1}} \sqrt{i z + 1} + \sqrt{\frac{1}{1 - i z}} \sqrt{1 - i z} \right) + \frac{2\sqrt{-z}}{\sqrt{z}} \operatorname{csch}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{1-\sqrt{1+z^2}}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\operatorname{csch}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{1-\sqrt{1+z^2}}}\right)$

01.16.27.2312.01

$$\cot^{-1}(z) = -2i \operatorname{csch}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{1-\sqrt{1+z^2}}}\right) + \frac{\pi}{2}; 0 \leq \arg(z) < \frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.2313.01

$$\cot^{-1}(z) = 2i \operatorname{csch}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{1-\sqrt{1+z^2}}}\right) + \frac{\pi}{2}; -\frac{\pi}{2} < \arg(z) < 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2314.01

$$\cot^{-1}(z) = -2i \operatorname{csch}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{1-\sqrt{1+z^2}}}\right) - \frac{\pi}{2}; \frac{\pi}{2} < \arg(z) < \pi \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2315.01

$$\cot^{-1}(z) = 2i \operatorname{csch}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{1-\sqrt{1+z^2}}}\right) - \frac{\pi}{2}; -\pi < \arg(z) < -\frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.2316.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} + \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} \right) - 2z \sqrt{-\frac{1}{z^2}} \operatorname{csch}^{-1}\left(\sqrt{\frac{2\sqrt{z^2+1}}{1-\sqrt{z^2+1}}}\right)$$

Involving  $\cot^{-1}(z)$  and  $\operatorname{csch}^{-1}\left(\frac{\sqrt{2}(1+z^2)^{1/4}}{\sqrt{z-\sqrt{1+z^2}}}\right)$

01.16.27.2317.01

$$\cot^{-1}(z) = -2i \operatorname{csch}^{-1}\left(\frac{\sqrt{2}(1+z^2)^{1/4}}{\sqrt{z-\sqrt{1+z^2}}}\right); 0 \leq \arg(z) < \frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.2318.01

$$\cot^{-1}(z) = 2i \operatorname{csch}^{-1}\left(\frac{\sqrt{2}(1+z^2)^{1/4}}{\sqrt{z-\sqrt{1+z^2}}}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$



01.16.27.2319.01

$$\cot^{-1}(z) = -2i \operatorname{csch}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{z - \sqrt{1+z^2}}} \right) - \pi /; \frac{\pi}{2} < \arg(z) \leq \pi \quad \bigvee \quad (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2320.01

$$\cot^{-1}(z) = 2i \operatorname{csch}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{z - \sqrt{1+z^2}}} \right) - \pi /; -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.2321.01

$$\cot^{-1}(z) = \pi - 2i \operatorname{csch}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{z - \sqrt{1+z^2}}} \right) /; (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.2322.01

$$\cot^{-1}(z) =$$

$$\frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} - \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} + 1 \right) - 2\sqrt{z} \sqrt{-\frac{1}{z}} \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} \operatorname{csch}^{-1} \left( \frac{\sqrt{2} \sqrt[4]{z^2+1}}{\sqrt{z - \sqrt{z^2+1}}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\operatorname{csch}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{z - \sqrt{1+z^2}}} \right)$

01.16.27.2323.01

$$\cot^{-1}(z) = -2i \operatorname{csch}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{z - \sqrt{1+z^2}}} \right) /; 0 < \arg(z) < \frac{\pi}{2} \quad \bigvee \quad (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.2324.01

$$\cot^{-1}(z) = 2i \operatorname{csch}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{z - \sqrt{1+z^2}}} \right) /; -\frac{\pi}{2} < \arg(z) \leq 0 \quad \bigvee \quad (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2325.01

$$\cot^{-1}(z) = -2i \operatorname{csch}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{z - \sqrt{1+z^2}}} \right) - \pi /; \frac{\pi}{2} < \arg(z) < \pi \quad \bigvee \quad (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2326.01

$$\cot^{-1}(z) = 2i \operatorname{csch}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{z - \sqrt{1+z^2}}} \right) - \pi /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.2327.01

$$\cot^{-1}(z) = -2i \operatorname{csch}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{z - \sqrt{1+z^2}}} \right) + \pi /; (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.2328.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} - \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} + 1 \right) + 2 \sqrt{\frac{1}{z}} \sqrt{-z} \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} \operatorname{csch}^{-1} \left( \sqrt{\frac{2\sqrt{z^2+1}}{z - \sqrt{z^2+1}}} \right)$$

### Involving $\cot^{-1}(\sqrt{z})$

#### Involving $\cot^{-1}(\sqrt{z})$ and $\operatorname{csch}^{-1}\left(\frac{1+z}{2\sqrt{-z}}\right)$

01.16.27.2329.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - \frac{1}{2} i \operatorname{csch}^{-1} \left( \frac{1+z}{2\sqrt{-z}} \right) /; |z| < 1 \wedge \operatorname{Im}(z) > 0$$

01.16.27.2330.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} i \operatorname{csch}^{-1} \left( \frac{1+z}{2\sqrt{-z}} \right) + \frac{\pi}{2} /; |z| < 1 \wedge -\pi < \arg(z) \leq 0$$

01.16.27.2331.01

$$\cot^{-1}(\sqrt{z}) = -\frac{i}{2} \operatorname{csch}^{-1} \left( \frac{1+z}{2\sqrt{-z}} \right) - \frac{\pi}{2} /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2332.01

$$\cot^{-1}(\sqrt{z}) = \frac{\sqrt{-z}}{2\sqrt{z}} \operatorname{csch}^{-1} \left( \frac{1+z}{2\sqrt{-z}} \right) + \frac{1}{2} \pi \sqrt{\frac{1}{z}} \sqrt{-z} /; |z| < 1$$

01.16.27.2333.01

$$\cot^{-1}(\sqrt{z}) = -\frac{\sqrt{-z}}{2\sqrt{z}} \operatorname{csch}^{-1} \left( \frac{1+z}{2\sqrt{-z}} \right) /; |z| > 1$$

01.16.27.2334.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{4} \left( -\frac{z-1}{z+1} \sqrt{\left(\frac{z+1}{z-1}\right)^2} + 2 \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - 1 \right) + \frac{\sqrt{-z}(1-z)}{2\sqrt{z}(z+1)} \sqrt{\left(\frac{z+1}{z-1}\right)^2} \operatorname{csch}^{-1} \left( \frac{1+z}{2\sqrt{-z}} \right) /; |z| \neq 1$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\operatorname{csch}^{-1}(\sqrt{-z-1})$

01.16.27.2335.01

$$\cot^{-1}(\sqrt{z}) = -i \operatorname{csch}^{-1}(\sqrt{-z-1}) \text{ ; } 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2336.01

$$\cot^{-1}(\sqrt{z}) = i \operatorname{csch}^{-1}(\sqrt{-z-1}) \text{ ; } -\pi < \arg(z) \leq 0$$

01.16.27.2337.01

$$\cot^{-1}(\sqrt{z}) = i \operatorname{csch}^{-1}(\sqrt{-z-1}) - \pi \text{ ; } (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2338.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \left( \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 1 \right) + \frac{\sqrt{-z-1}}{\sqrt{z+1}} \operatorname{csch}^{-1}(\sqrt{-z-1})$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\operatorname{csch}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{-z}}\right)$

01.16.27.2339.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - i \operatorname{csch}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{-z}}\right) \text{ ; } \operatorname{Im}(z) > 0$$

01.16.27.2340.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} + i \operatorname{csch}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{-z}}\right) \text{ ; } \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 0)$$

01.16.27.2341.01

$$\cot^{-1}(\sqrt{z}) = -i \operatorname{csch}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{-z}}\right) - \frac{\pi}{2} \text{ ; } (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2342.01

$$\cot^{-1}(\sqrt{z}) = i \operatorname{csch}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{-z}}\right) - \frac{\pi}{2} \text{ ; } (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2343.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \sqrt{z} \sqrt{\frac{1}{z}} + \frac{\sqrt{\frac{-z}{1+z}}}{\sqrt{\frac{z}{1+z}}} \operatorname{csch}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{-z}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\operatorname{csch}^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z}}\right)$

01.16.27.2344.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} + i \operatorname{csch}^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z}}\right) \text{ ; } 0 < \arg(z) < \pi$$

01.16.27.2345.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - i \operatorname{csch}^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z}}\right); -\pi < \arg(z) \leq 0$$

01.16.27.2346.01

$$\cot^{-1}(\sqrt{z}) = -i \operatorname{csch}^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z}}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.2347.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} \sqrt{z} \sqrt{\frac{1}{z}} \pi - \sqrt{-z-1} \sqrt{\frac{1}{z+1}} \operatorname{csch}^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\operatorname{csch}^{-1}\left(\sqrt{-\frac{z+1}{z}}\right)$

01.16.27.2348.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - i \operatorname{csch}^{-1}\left(\sqrt{-\frac{z+1}{z}}\right); 0 \leq \arg(z) < \pi$$

01.16.27.2349.01

$$\cot^{-1}(\sqrt{z}) = i \operatorname{csch}^{-1}\left(\sqrt{-\frac{z+1}{z}}\right) + \frac{\pi}{2}; \operatorname{Im}(z) < 0$$

01.16.27.2350.01

$$\cot^{-1}(\sqrt{z}) = -i \operatorname{csch}^{-1}\left(\sqrt{-\frac{z+1}{z}}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2351.01

$$\cot^{-1}(\sqrt{z}) = i \operatorname{csch}^{-1}\left(\sqrt{-\frac{z+1}{z}}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2352.01

$$\cot^{-1}(\sqrt{z}) = \frac{\sqrt{-z-1} \sqrt{-z^2}}{\sqrt{z+1}} \sqrt{-\frac{1}{z^2}} \operatorname{csch}^{-1}\left(\sqrt{-\frac{z+1}{z}}\right) + \frac{1}{2} \pi \sqrt{\frac{1}{z}} \sqrt{z}$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\operatorname{csch}^{-1}\left(\sqrt{2} (1+z)^{1/4} / \sqrt{1-\sqrt{1+z}}\right)$

01.16.27.2353.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - 2i \operatorname{csch}^{-1}\left(\frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{1-\sqrt{1+z}}}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2354.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} + 2i \operatorname{csch}^{-1}\left(\frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{1-\sqrt{1+z}}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 0)$$

01.16.27.2355.01

$$\cot^{-1}(\sqrt{z}) = -2i \operatorname{csch}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{1-\sqrt{1+z}}}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2356.01

$$\cot^{-1}(\sqrt{z}) = \frac{2\sqrt{-z}}{\sqrt{z}} \operatorname{csch}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{1-\sqrt{1+z}}}\right) + \frac{1}{2}\pi \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}}$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\operatorname{csch}^{-1}\left(\sqrt{2\sqrt{1+z}/(1-\sqrt{1+z})}\right)$

01.16.27.2357.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - 2i \operatorname{csch}^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{1-\sqrt{1+z}}}\right); 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2358.01

$$\cot^{-1}(\sqrt{z}) = 2i \operatorname{csch}^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{1-\sqrt{1+z}}}\right) + \frac{\pi}{2}; \operatorname{Im}(z) < 0$$

01.16.27.2359.01

$$\cot^{-1}(\sqrt{z}) = -2i \operatorname{csch}^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{1-\sqrt{1+z}}}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2360.01

$$\cot^{-1}(\sqrt{z}) = -2\sqrt{z} \sqrt{-\frac{1}{z}} \operatorname{csch}^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{1-\sqrt{1+z}}}\right) + \frac{1}{2}\pi \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}}$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\operatorname{csch}^{-1}\left(\sqrt{2(1+z)^{1/4}/\sqrt{\sqrt{z}-\sqrt{1+z}}}\right)$

01.16.27.2361.01

$$\cot^{-1}(\sqrt{z}) = -2i \operatorname{csch}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{z}-\sqrt{1+z}}}\right); 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2362.01

$$\cot^{-1}(\sqrt{z}) = 2i \operatorname{csch}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{z}-\sqrt{1+z}}}\right); \operatorname{Im}(z) < 0$$

01.16.27.2363.01

$$\cot^{-1}(\sqrt{z}) = -2i \operatorname{csch}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{z}-\sqrt{1+z}}}\right) - \pi; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2364.01

$$\cot^{-1}(\sqrt{z}) = -\frac{1}{2}\pi \left( 1 - \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} \right) - 2\sqrt{-\frac{1}{z}} \sqrt{z} \operatorname{csch}^{-1} \left( \frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{z}-\sqrt{1+z}}} \right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\operatorname{csch}^{-1}\left(\sqrt{2\sqrt{1+z}}/(\sqrt{z}-\sqrt{1+z})\right)$

01.16.27.2365.01

$$\cot^{-1}(\sqrt{z}) = -2i \operatorname{csch}^{-1} \left( \sqrt{\frac{2\sqrt{1+z}}{\sqrt{z}-\sqrt{1+z}}} \right) /; 0 < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2366.01

$$\cot^{-1}(\sqrt{z}) = 2i \operatorname{csch}^{-1} \left( \sqrt{\frac{2\sqrt{1+z}}{\sqrt{z}-\sqrt{1+z}}} \right) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 0)$$

01.16.27.2367.01

$$\cot^{-1}(\sqrt{z}) = -2i \operatorname{csch}^{-1} \left( \sqrt{\frac{2\sqrt{1+z}}{\sqrt{z}-\sqrt{1+z}}} \right) - \pi /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2368.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} \left( \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} - 1 \right) \pi + 2\frac{\sqrt{-z}}{\sqrt{z}} \operatorname{csch}^{-1} \left( \sqrt{\frac{2\sqrt{1+z}}{\sqrt{z}-\sqrt{1+z}}} \right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\operatorname{csch}^{-1}\left(\frac{z+1}{2\sqrt{-z}}\right)$

01.16.27.2369.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{1}{2}i \operatorname{csch}^{-1}\left(\frac{z+1}{2\sqrt{-z}}\right) /; |z| < 1 \wedge 0 < \arg(z) \leq \pi$$

01.16.27.2370.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\frac{1}{2}i \operatorname{csch}^{-1}\left(\frac{z+1}{2\sqrt{-z}}\right) /; |z| < 1 \wedge -\pi < \arg(z) \leq 0$$

01.16.27.2371.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\sqrt{z}}{2\sqrt{-z}} \operatorname{csch}^{-1}\left(\frac{z+1}{2\sqrt{-z}}\right) /; |z| < 1$$

01.16.27.2372.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - \frac{1}{2}i \operatorname{csch}^{-1}\left(\frac{z+1}{2\sqrt{-z}}\right) /; |z| > 1 \wedge 0 < \arg(z) \leq \pi$$

01.16.27.2373.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{1}{2} i \operatorname{csch}^{-1}\left(\frac{z+1}{2\sqrt{-z}}\right) + \frac{\pi}{2} /; |z| > 1 \wedge -\pi < \arg(z) \leq 0$$

01.16.27.2374.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - \frac{\sqrt{z}}{2\sqrt{-z}} \operatorname{csch}^{-1}\left(\frac{z+1}{2\sqrt{-z}}\right) /; |z| > 1$$

01.16.27.2375.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{1}{4} \left( 1 - \frac{1-z}{1+z} \sqrt{\left(\frac{z+1}{z-1}\right)^2} \right) \pi - \frac{\sqrt{-z}(1-z)}{2\sqrt{z}(1+z)} \sqrt{\left(\frac{z+1}{z-1}\right)^2} \operatorname{csch}^{-1}\left(\frac{z+1}{2\sqrt{-z}}\right) /; |z| \neq 1$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\operatorname{csch}^{-1}(\sqrt{-z-1})$

01.16.27.2376.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} + i \operatorname{csch}^{-1}(\sqrt{-z-1}) /; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2377.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - i \operatorname{csch}^{-1}(\sqrt{-z-1}) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > -1)$$

01.16.27.2378.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - \frac{\sqrt{-z-1}}{\sqrt{z+1}} \operatorname{csch}^{-1}(\sqrt{-z-1})$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\operatorname{csch}^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{-z}}\right)$

01.16.27.2379.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -i \operatorname{csch}^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{-z}}\right) /; -\pi < \arg(z) \leq 0$$

01.16.27.2380.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = i \operatorname{csch}^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{-z}}\right) /; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2381.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \pi - i \operatorname{csch}^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{-z}}\right) /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2382.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} \left( 1 - \sqrt{z+1} \sqrt{\frac{1}{z+1}} \right) + \frac{\sqrt{z} \sqrt{z+1}}{\sqrt{-z}} \sqrt{\frac{1}{z+1}} \operatorname{csch}^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{-z}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\operatorname{csch}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{z}}\right)$

01.16.27.2383.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -i \operatorname{csch}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{z}}\right); \operatorname{Im}(z) > 0$$

01.16.27.2384.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = i \operatorname{csch}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > -1)$$

01.16.27.2385.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = i \operatorname{csch}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{z}}\right) + \pi; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2386.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} \left(1 - \sqrt{z+1} \sqrt{\frac{1}{z+1}}\right) + \sqrt{-z-1} \sqrt{\frac{1}{z+1}} \operatorname{csch}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{z}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\operatorname{csch}^{-1}\left(\sqrt{-\frac{z+1}{z}}\right)$

01.16.27.2387.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = i \operatorname{csch}^{-1}\left(\sqrt{-\frac{z+1}{z}}\right); 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2388.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -i \operatorname{csch}^{-1}\left(\sqrt{-\frac{z+1}{z}}\right); \operatorname{Im}(z) < 0$$

01.16.27.2389.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -i \operatorname{csch}^{-1}\left(\sqrt{-\frac{z+1}{z}}\right) + \pi; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2390.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} \left(1 - \sqrt{z+1} \sqrt{\frac{1}{z+1}}\right) + \sqrt{-\frac{z+1}{z}} \sqrt{z} \sqrt{\frac{1}{1+z}} \operatorname{csch}^{-1}\left(\sqrt{-\frac{z+1}{z}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\operatorname{csch}^{-1}\left(\sqrt{2} (1+z)^{1/4} / \sqrt{1-\sqrt{1+z}}\right)$

01.16.27.2391.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2i \operatorname{csch}^{-1}\left(\frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{1-\sqrt{1+z}}}\right); 0 < \arg(z) \leq \pi$$



01.16.27.2392.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -2i \operatorname{csch}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{1-\sqrt{1+z}}}\right); -\pi < \arg(z) \leq 0$$

01.16.27.2393.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\frac{2\sqrt{-z^2}}{z} \operatorname{csch}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{1-\sqrt{1+z}}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\operatorname{csch}^{-1}\left(\sqrt{2\sqrt{1+z}/(1-\sqrt{1+z})}\right)$

01.16.27.2394.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2i \operatorname{csch}^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{1-\sqrt{1+z}}}\right); \operatorname{Im}(z) \geq 0$$

01.16.27.2395.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -2i \operatorname{csch}^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{1-\sqrt{1+z}}}\right); \operatorname{Im}(z) < 0$$

01.16.27.2396.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2\sqrt{z} \sqrt{-\frac{1}{z}} \operatorname{csch}^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{1-\sqrt{1+z}}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\operatorname{csch}^{-1}\left(\sqrt{2}(1+z)^{1/4}/\sqrt{\sqrt{z}-\sqrt{1+z}}\right)$

01.16.27.2397.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} + 2i \operatorname{csch}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{z}-\sqrt{1+z}}}\right); \operatorname{Im}(z) \geq 0$$

01.16.27.2398.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - 2i \operatorname{csch}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{z}-\sqrt{1+z}}}\right); \operatorname{Im}(z) < 0$$

01.16.27.2399.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2\sqrt{-\frac{1}{z}} \sqrt{z} \operatorname{csch}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{z}-\sqrt{1+z}}}\right) + \frac{\pi}{2}$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\operatorname{csch}^{-1}\left(\sqrt{2\sqrt{1+z}/(\sqrt{z}-\sqrt{1+z})}\right)$

01.16.27.2400.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} + 2i \operatorname{csch}^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{z}-\sqrt{1+z}}}\right) /; 0 < \arg(z) \leq \pi$$

01.16.27.2401.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - 2i \operatorname{csch}^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{z}-\sqrt{1+z}}}\right) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 0)$$

01.16.27.2402.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -2 \frac{\sqrt{-z}}{\sqrt{z}} \operatorname{csch}^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{z}-\sqrt{1+z}}}\right) + \frac{\pi}{2}$$

### Involving $\cot^{-1}(\sqrt{z-1})$

#### Involving $\cot^{-1}(\sqrt{z-1})$ and $\operatorname{csch}^{-1}(\sqrt{-z})$

01.16.27.2403.01

$$\cot^{-1}(\sqrt{z-1}) = -i \operatorname{csch}^{-1}(\sqrt{-z}) /; 0 < \arg(z) \leq \pi$$

01.16.27.2404.01

$$\cot^{-1}(\sqrt{z-1}) = i \operatorname{csch}^{-1}(\sqrt{-z}) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.2405.01

$$\cot^{-1}(\sqrt{z-1}) = i \operatorname{csch}^{-1}(\sqrt{-z}) - \pi /; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.2406.01

$$\cot^{-1}(\sqrt{z-1}) = \frac{\pi}{2} \left( \sqrt{z-1} \sqrt{\frac{1}{z-1}} - \sqrt{z} \sqrt{\frac{1}{z}} \right) - \frac{\sqrt{z}}{\sqrt{-z}} \operatorname{csch}^{-1}(\sqrt{-z})$$

### Involving $\cot^{-1}\left(\frac{1}{\sqrt{z-1}}\right)$

#### Involving $\cot^{-1}\left(\frac{1}{\sqrt{z-1}}\right)$ and $\operatorname{csch}^{-1}(\sqrt{-z})$

01.16.27.2407.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z-1}}\right) = i \operatorname{csch}^{-1}(\sqrt{-z}) + \frac{\pi}{2} /; 0 < \arg(z) \leq \pi$$

01.16.27.2408.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z-1}}\right) = -i \operatorname{csch}^{-1}(\sqrt{-z}) + \frac{\pi}{2} /; -\pi < \arg(z) \leq 0$$

01.16.27.2409.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z-1}}\right) = \frac{\sqrt{z}}{\sqrt{-z}} \operatorname{csch}^{-1}(\sqrt{-z}) + \frac{\pi}{2}$$

Involving  $\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right)$

Involving  $\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right)$  and  $\operatorname{csch}^{-1}(\sqrt{-z})$

01.16.27.2410.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right) = i \operatorname{csch}^{-1}(\sqrt{-z}) + \frac{\pi}{2}; \operatorname{Im}(z) > 0$$

01.16.27.2411.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right) = -i \operatorname{csch}^{-1}(\sqrt{-z}) + \frac{\pi}{2}; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.2412.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right) = -i \operatorname{csch}^{-1}(\sqrt{-z}) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.2413.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right) = i \operatorname{csch}^{-1}(\sqrt{-z}) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.2414.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right) = \sqrt{z-1} \sqrt{\frac{1}{z-1}} \left( \frac{\sqrt{z}}{\sqrt{-z}} \operatorname{csch}^{-1}(\sqrt{-z}) + \frac{\pi}{2} \right)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right)$  and  $\operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right)$

01.16.27.2415.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right) = i \operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right); 0 < \arg(z) \leq \pi$$

01.16.27.2416.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right) = -i \operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.2417.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right) = -i \operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right) - \pi /; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.2418.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right) = \frac{1}{2} \pi \left( \sqrt{1-z} \sqrt{\frac{1}{1-z} - 1} \right) - \frac{\sqrt{-z}}{\sqrt{z}} \operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right)$

#### Involving $\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right)$ and $\operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right)$

01.16.27.2419.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right) = -i \operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right) /; 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.2420.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right) = i \operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right) /; \operatorname{Im}(z) < 0$$

01.16.27.2421.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right) = \pi + i \operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right) /; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.2422.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right) = \frac{\pi}{2} \left( 1 - \sqrt{1-z} \sqrt{\frac{1}{1-z}} \right) + \frac{\sqrt{1-z}}{\sqrt{z-1}} \operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right)$$

### Involving $\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right)$

#### Involving $\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right)$ and $\operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right)$

01.16.27.2423.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right) = i \operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right) /; \operatorname{Im}(z) > 0$$

01.16.27.2424.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right) = -i \operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z < 1)$$

01.16.27.2425.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right) = -\pi - i \operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right); (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.2426.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right) = \frac{\pi}{2} \left( \sqrt{\frac{1-z}{z}} \sqrt{\frac{z}{1-z}} - \sqrt{\frac{1}{z}} \sqrt{z} \right) - \sqrt{-z} \sqrt{\frac{1}{z}} \operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right)$

#### Involving $\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right)$ and $\operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right)$

01.16.27.2427.01

$$\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right) = \frac{\pi}{2} - i \operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right); \operatorname{Im}(z) > 0$$

01.16.27.2428.01

$$\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right) = i \operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right) + \frac{\pi}{2}; -\pi < \arg(z) \leq 0$$

01.16.27.2429.01

$$\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right) = -i \operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.2430.01

$$\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right) = \frac{\pi}{2} \sqrt{z} \sqrt{\frac{1}{z}} + \frac{\sqrt{-z}}{\sqrt{z}} \operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right)$

#### Involving $\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right)$ and $\operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right)$

01.16.27.2431.01

$$\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right) = i \operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right) - \frac{\pi}{2}; \operatorname{Im}(z) > 0$$

01.16.27.2432.01

$$\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right) = -i \operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right) - \frac{\pi}{2}; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.2433.01

$$\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right) = \frac{\pi}{2} + i \operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right); (z \in \mathbb{R} \wedge z < 1)$$

$$01.16.27.2434.01 \quad \cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right) = \frac{\sqrt{z-1}}{\sqrt{1-z}} \operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right) - \frac{\pi \sqrt{-z} \sqrt{z-1}}{2\sqrt{1-z}} \sqrt{\frac{1}{z}}$$

### Involving $\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right)$

Involving  $\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right)$  and  $\operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right)$

$$01.16.27.2435.01 \quad \cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right) = \frac{\pi}{2} + i \operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

$$01.16.27.2436.01 \quad \cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right) = \frac{\pi}{2} - i \operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right); \operatorname{Im}(z) > 0$$

$$01.16.27.2437.01 \quad \cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right) = -\frac{\pi}{2} - i \operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right); (z \in \mathbb{R} \wedge z < 0) \vee (z \in \mathbb{R} \wedge z > 1)$$

$$01.16.27.2438.01 \quad \cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right) = \sqrt{\frac{z}{1-z}} \sqrt{\frac{1-z}{z}} \left( \sqrt{\frac{1}{z}} \sqrt{-z} \operatorname{csch}^{-1}\left(\frac{1}{\sqrt{-z}}\right) + \frac{\pi}{2} \right)$$

### Involving $\cot^{-1}\left(\sqrt{-z^2-1}\right)$

Involving  $\cot^{-1}\left(\sqrt{-z^2-1}\right)$  and  $\operatorname{csch}^{-1}(z)$

$$01.16.27.2439.01 \quad \cot^{-1}\left(\sqrt{-z^2-1}\right) = i \operatorname{csch}^{-1}(z); 0 < \arg(z) < \frac{\pi}{2} \vee \frac{\pi}{2} < \arg(z) \leq \pi \vee (iz \in \mathbb{R} \wedge iz < -1)$$

$$01.16.27.2440.01 \quad \cot^{-1}\left(\sqrt{-z^2-1}\right) = -i \operatorname{csch}^{-1}(z); -\pi < \arg(z) < -\frac{\pi}{2} \vee -\frac{\pi}{2} < \arg(z) \leq 0 \vee (iz \in \mathbb{R} \wedge iz > 1)$$

$$01.16.27.2441.01 \quad \cot^{-1}\left(\sqrt{-z^2-1}\right) = i \operatorname{csch}^{-1}(z) - \pi; (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

$$01.16.27.2442.01 \quad \cot^{-1}\left(\sqrt{-z^2-1}\right) = -i \operatorname{csch}^{-1}(z) - \pi; (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2443.01

$$\cot^{-1}\left(\sqrt{-z^2-1}\right) = \frac{\pi i}{2} \left( \frac{\sqrt{-iz-1}}{\sqrt{iz+1}} + \frac{\sqrt{iz-1}}{\sqrt{1-iz}} \right) - \frac{\sqrt{-z^2}}{z} \operatorname{csch}^{-1}(z)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{-z^2-1}}\right)$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{-z^2-1}}\right)$  and  $\operatorname{csch}^{-1}(z)$

01.16.27.2444.01

$$\cot^{-1}\left(\frac{1}{\sqrt{-z^2-1}}\right) = i \operatorname{csch}^{-1}(z) + \frac{\pi}{2} /; -\pi < \arg(z) \leq 0$$

01.16.27.2445.01

$$\cot^{-1}\left(\frac{1}{\sqrt{-z^2-1}}\right) = -i \operatorname{csch}^{-1}(z) + \frac{\pi}{2} /; 0 < \arg(z) \leq \pi$$

01.16.27.2446.01

$$\cot^{-1}\left(\frac{1}{\sqrt{-z^2-1}}\right) = \frac{\pi}{2} + \frac{\sqrt{-z^2}}{z} \operatorname{csch}^{-1}(z)$$

Involving  $\cot^{-1}\left(\sqrt{-\frac{1}{z^2+1}}\right)$

Involving  $\cot^{-1}\left(\sqrt{-\frac{1}{z^2+1}}\right)$  and  $\operatorname{csch}^{-1}(z)$

01.16.27.2447.01

$$\cot^{-1}\left(\sqrt{-\frac{1}{z^2+1}}\right) = \frac{\pi}{2} - i \operatorname{csch}^{-1}(z) /; 0 < \arg(z) < \frac{\pi}{2} \vee \frac{\pi}{2} < \arg(z) < \pi \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.2448.01

$$\cot^{-1}\left(\sqrt{-\frac{1}{z^2+1}}\right) = i \operatorname{csch}^{-1}(z) + \frac{\pi}{2} /; -\pi < \arg(z) < -\frac{\pi}{2} \vee -\frac{\pi}{2} < \arg(z) < 0 \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.2449.01

$$\cot^{-1}\left(\sqrt{-\frac{1}{z^2+1}}\right) = -i \operatorname{csch}^{-1}(z) - \frac{\pi}{2} /; (z \in \mathbb{R} \wedge z > 0) \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.2450.01

$$\cot^{-1}\left(\sqrt{-\frac{1}{z^2+1}}\right) = i \operatorname{csch}^{-1}(z) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge z < 0) \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.2451.01

$$\cot^{-1}\left(\sqrt{-\frac{1}{z^2+1}}\right) = \sqrt{-\frac{1}{z^2+1}} \sqrt{-z^2-1} \left(\frac{\sqrt{-z^2}}{z} \operatorname{csch}^{-1}(z) + \frac{\pi}{2}\right)$$

Involving  $\cot^{-1}\left(\frac{z}{\sqrt{-z^2-1}}\right)$

Involving  $\cot^{-1}\left(\frac{z}{\sqrt{-z^2-1}}\right)$  and  $\operatorname{csch}^{-1}\left(\frac{1}{z}\right)$

01.16.27.2452.01

$$\cot^{-1}\left(\frac{z}{\sqrt{-z^2-1}}\right) = -i \operatorname{csch}^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2}; 0 < \arg(z) < \frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.2453.01

$$\cot^{-1}\left(\frac{z}{\sqrt{-z^2-1}}\right) = i \operatorname{csch}^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2}; \frac{\pi}{2} < \arg(z) < \pi \vee (i z \in \mathbb{R} \wedge -1 < i z < 0) \vee (z \in \mathbb{R} \wedge z > 0)$$

01.16.27.2454.01

$$\cot^{-1}\left(\frac{z}{\sqrt{-z^2-1}}\right) = \frac{\pi}{2} - i \operatorname{csch}^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.2455.01

$$\cot^{-1}\left(\frac{z}{\sqrt{-z^2-1}}\right) = i \operatorname{csch}^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2}; -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0) \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.0039.01

$$\cot^{-1}\left(\frac{z}{\sqrt{-z^2-1}}\right) = -\frac{\sqrt{-z^2-1}}{\sqrt{z^2+1}} \left(\frac{\pi}{2} \sqrt{-\frac{1}{z^2}} z - \operatorname{csch}^{-1}\left(\frac{1}{z}\right)\right)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1+z^2}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1+z^2}}\right)$  and  $\operatorname{csch}^{-1}\left(\frac{1}{z}\right)$



01.16.27.2456.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1+z^2}}\right) = i \operatorname{csch}^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2} /; \operatorname{Im}(z) > 0$$

01.16.27.2457.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1+z^2}}\right) = -i \operatorname{csch}^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2} /; \operatorname{Im}(z) < 0$$

01.16.27.2458.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1+z^2}}\right) = -i \operatorname{csch}^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2} /; (z \in \mathbb{R} \wedge z > 0)$$

01.16.27.2459.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1+z^2}}\right) = i \operatorname{csch}^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2} /; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.2460.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{1+z^2}}\right) = \frac{z}{\sqrt{-z^2}} \operatorname{csch}^{-1}\left(\frac{1}{z}\right) + \frac{1}{2} \pi \sqrt{-z^2} \sqrt{-\frac{1}{z^2}}$$

Involving  $\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{-z^2-1}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{-z^2-1}}\right)$  and  $\operatorname{csch}^{-1}\left(\frac{1}{z}\right)$

01.16.27.2461.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{-z^2-1}}\right) = -i \operatorname{csch}^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2} /; 0 < \arg(z) < \frac{\pi}{2} \vee \frac{\pi}{2} < \arg(z) < \pi \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.2462.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{-z^2-1}}\right) = i \operatorname{csch}^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2} /; -\pi < \arg(z) < -\frac{\pi}{2} \vee -\frac{\pi}{2} < \arg(z) < 0 \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.2463.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{-z^2-1}}\right) = i \operatorname{csch}^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2} /; (z \in \mathbb{R} \wedge z > 0) \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.2464.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{-z^2-1}}\right) = -i \operatorname{csch}^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2} /; (z \in \mathbb{R} \wedge z < 0) \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.2465.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{-z^2-1}}\right) = \frac{\sqrt{z^2}}{\sqrt{-z^2-1}} \sqrt{-1 - \frac{1}{z^2}} \left( \sqrt{-\frac{1}{z^2}} z \operatorname{csch}^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2} \right)$$

Involving  $\cot^{-1}\left(\sqrt{-\frac{z^2}{1+z^2}}\right)$

Involving  $\cot^{-1}\left(\sqrt{-\frac{z^2}{1+z^2}}\right)$  and  $\operatorname{csch}^{-1}\left(\frac{1}{z}\right)$

01.16.27.2466.01

$$\cot^{-1}\left(\sqrt{-\frac{z^2}{1+z^2}}\right) = i \operatorname{csch}^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2} /; 0 < \arg(z) < \frac{\pi}{2} \vee \frac{\pi}{2} < \arg(z) < \pi \vee (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.2467.01

$$\cot^{-1}\left(\sqrt{-\frac{z^2}{1+z^2}}\right) = \frac{\pi}{2} - i \operatorname{csch}^{-1}\left(\frac{1}{z}\right) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee -\frac{\pi}{2} < \arg(z) < 0 \vee (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.2468.01

$$\cot^{-1}\left(\sqrt{-\frac{z^2}{1+z^2}}\right) = -i \operatorname{csch}^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2} /; (i z \in \mathbb{R} \wedge i z < -1) \vee (z \in \mathbb{R} \wedge z > 0)$$

01.16.27.2469.01

$$\cot^{-1}\left(\sqrt{-\frac{z^2}{1+z^2}}\right) = i \operatorname{csch}^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2} /; (i z \in \mathbb{R} \wedge i z > 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.2470.01

$$\cot^{-1}\left(\sqrt{-\frac{z^2}{1+z^2}}\right) = \sqrt{-\frac{z^2}{z^2+1}} \sqrt{-\frac{z^2+1}{z^2}} \left( \sqrt{-\frac{1}{z^2}} z \operatorname{csch}^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2} \right)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{-z^2-1}}{z}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{-z^2-1}}{z}\right)$  and  $\operatorname{csch}^{-1}\left(\frac{1}{z}\right)$

01.16.27.2471.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2-1}}{z}\right) = i \operatorname{csch}^{-1}\left(\frac{1}{z}\right) /; 0 < \arg(z) < \frac{\pi}{2} \vee -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.2472.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2-1}}{z}\right) = -i \operatorname{csch}^{-1}\left(\frac{1}{z}\right); \frac{\pi}{2} < \arg(z) \leq \pi \vee -\frac{\pi}{2} < \arg(z) \leq 0 \vee (iz \in \mathbb{R} \wedge -1 < iz < 1)$$

01.16.27.2473.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2-1}}{z}\right) = i \operatorname{csch}^{-1}\left(\frac{1}{z}\right) + \pi; (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.2474.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2-1}}{z}\right) = i \operatorname{csch}^{-1}\left(\frac{1}{z}\right) - \pi; (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.2475.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2-1}}{z}\right) = \frac{\sqrt{-z^2-1}}{\sqrt{z^2+1}} \left( -\operatorname{csch}^{-1}\left(\frac{1}{z}\right) + \frac{\pi i}{2} \left( \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} - \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} \right) \right)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{1+z^2}}{\sqrt{-z^2}}\right)$

### Involving $\cot^{-1}\left(\frac{\sqrt{1+z^2}}{\sqrt{-z^2}}\right)$ and $\operatorname{csch}^{-1}\left(\frac{1}{z}\right)$

01.16.27.2476.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2}}{\sqrt{-z^2}}\right) = i \operatorname{csch}^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee -\frac{\pi}{2} < \arg(z) \leq 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2477.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2}}{\sqrt{-z^2}}\right) = -i \operatorname{csch}^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) < \frac{\pi}{2} \vee \frac{\pi}{2} < \arg(z) \leq \pi \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2478.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2}}{\sqrt{-z^2}}\right) = -i \operatorname{csch}^{-1}\left(\frac{1}{z}\right) - \pi; (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.2479.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2}}{\sqrt{-z^2}}\right) = i \operatorname{csch}^{-1}\left(\frac{1}{z}\right) - \pi; (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.2480.01

$$\cot^{-1}\left(\frac{\sqrt{1+z^2}}{\sqrt{-z^2}}\right) = \frac{z}{\sqrt{-z^2}} \left( \frac{\pi i}{2} \left( \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} - \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} \right) - \operatorname{csch}^{-1}\left(\frac{1}{z}\right) \right)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{-1-z^2}}{\sqrt{z^2}}\right)$

#### Involving $\cot^{-1}\left(\frac{\sqrt{-1-z^2}}{\sqrt{z^2}}\right)$ and $\operatorname{csch}^{-1}\left(\frac{1}{z}\right)$

01.16.27.2481.01

$$\cot^{-1}\left(\frac{\sqrt{-1-z^2}}{\sqrt{z^2}}\right) = -i \operatorname{csch}^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee -\frac{\pi}{2} < \arg(z) \leq 0 \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2482.01

$$\cot^{-1}\left(\frac{\sqrt{-1-z^2}}{\sqrt{z^2}}\right) = i \operatorname{csch}^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) < \frac{\pi}{2} \vee \frac{\pi}{2} < \arg(z) \leq \pi \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2483.01

$$\cot^{-1}\left(\frac{\sqrt{-1-z^2}}{\sqrt{z^2}}\right) = i \operatorname{csch}^{-1}\left(\frac{1}{z}\right) + \pi; (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.2484.01

$$\cot^{-1}\left(\frac{\sqrt{-1-z^2}}{\sqrt{z^2}}\right) = -i \operatorname{csch}^{-1}\left(\frac{1}{z}\right) + \pi; (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.2485.01

$$\cot^{-1}\left(\frac{\sqrt{-1-z^2}}{\sqrt{z^2}}\right) = \frac{\sqrt{-z^2-1}}{z} \sqrt{\frac{z^2}{z^2+1}} \left( \frac{\pi i}{2} \left( \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} - \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} \right) - \operatorname{csch}^{-1}\left(\frac{1}{z}\right) \right)$$

### Involving $\cot^{-1}\left(\sqrt{-\frac{1+z^2}{z^2}}\right)$

#### Involving $\cot^{-1}\left(\sqrt{-\frac{1+z^2}{z^2}}\right)$ and $\operatorname{csch}^{-1}\left(\frac{1}{z}\right)$

01.16.27.2486.01

$$\cot^{-1}\left(\sqrt{-\frac{1+z^2}{z^2}}\right) = i \operatorname{csch}^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee -\frac{\pi}{2} < \arg(z) < 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1) \vee (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.2487.01

$$\cot^{-1}\left(\sqrt{-\frac{1+z^2}{z^2}}\right) = -i \operatorname{csch}^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) < \frac{\pi}{2} \vee \frac{\pi}{2} < \arg(z) < \pi \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2488.01

$$\cot^{-1}\left(\sqrt{-\frac{1+z^2}{z^2}}\right) = -i \operatorname{csch}^{-1}\left(\frac{1}{z}\right) - \pi /; (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.2489.01

$$\cot^{-1}\left(\sqrt{-\frac{1+z^2}{z^2}}\right) = i \operatorname{csch}^{-1}\left(\frac{1}{z}\right) - \pi /; (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.2490.01

$$\cot^{-1}\left(\sqrt{-\frac{1+z^2}{z^2}}\right) = z \sqrt{-\frac{1}{z^2}} \left( \frac{\pi i}{2} \left( \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} - \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} \right) \right) - \operatorname{csch}^{-1}\left(\frac{1}{z}\right)$$

### Involving $\operatorname{sech}^{-1}$

### Involving $\cot^{-1}(z)$

### Involving $\cot^{-1}(z)$ and $\operatorname{sech}^{-1}\left(\frac{1+z^2}{2z}\right)$

01.16.27.2491.01

$$\cot^{-1}(z) = \frac{1}{2} \left( i \operatorname{sech}^{-1}\left(\frac{1+z^2}{2z}\right) + \frac{\pi}{2} \right) /; |z| > 1 \wedge \operatorname{Im}(z) \leq 0 \vee -\frac{\pi}{2} \leq \arg(z) < 0$$

01.16.27.2492.01

$$\cot^{-1}(z) = \frac{1}{2} \left( \frac{\pi}{2} - i \operatorname{sech}^{-1}\left(\frac{1+z^2}{2z}\right) \right) /; |z| > 1 \wedge \operatorname{Im}(z) > 0 \vee |z| < 1 \wedge 0 \leq \arg(z) < \frac{\pi}{2}$$

01.16.27.2493.01

$$\cot^{-1}(z) = \frac{1}{2} \left( \frac{\pi}{2} + \sqrt{\frac{1}{z}} \sqrt{-z} \operatorname{sech}^{-1}\left(\frac{1+z^2}{2z}\right) \right) /; |z| > 1 \vee |z| < 1 \wedge -\frac{\pi}{2} \leq \arg(z) < 0 \vee |z| < 1 \wedge 0 < \arg(z) < \frac{\pi}{2}$$

01.16.27.2494.01

$$\cot^{-1}(z) = \frac{1}{2} \left( -i \operatorname{sech}^{-1}\left(\frac{1+z^2}{2z}\right) - \frac{3\pi}{2} \right) /; |z| < 1 \wedge \frac{\pi}{2} \leq \arg(z) \leq \pi$$

01.16.27.2495.01

$$\cot^{-1}(z) = \frac{1}{2} \left( i \operatorname{sech}^{-1}\left(\frac{1+z^2}{2z}\right) - \frac{3\pi}{2} \right) /; |z| < 1 \wedge -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.2496.01

$$\cot^{-1}(z) = \frac{1}{2} \left( -\sqrt{-\frac{1}{z}} \sqrt{z} \operatorname{sech}^{-1}\left(\frac{1+z^2}{2z}\right) - \frac{3\pi}{2} \right) /; |z| < 1 \wedge \frac{\pi}{2} < \arg(z) \leq \pi \vee |z| < 1 \wedge -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.2497.01

$$\cot^{-1}(z) = \frac{\pi}{4} \left( \sqrt{\frac{1}{z^2}} z + \left( z \sqrt{\frac{1}{z^2}} - 1 \right) \sqrt{\left(\frac{z+1}{z-1}\right)^2 \frac{1-z}{1+z}} \right) + \frac{1}{2} \sqrt{-z-1} \sqrt{\frac{z^2}{z^2-1}} \sqrt{\frac{z-1}{z^2}} \operatorname{sech}^{-1}\left(\frac{z^2+1}{2z}\right)$$

Involving  $\cot^{-1}(z)$  and  $\operatorname{sech}^{-1}\left(\frac{1+z^2}{1-z^2}\right)$

01.16.27.2498.01

$$\cot^{-1}(z) = \frac{\pi}{2} - \frac{1}{2} i \operatorname{sech}^{-1}\left(\frac{1+z^2}{1-z^2}\right); 0 < \arg(z) < \frac{\pi}{2}$$

01.16.27.2499.01

$$\cot^{-1}(z) = \frac{1}{2} i \operatorname{sech}^{-1}\left(\frac{1+z^2}{1-z^2}\right) + \frac{\pi}{2}; -\frac{\pi}{2} \leq \arg(z) \leq 0$$

01.16.27.2500.01

$$\cot^{-1}(z) = -\frac{1}{2} i \operatorname{sech}^{-1}\left(\frac{1+z^2}{1-z^2}\right) - \frac{\pi}{2}; \frac{\pi}{2} \leq \arg(z) \leq \pi$$

01.16.27.2501.01

$$\cot^{-1}(z) = \frac{1}{2} i \operatorname{sech}^{-1}\left(\frac{1+z^2}{1-z^2}\right) - \frac{\pi}{2}; -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.2502.01

$$\cot^{-1}(z) = \frac{1}{2} \pi \sqrt{\frac{1}{z^2}} z + \frac{\sqrt{-z^2}}{2z} \operatorname{sech}^{-1}\left(\frac{1+z^2}{1-z^2}\right)$$

Involving  $\cot^{-1}(z)$  and  $\operatorname{sech}^{-1}\left(\frac{z^2+1}{z^2-1}\right)$

01.16.27.2503.01

$$\cot^{-1}(z) = -\frac{i}{2} \operatorname{sech}^{-1}\left(\frac{z^2+1}{z^2-1}\right); 0 \leq \arg(z) < \frac{\pi}{2} \vee \frac{\pi}{2} < \arg(z) < \pi \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.2504.01

$$\cot^{-1}(z) = \frac{1}{2} i \operatorname{sech}^{-1}\left(\frac{z^2+1}{z^2-1}\right); -\pi < \arg(z) < -\frac{\pi}{2} \vee -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0) \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.2505.01

$$\cot^{-1}(z) = -\frac{i}{2} \operatorname{sech}^{-1}\left(\frac{z^2+1}{z^2-1}\right) - \pi; (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2506.01

$$\cot^{-1}(z) = \frac{1}{2} i \operatorname{sech}^{-1}\left(\frac{z^2+1}{z^2-1}\right) + \pi; (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2507.01

$$\cot^{-1}(z) = -\frac{\pi}{2} \left( \sqrt{\frac{z}{z+i}} \sqrt{\frac{z+i}{z}} - \sqrt{\frac{z}{z-i}} \sqrt{\frac{z-i}{z}} \right) - \frac{1}{2} z \sqrt{-\frac{1}{z^2}} \operatorname{sech}^{-1}\left(\frac{z^2+1}{z^2-1}\right)$$

Involving  $\cot^{-1}(z)$  and  $\operatorname{sech}^{-1}\left(\sqrt{z^2+1}\right)$

01.16.27.2508.01

$$\cot^{-1}(z) = i \operatorname{sech}^{-1}\left(\sqrt{z^2+1}\right) + \frac{\pi}{2} /; -\frac{\pi}{2} < \arg(z) \leq 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2509.01

$$\cot^{-1}(z) = \frac{\pi}{2} - i \operatorname{sech}^{-1}\left(\sqrt{z^2+1}\right) /; 0 < \arg(z) < \frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.2510.01

$$\cot^{-1}(z) = -\frac{\pi}{2} - i \operatorname{sech}^{-1}\left(\sqrt{z^2+1}\right) /; \frac{\pi}{2} < \arg(z) \leq \pi \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2511.01

$$\cot^{-1}(z) = i \operatorname{sech}^{-1}\left(\sqrt{z^2+1}\right) - \frac{\pi}{2} /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.2512.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z + \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} - \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} \right) + \sqrt{\frac{1}{z^2}} z \sqrt{-z^2-1} \sqrt{\frac{1}{z^2+1}} \operatorname{sech}^{-1}\left(\sqrt{z^2+1}\right)$$

Involving  $\cot^{-1}(z)$  and  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{z}\right)$

01.16.27.2513.01

$$\cot^{-1}(z) = -i \operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{z}\right) /; 0 \leq \arg(z) < \frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.2514.01

$$\cot^{-1}(z) = i \operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{z}\right) /; -\frac{\pi}{2} < \arg(z) < 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2515.01

$$\cot^{-1}(z) = -i \operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{z}\right) - \pi /; \frac{\pi}{2} < \arg(z) \leq \pi \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2516.01

$$\cot^{-1}(z) = i \operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{z}\right) - \pi /; -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.2517.01

$$\cot^{-1}(z) = i \operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{z}\right) + \pi /; (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.2518.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{1}{z^2+1}} \sqrt{z^2+1} \right) - \sqrt{-\frac{1}{z}} \sqrt{z} \operatorname{sech}^{-1}\left(\frac{\sqrt{z^2+1}}{z}\right)$$

Involving  $\cot^{-1}(z)$  and  $\operatorname{sech}^{-1}\left(\frac{\sqrt{1+z^2}}{\sqrt{z^2}}\right)$

01.16.27.2519.01

$$\cot^{-1}(z) = -i \operatorname{sech}^{-1}\left(\frac{\sqrt{1+z^2}}{\sqrt{z^2}}\right) /; 0 \leq \arg(z) < \frac{\pi}{2} \vee \frac{\pi}{2} < \arg(z) < \pi \vee (i z \in \mathbb{R} \wedge i z < -1)$$

01.16.27.2520.01

$$\cot^{-1}(z) = i \operatorname{sech}^{-1}\left(\frac{\sqrt{1+z^2}}{\sqrt{z^2}}\right) /; -\pi < \arg(z) < -\frac{\pi}{2} \vee -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0) \vee (i z \in \mathbb{R} \wedge i z > 1)$$

01.16.27.2521.01

$$\cot^{-1}(z) = -i \operatorname{sech}^{-1}\left(\frac{\sqrt{1+z^2}}{\sqrt{z^2}}\right) - \pi /; (i z \in \mathbb{R} \wedge -1 < i z < 0)$$

01.16.27.2522.01

$$\cot^{-1}(z) = i \operatorname{sech}^{-1}\left(\frac{\sqrt{1+z^2}}{\sqrt{z^2}}\right) + \pi /; (i z \in \mathbb{R} \wedge 0 < i z < 1)$$

01.16.27.2523.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{z}{z-i}} \sqrt{\frac{z-i}{z}} - \sqrt{\frac{z}{z+i}} \sqrt{\frac{z+i}{z}} \right) - z \sqrt{-\frac{1}{z^2}} \operatorname{sech}^{-1}\left(\frac{\sqrt{1+z^2}}{\sqrt{z^2}}\right)$$

Involving  $\cot^{-1}(z)$  and  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z^2}}{\sqrt{-z^2}}\right)$

01.16.27.2524.01

$$\cot^{-1}(z) = -i \operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z^2}}{\sqrt{-z^2}}\right) /; 0 \leq \arg(z) < \pi$$

01.16.27.2525.01

$$\cot^{-1}(z) = i \operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z^2}}{\sqrt{-z^2}}\right) /; -\pi < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.2526.01

$$\cot^{-1}(z) = -z \sqrt{-\frac{1}{z^2}} \operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z^2}}{\sqrt{-z^2}}\right)$$

Involving  $\cot^{-1}(z)$  and  $\operatorname{sech}^{-1}\left(\sqrt{\frac{1+z^2}{z^2}}\right)$



01.16.27.2527.01

$$\cot^{-1}(z) = -i \operatorname{sech}^{-1} \left( \sqrt{\frac{1+z^2}{z^2}} \right) /; 0 \leq \arg(z) < \pi$$

01.16.27.2528.01

$$\cot^{-1}(z) = i \operatorname{sech}^{-1} \left( \sqrt{\frac{1+z^2}{z^2}} \right) /; -\pi < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.2529.01

$$\cot^{-1}(z) = -z \sqrt{-\frac{1}{z^2}} \operatorname{sech}^{-1} \left( \sqrt{\frac{1+z^2}{z^2}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2} + 1}} \right)$

01.16.27.2530.01

$$\cot^{-1}(z) = \frac{\pi}{2} - 2i \operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2} + 1}} \right) /; 0 < \arg(z) < \frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.2531.01

$$\cot^{-1}(z) = \frac{\pi}{2} + 2i \operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2} + 1}} \right) /; -\frac{\pi}{2} < \arg(z) \leq 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2532.01

$$\cot^{-1}(z) = -2i \operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2} + 1}} \right) - \frac{\pi}{2} /; \frac{\pi}{2} < \arg(z) \leq \pi \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2533.01

$$\cot^{-1}(z) = 2i \operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2} + 1}} \right) - \frac{\pi}{2} /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.2534.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} + \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} \right) + \frac{2\sqrt{-z^2}}{z} \operatorname{sech}^{-1} \left( \frac{\sqrt{2}(1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}+1}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\operatorname{sech}^{-1} \left( \frac{\sqrt{2}(1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-1}} \right)$

01.16.27.2535.01

$$\cot^{-1}(z) = -2i \operatorname{sech}^{-1} \left( \frac{\sqrt{2}(1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-1}} \right) - \frac{\pi}{2} /; 0 \leq \arg(z) < \frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.2536.01

$$\cot^{-1}(z) = 2i \operatorname{sech}^{-1} \left( \frac{\sqrt{2}(1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-1}} \right) - \frac{\pi}{2} /; -\frac{\pi}{2} < \arg(z) < 0$$

01.16.27.2537.01

$$\cot^{-1}(z) = 2i \operatorname{sech}^{-1} \left( \frac{\sqrt{2}(1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-1}} \right) + \frac{\pi}{2} /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0) \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.2538.01

$$\cot^{-1}(z) = -2i \operatorname{sech}^{-1} \left( \frac{\sqrt{2}(1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-1}} \right) + \frac{\pi}{2} /; \frac{\pi}{2} < \arg(z) < \pi$$

01.16.27.2539.01

$$\cot^{-1}(z) = -2i \operatorname{sech}^{-1} \left( \frac{\sqrt{2}(1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-1}} \right) - \frac{3\pi}{2} /; (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2540.01

$$\cot^{-1}(z) = 2i \operatorname{sech}^{-1} \left( \frac{\sqrt{2}(1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}-1}} \right) + \frac{3\pi}{2} /; (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2541.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( -\frac{\sqrt{z^2}}{z} - \sqrt{\frac{z}{i+z}} \sqrt{\frac{i+z}{z}} + \sqrt{\frac{-i+z}{z}} \sqrt{\frac{z}{-i+z}} \right) - 2 \sqrt{-\frac{1}{z^2}} z \operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2} - 1}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\operatorname{sech}^{-1} \left( \sqrt{2 \sqrt{1+z^2} / (\sqrt{1+z^2} + 1)} \right)$

01.16.27.2542.01

$$\cot^{-1}(z) = \frac{\pi}{2} - 2i \operatorname{sech}^{-1} \left( \sqrt{\frac{2 \sqrt{1+z^2}}{\sqrt{1+z^2} + 1}} \right) /; 0 < \arg(z) < \frac{\pi}{2} \bigvee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.2543.01

$$\cot^{-1}(z) = \frac{\pi}{2} + 2i \operatorname{sech}^{-1} \left( \sqrt{\frac{2 \sqrt{1+z^2}}{\sqrt{1+z^2} + 1}} \right) /; -\frac{\pi}{2} < \arg(z) \leq 0 \bigvee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2544.01

$$\cot^{-1}(z) = -2i \operatorname{sech}^{-1} \left( \sqrt{\frac{2 \sqrt{1+z^2}}{\sqrt{1+z^2} + 1}} \right) - \frac{\pi}{2} /; \frac{\pi}{2} < \arg(z) \leq \pi \bigvee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2545.01

$$\cot^{-1}(z) = 2i \operatorname{sech}^{-1} \left( \sqrt{\frac{2 \sqrt{1+z^2}}{\sqrt{1+z^2} + 1}} \right) - \frac{\pi}{2} /; -\pi < \arg(z) < -\frac{\pi}{2} \bigvee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.2546.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} + \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} \right) + \frac{2 \sqrt{-z^2}}{z} \operatorname{sech}^{-1} \left( \sqrt{\frac{2 \sqrt{1+z^2}}{\sqrt{1+z^2} + 1}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\operatorname{sech}^{-1} \left( \sqrt{2 \sqrt{1+z^2} / (\sqrt{1+z^2} - 1)} \right)$

01.16.27.2547.01

$$\cot^{-1}(z) = -2i \operatorname{sech}^{-1} \left( \sqrt{\frac{2 \sqrt{1+z^2}}{\sqrt{1+z^2} - 1}} \right) - \frac{\pi}{2} /; 0 \leq \arg(z) < \frac{\pi}{2} \bigvee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.2548.01

$$\cot^{-1}(z) = 2i \operatorname{sech}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-1}} \right) - \frac{\pi}{2} /; -\frac{\pi}{2} < \arg(z) < 0 \quad \bigvee \quad (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2549.01

$$\cot^{-1}(z) = 2i \operatorname{sech}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-1}} \right) + \frac{\pi}{2} /; -\pi < \arg(z) < -\frac{\pi}{2} \quad \bigvee \quad (z \in \mathbb{R} \wedge z < 0) \quad \bigvee \quad (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.2550.01

$$\cot^{-1}(z) = -2i \operatorname{sech}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-1}} \right) + \frac{\pi}{2} /; \frac{\pi}{2} < \arg(z) < \pi \quad \bigvee \quad (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2551.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( -\frac{\sqrt{z^2}}{z} - \sqrt{\frac{z}{-i+z}} \sqrt{\frac{-i+z}{z}} + \sqrt{\frac{z}{i+z}} \sqrt{\frac{i+z}{z}} \right) - 2 \sqrt{-\frac{1}{z^2}} z \operatorname{sech}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-1}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\operatorname{sech}^{-1} \left( \sqrt{2} (1+z^2)^{1/4} / \sqrt{\sqrt{1+z^2}+z} \right)$

01.16.27.2552.01

$$\cot^{-1}(z) = -2i \operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}+z}} \right) /; 0 \leq \arg(z) < \frac{\pi}{2} \quad \bigvee \quad (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.2553.01

$$\cot^{-1}(z) = 2i \operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}+z}} \right) /; -\frac{\pi}{2} < \arg(z) < 0 \quad \bigvee \quad (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2554.01

$$\cot^{-1}(z) = -2i \operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2}+z}} \right) - \pi /; \frac{\pi}{2} < \arg(z) \leq \pi \quad \bigvee \quad (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2555.01

$$\cot^{-1}(z) = 2i \operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2} + z}} \right) - \pi /; -\pi < \arg(z) < -\frac{\pi}{2} \bigvee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.2556.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} + \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} - 1 \right) - 2\sqrt{z} \sqrt{-\frac{1}{z}} \operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2} + z}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2} - z}} \right)$

01.16.27.2557.01

$$\cot^{-1}(z) = \pi - 2i \operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2} - z}} \right) /; 0 < \arg(z) < \frac{\pi}{2} \bigvee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.2558.01

$$\cot^{-1}(z) = 2i \operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2} - z}} \right) + \pi /; -\frac{\pi}{2} < \arg(z) \leq 0 \bigvee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2559.01

$$\cot^{-1}(z) = -2i \operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2} - z}} \right) /; \frac{\pi}{2} < \arg(z) < \pi \bigvee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2560.01

$$\cot^{-1}(z) = 2i \operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2} - z}} \right) /; -\pi < \arg(z) < -\frac{\pi}{2} \bigvee (z \in \mathbb{R} \wedge z < 0) \bigvee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.2561.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z + \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} - \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} + 1 \right) + 2\sqrt{\frac{1}{z}} \sqrt{-z} \operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z^2)^{1/4}}{\sqrt{\sqrt{1+z^2} - z}} \right)$$

Involving  $\cot^{-1}(z)$  and  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}+z}}\right)$

01.16.27.2562.01

$$\cot^{-1}(z) = -2i \operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}+z}}\right) /; 0 \leq \arg(z) < \frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.2563.01

$$\cot^{-1}(z) = 2i \operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}+z}}\right) /; -\frac{\pi}{2} < \arg(z) < 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2564.01

$$\cot^{-1}(z) = -2i \operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}+z}}\right) - \pi /; \frac{\pi}{2} < \arg(z) \leq \pi \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2565.01

$$\cot^{-1}(z) = 2i \operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}+z}}\right) - \pi /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.2566.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} + \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} - 1 \right) - 2\sqrt{z} \sqrt{-\frac{1}{z}} \operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{z^2+1}}{z+\sqrt{z^2+1}}}\right)$$

Involving  $\cot^{-1}(z)$  and  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-z}}\right)$

01.16.27.2567.01

$$\cot^{-1}(z) = \pi - 2i \operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-z}}\right) /; 0 < \arg(z) < \frac{\pi}{2} \vee (iz \in \mathbb{R} \wedge iz < -1)$$

01.16.27.2568.01

$$\cot^{-1}(z) = 2i \operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-z}}\right) + \pi /; -\frac{\pi}{2} < \arg(z) \leq 0 \vee (iz \in \mathbb{R} \wedge 0 < iz < 1)$$

01.16.27.2569.01

$$\cot^{-1}(z) = -2i \operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-z}}\right) /; \frac{\pi}{2} < \arg(z) < \pi \vee (iz \in \mathbb{R} \wedge -1 < iz < 0)$$

01.16.27.2570.01

$$\cot^{-1}(z) = 2i \operatorname{sech}^{-1} \left( \sqrt{\frac{2\sqrt{1+z^2}}{\sqrt{1+z^2}-z}} \right); -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0) \vee (iz \in \mathbb{R} \wedge iz > 1)$$

01.16.27.2571.01

$$\cot^{-1}(z) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} z - \sqrt{\frac{1}{iz+1}} \sqrt{iz+1} + \sqrt{\frac{1}{1-iz}} \sqrt{1-iz} + 1 \right) + 2\sqrt{\frac{1}{z}} \sqrt{-z} \operatorname{sech}^{-1} \left( \sqrt{\frac{2\sqrt{z^2+1}}{\sqrt{z^2+1}-z}} \right)$$

### Involving $\cot^{-1}(\sqrt{z})$

#### Involving $\cot^{-1}(\sqrt{z})$ and $\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right)$

01.16.27.2572.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - \frac{1}{2}i \operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right); \operatorname{Im}(z) > 0$$

01.16.27.2573.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} + \frac{1}{2}i \operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right); -\pi < \arg(z) \leq 0$$

01.16.27.2574.01

$$\cot^{-1}(\sqrt{z}) = -\frac{i}{2} \operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.2575.01

$$\cot^{-1}(\sqrt{z}) = \frac{\sqrt{-z^2}}{2z} \operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) + \frac{\pi}{2} \sqrt{\frac{1}{z}} \sqrt{z}$$

#### Involving $\cot^{-1}(\sqrt{z})$ and $\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right)$

01.16.27.2576.01

$$\cot^{-1}(\sqrt{z}) = -\frac{i}{2} \operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right); 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2577.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2}i \operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right); \operatorname{Im}(z) < 0$$

01.16.27.2578.01

$$\cot^{-1}(\sqrt{z}) = -\frac{i}{2} \operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) - \pi; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2579.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} \left( \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 1 \right) \pi - \frac{1}{2} \sqrt{z} \sqrt{-\frac{1}{z}} \operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\operatorname{sech}^{-1}\left(\frac{1+z}{2\sqrt{z}}\right)$

01.16.27.2580.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} i \operatorname{sech}^{-1}\left(\frac{1+z}{2\sqrt{z}}\right) + \frac{\pi}{4}; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.2581.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{4} - \frac{1}{2} i \operatorname{sech}^{-1}\left(\frac{1+z}{2\sqrt{z}}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1) \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2582.01

$$\cot^{-1}(\sqrt{z}) = -\frac{i}{2} \operatorname{sech}^{-1}\left(\frac{1+z}{2\sqrt{z}}\right) - \frac{3\pi}{4}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2583.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} \pi \left( \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 1 \right) + \frac{\sqrt{1-z}}{2\sqrt{z-1}} \operatorname{sech}^{-1}\left(\frac{1+z}{2\sqrt{z}}\right) + \frac{\pi}{4}$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\operatorname{sech}^{-1}(\sqrt{z+1})$

01.16.27.2584.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - i \operatorname{sech}^{-1}(\sqrt{z+1}); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2585.01

$$\cot^{-1}(\sqrt{z}) = i \operatorname{sech}^{-1}(\sqrt{z+1}) + \frac{\pi}{2}; -\pi < \arg(z) \leq 0$$

01.16.27.2586.01

$$\cot^{-1}(\sqrt{z}) = -i \operatorname{sech}^{-1}(\sqrt{z+1}) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2587.01

$$\cot^{-1}(\sqrt{z}) = \frac{\sqrt{-z^2}}{z} \operatorname{sech}^{-1}(\sqrt{z+1}) + \frac{1}{2} \pi \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}}$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right)$

01.16.27.2588.01

$$\cot^{-1}(\sqrt{z}) = i \operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right); \operatorname{Im}(z) < 0$$

01.16.27.2589.01

$$\cot^{-1}(\sqrt{z}) = -i \operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right); 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$



01.16.27.2590.01

$$\cot^{-1}(\sqrt{z}) = -i \operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right) - \pi /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2591.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \left( \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 1 \right) - \sqrt{z} \sqrt{-\frac{1}{z}} \operatorname{sech}^{-1}\left(\frac{\sqrt{z+1}}{\sqrt{z}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right)$

01.16.27.2592.01

$$\cot^{-1}(\sqrt{z}) = -i \operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right) /; \operatorname{Im}(z) \geq 0$$

01.16.27.2593.01

$$\cot^{-1}(\sqrt{z}) = i \operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right) /; \operatorname{Im}(z) < 0$$

01.16.27.2594.01

$$\cot^{-1}(\sqrt{z}) = -\sqrt{z} \sqrt{-\frac{1}{z}} \operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\operatorname{sech}^{-1}\left(\sqrt{\frac{z+1}{z}}\right)$

01.16.27.2595.01

$$\cot^{-1}(\sqrt{z}) = -i \operatorname{sech}^{-1}\left(\sqrt{\frac{z+1}{z}}\right) /; \operatorname{Im}(z) \geq 0$$

01.16.27.2596.01

$$\cot^{-1}(\sqrt{z}) = i \operatorname{sech}^{-1}\left(\sqrt{\frac{z+1}{z}}\right) /; \operatorname{Im}(z) < 0$$

01.16.27.2597.01

$$\cot^{-1}(\sqrt{z}) = -\sqrt{z} \sqrt{-\frac{1}{z}} \operatorname{sech}^{-1}\left(\sqrt{\frac{z+1}{z}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\operatorname{sech}^{-1}\left(\sqrt{2} (1+z)^{1/4} / \sqrt{\sqrt{1+z} + 1}\right)$

01.16.27.2598.01

$$\cot^{-1}(\sqrt{z}) = 2i \operatorname{sech}^{-1}\left(\frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{\sqrt{1+z} + 1}}\right) + \frac{\pi}{2} /; -\pi < \arg(z) \leq 0$$

01.16.27.2599.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - 2i \operatorname{sech}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}+1}}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2600.01

$$\cot^{-1}(\sqrt{z}) = -2i \operatorname{sech}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}+1}}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2601.01

$$\cot^{-1}(\sqrt{z}) = \frac{2\sqrt{-z^2}}{z} \operatorname{sech}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}+1}}\right) + \frac{1}{2}\pi \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}}$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}-1}}\right)$

01.16.27.2602.01

$$\cot^{-1}(\sqrt{z}) = -2i \operatorname{sech}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}-1}}\right) - \frac{\pi}{2}; 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2603.01

$$\cot^{-1}(\sqrt{z}) = 2i \operatorname{sech}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}-1}}\right) - \frac{\pi}{2}; \operatorname{Im}(z) < 0$$

01.16.27.2604.01

$$\cot^{-1}(\sqrt{z}) = -2i \operatorname{sech}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}-1}}\right) - \frac{3\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2605.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \left( \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 2 \right) - 2\sqrt{z} \sqrt{-\frac{1}{z}} \operatorname{sech}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}-1}}\right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z}+1}}\right)$

01.16.27.2606.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - 2i \operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z}+1}}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2607.01

$$\cot^{-1}(\sqrt{z}) = 2i \operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z}+1}}\right) + \frac{\pi}{2}; -\pi < \arg(z) \leq 0$$

01.16.27.2608.01

$$\cot^{-1}(\sqrt{z}) = -2i \operatorname{sech}^{-1} \left( \sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z}+1}} \right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2609.01

$$\cot^{-1}(\sqrt{z}) = \frac{2\sqrt{-z^2}}{z} \operatorname{sech}^{-1} \left( \sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z}+1}} \right) + \frac{1}{2}\pi \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}}$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\operatorname{sech}^{-1} \left( \sqrt{2\sqrt{1+z}/(\sqrt{1+z}-1)} \right)$

01.16.27.2610.01

$$\cot^{-1}(\sqrt{z}) = -2i \operatorname{sech}^{-1} \left( \sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z}-1}} \right) - \frac{\pi}{2}; 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2611.01

$$\cot^{-1}(\sqrt{z}) = 2i \operatorname{sech}^{-1} \left( \sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z}-1}} \right) - \frac{\pi}{2}; \operatorname{Im}(z) < 0$$

01.16.27.2612.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} - 2i \operatorname{sech}^{-1} \left( \sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z}-1}} \right); (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2613.01

$$\cot^{-1}(\sqrt{z}) = -2\sqrt{-\frac{1}{z}} \sqrt{z} \operatorname{sech}^{-1} \left( \sqrt{\frac{2\sqrt{z+1}}{\sqrt{z+1}-1}} \right) - \frac{1}{2}\pi \sqrt{1+\frac{1}{z}} \sqrt{\frac{z}{z+1}}$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\operatorname{sech}^{-1} \left( \sqrt{2(1+z)^{1/4}/\sqrt{\sqrt{1+z}+\sqrt{z}}} \right)$

01.16.27.2614.01

$$\cot^{-1}(\sqrt{z}) = -2i \operatorname{sech}^{-1} \left( \frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}+\sqrt{z}}} \right); 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2615.01

$$\cot^{-1}(\sqrt{z}) = 2i \operatorname{sech}^{-1} \left( \frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}+\sqrt{z}}} \right); \operatorname{Im}(z) < 0$$

01.16.27.2616.01

$$\cot^{-1}(\sqrt{z}) = -2i \operatorname{sech}^{-1} \left( \frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}+\sqrt{z}}} \right) - \pi; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2617.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \left( \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 1 \right) - 2\sqrt{z} \sqrt{-\frac{1}{z}} \operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{\sqrt{1+z} + \sqrt{z}}} \right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\operatorname{sech}^{-1} \left( \sqrt{2} (1+z)^{1/4} / \sqrt{\sqrt{1+z} - \sqrt{z}} \right)$

01.16.27.2618.01

$$\cot^{-1}(\sqrt{z}) = \pi - 2i \operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{\sqrt{1+z} - \sqrt{z}}} \right) /; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2619.01

$$\cot^{-1}(\sqrt{z}) = 2i \operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{\sqrt{1+z} - \sqrt{z}}} \right) + \pi /; -\pi < \arg(z) \leq 0$$

01.16.27.2620.01

$$\cot^{-1}(\sqrt{z}) = -2i \operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{\sqrt{1+z} - \sqrt{z}}} \right) /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2621.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} \pi \left( \sqrt{\frac{z+1}{z}} \sqrt{\frac{z}{z+1}} + 1 \right) + \frac{2\sqrt{-z^2}}{z} \operatorname{sech}^{-1} \left( \frac{\sqrt{2} (1+z)^{1/4}}{\sqrt{\sqrt{1+z} - \sqrt{z}}} \right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\operatorname{sech}^{-1} \left( \sqrt{2} \sqrt{1+z} / (\sqrt{1+z} + \sqrt{z}) \right)$

01.16.27.2622.01

$$\cot^{-1}(\sqrt{z}) = -2i \operatorname{sech}^{-1} \left( \sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z} + \sqrt{z}}} \right) /; 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2623.01

$$\cot^{-1}(\sqrt{z}) = 2i \operatorname{sech}^{-1} \left( \sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z} + \sqrt{z}}} \right) /; \operatorname{Im}(z) < 0$$

01.16.27.2624.01

$$\cot^{-1}(\sqrt{z}) = -2i \operatorname{sech}^{-1} \left( \sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z} + \sqrt{z}}} \right) - \pi /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2625.01

$$\cot^{-1}(\sqrt{z}) = \frac{1}{2} \left( \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} - 1 \right) \pi - 2\sqrt{z} \sqrt{-\frac{1}{z}} \operatorname{sech}^{-1} \left( \sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z} + \sqrt{z}}} \right)$$

Involving  $\cot^{-1}(\sqrt{z})$  and  $\operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z}-\sqrt{z}}}\right)$

01.16.27.2626.01

$$\cot^{-1}(\sqrt{z}) = 2i \operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z}-\sqrt{z}}}\right) + \pi /; -\pi < \arg(z) \leq 0$$

01.16.27.2627.01

$$\cot^{-1}(\sqrt{z}) = \pi - 2i \operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z}-\sqrt{z}}}\right) /; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2628.01

$$\cot^{-1}(\sqrt{z}) = -2i \operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z}-\sqrt{z}}}\right) /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2629.01

$$\cot^{-1}(\sqrt{z}) = \frac{\pi}{2} \left( \sqrt{1 + \frac{1}{z}} \sqrt{\frac{z}{z+1}} + 1 \right) + \frac{2\sqrt{-z^2}}{z} \operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{z+1}}{\sqrt{z+1}-\sqrt{z}}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right)$

01.16.27.2630.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\frac{i}{2} \operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) /; -\pi < \arg(z) \leq 0$$

01.16.27.2631.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{i}{2} \operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) /; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2632.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{i}{2} \operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right) + \pi /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2633.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{1}{2} \left( 1 - \sqrt{z+1} \sqrt{\frac{1}{z+1}} \right) \pi - \frac{\sqrt{-z}}{2\sqrt{z}} \operatorname{sech}^{-1}\left(\frac{1+z}{1-z}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right)$

01.16.27.2634.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{1}{2} i \operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) + \frac{\pi}{2}; \operatorname{Im}(z) \geq 0$$

01.16.27.2635.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\frac{1}{2} i \operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) + \frac{\pi}{2}; \operatorname{Im}(z) < 0$$

01.16.27.2636.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{1}{2} \sqrt{-\frac{1}{z}} \sqrt{z} \operatorname{sech}^{-1}\left(\frac{z+1}{z-1}\right) + \frac{\pi}{2}$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\operatorname{sech}^{-1}\left(\frac{1+z}{2\sqrt{z}}\right)$

01.16.27.2637.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{1}{2} \left( \frac{\pi}{2} - i \operatorname{sech}^{-1}\left(\frac{1+z}{2\sqrt{z}}\right) \right); \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.2638.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{1}{2} \left( i \operatorname{sech}^{-1}\left(\frac{1+z}{2\sqrt{z}}\right) + \frac{\pi}{2} \right); 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.2639.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{1}{2} \left( \frac{\pi}{2} - \sqrt{\frac{1}{z-1}} \sqrt{z-1} \sqrt{\frac{1}{z}} \sqrt{-z} \operatorname{sech}^{-1}\left(\frac{1+z}{2\sqrt{z}}\right) \right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\operatorname{sech}^{-1}(\sqrt{z+1})$

01.16.27.2640.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -i \operatorname{sech}^{-1}(\sqrt{z+1}); -\pi < \arg(z) \leq 0$$

01.16.27.2641.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = i \operatorname{sech}^{-1}(\sqrt{z+1}); 0 < \arg(z) \leq \pi$$

01.16.27.2642.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\frac{\sqrt{-z}}{\sqrt{z}} \operatorname{sech}^{-1}(\sqrt{z+1})$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\operatorname{sech}^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{z}}\right)$

01.16.27.2643.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = i \operatorname{sech}^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{z}}\right) + \frac{\pi}{2}; \operatorname{Im}(z) \geq 0$$

01.16.27.2644.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -i \operatorname{sech}^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{z}}\right) + \frac{\pi}{2} /; \operatorname{Im}(z) < 0$$

01.16.27.2645.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \sqrt{-\frac{1}{z}} \sqrt{z} \operatorname{sech}^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{z}}\right) + \frac{\pi}{2}$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right)$

01.16.27.2646.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = i \operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right) + \frac{\pi}{2} /; 0 \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2647.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - i \operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right) /; \operatorname{Im}(z) < 0$$

01.16.27.2648.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = i \operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right) - \frac{\pi}{2} /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2649.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \sqrt{-\frac{1}{z}} \sqrt{z} \operatorname{sech}^{-1}\left(\frac{\sqrt{-1-z}}{\sqrt{-z}}\right) + \frac{1}{2} \pi \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}}$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\operatorname{sech}^{-1}\left(\sqrt{\frac{1+z}{z}}\right)$

01.16.27.2650.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = i \operatorname{sech}^{-1}\left(\sqrt{\frac{1+z}{z}}\right) + \frac{\pi}{2} /; 0 \leq \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2651.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -i \operatorname{sech}^{-1}\left(\sqrt{\frac{1+z}{z}}\right) + \frac{\pi}{2} /; \operatorname{Im}(z) < 0$$

01.16.27.2652.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = i \operatorname{sech}^{-1}\left(\sqrt{\frac{z+1}{z}}\right) - \frac{\pi}{2} /; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2653.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \sqrt{-\frac{1}{z+1}} \sqrt{z+1} \operatorname{sech}^{-1}\left(\sqrt{\frac{1+z}{z}}\right) + \frac{\pi}{2} \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}}$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}+1}}\right)$

01.16.27.2654.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2i \operatorname{sech}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}+1}}\right); 0 < \arg(z) \leq \pi$$

01.16.27.2655.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -2i \operatorname{sech}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}+1}}\right); -\pi < \arg(z) \leq 0$$

01.16.27.2656.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\frac{2\sqrt{-z^2}}{z} \operatorname{sech}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}+1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}-1}}\right)$

01.16.27.2657.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \pi + 2i \operatorname{sech}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}-1}}\right); \operatorname{Im}(z) \geq 0$$

01.16.27.2658.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \pi - 2i \operatorname{sech}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}-1}}\right); \operatorname{Im}(z) < 0$$

01.16.27.2659.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2\sqrt{-\frac{1}{z}} \sqrt{z} \operatorname{sech}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}-1}}\right) + \pi$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\operatorname{sech}^{-1}\left(\frac{\sqrt{2\sqrt{1+z}}}{\sqrt{\sqrt{1+z}+1}}\right)$

01.16.27.2660.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -2i \operatorname{sech}^{-1}\left(\frac{\sqrt{2\sqrt{1+z}}}{\sqrt{\sqrt{1+z}+1}}\right); -\pi < \arg(z) \leq 0$$

01.16.27.2661.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2i \operatorname{sech}^{-1}\left(\frac{\sqrt{2\sqrt{1+z}}}{\sqrt{\sqrt{1+z}+1}}\right); 0 < \arg(z) \leq \pi$$



01.16.27.2662.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\frac{2\sqrt{-z}}{\sqrt{z}} \operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z}+1}}\right)$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\operatorname{sech}^{-1}\left(\sqrt{2\sqrt{1+z}/(\sqrt{1+z}-1)}\right)$

01.16.27.2663.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \pi + 2i \operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z}-1}}\right) ; 0 \leq \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2664.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \pi - 2i \operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z}-1}}\right) ; \operatorname{Im}(z) < 0$$

01.16.27.2665.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2i \operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{z+1}}{\sqrt{z+1}-1}}\right) - \pi ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2666.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2\sqrt{-\frac{1}{z}} \sqrt{z} \operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{z+1}}{\sqrt{z+1}-1}}\right) + \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} \pi$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\operatorname{sech}^{-1}\left(\sqrt{2(1+z)^{1/4}/\sqrt{\sqrt{1+z}+\sqrt{z}}}\right)$

01.16.27.2667.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} + 2i \operatorname{sech}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}+\sqrt{z}}}\right) ; \operatorname{Im}(z) \geq 0$$

01.16.27.2668.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - 2i \operatorname{sech}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}+\sqrt{z}}}\right) ; \operatorname{Im}(z) < 0$$

01.16.27.2669.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2\sqrt{-\frac{1}{z}} \sqrt{z} \operatorname{sech}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}+\sqrt{z}}}\right) + \frac{\pi}{2}$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\operatorname{sech}^{-1}\left(\sqrt{2(1+z)^{1/4}/\sqrt{\sqrt{1+z}-\sqrt{z}}}\right)$

01.16.27.2670.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2i \operatorname{sech}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}-\sqrt{z}}}\right) - \frac{\pi}{2}; 0 < \arg(z) \leq \pi$$

01.16.27.2671.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -2i \operatorname{sech}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}-\sqrt{z}}}\right) - \frac{\pi}{2}; -\pi < \arg(z) \leq 0$$

01.16.27.2672.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\frac{2\sqrt{-z^2}}{z} \operatorname{sech}^{-1}\left(\frac{\sqrt{2}(1+z)^{1/4}}{\sqrt{\sqrt{1+z}-\sqrt{z}}}\right) - \frac{\pi}{2}$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\operatorname{sech}^{-1}\left(\sqrt{2\sqrt{1+z}/(\sqrt{1+z}+\sqrt{z})}\right)$

01.16.27.2673.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} + 2i \operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z}+\sqrt{z}}}\right); \operatorname{Im}(z) \geq 0$$

01.16.27.2674.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = \frac{\pi}{2} - 2i \operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z}+\sqrt{z}}}\right); \operatorname{Im}(z) < 0$$

01.16.27.2675.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2\sqrt{-\frac{1}{z}} \sqrt{z} \operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z}+\sqrt{z}}}\right) + \frac{\pi}{2}$$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z}}\right)$  and  $\operatorname{sech}^{-1}\left(\sqrt{2\sqrt{1+z}/(\sqrt{1+z}-\sqrt{z})}\right)$

01.16.27.2676.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = 2i \operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z}-\sqrt{z}}}\right) - \frac{\pi}{2}; 0 < \arg(z) \leq \pi$$

01.16.27.2677.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -2i \operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{1+z}}{\sqrt{1+z}-\sqrt{z}}}\right) - \frac{\pi}{2}; -\pi < \arg(z) \leq 0$$

01.16.27.2678.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z}}\right) = -\frac{2\sqrt{-z^2}}{z} \operatorname{sech}^{-1}\left(\sqrt{\frac{2\sqrt{z+1}}{\sqrt{z+1}-\sqrt{z}}}\right) - \frac{\pi}{2}$$

### Involving $\cot^{-1}(\sqrt{z-1})$

Involving  $\cot^{-1}(\sqrt{z-1})$  and  $\operatorname{sech}^{-1}(\sqrt{z})$

01.16.27.2679.01

$$\cot^{-1}(\sqrt{z-1}) = \frac{\pi}{2} - i \operatorname{sech}^{-1}(\sqrt{z}) /; 0 < \arg(z) \leq \pi$$

01.16.27.2680.01

$$\cot^{-1}(\sqrt{z-1}) = i \operatorname{sech}^{-1}(\sqrt{z}) + \frac{\pi}{2} /; -\pi < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.2681.01

$$\cot^{-1}(\sqrt{z-1}) = -i \operatorname{sech}^{-1}(\sqrt{z}) - \frac{\pi}{2} /; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.2682.01

$$\cot^{-1}(\sqrt{z-1}) = \frac{1}{2} \pi \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} - \frac{\sqrt{z-1}}{\sqrt{1-z}} \operatorname{sech}^{-1}(\sqrt{z})$$

### Involving $\cot^{-1}\left(\frac{1}{\sqrt{z-1}}\right)$

Involving  $\cot^{-1}\left(\frac{1}{\sqrt{z-1}}\right)$  and  $\operatorname{sech}^{-1}(\sqrt{z})$

01.16.27.2683.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z-1}}\right) = i \operatorname{sech}^{-1}(\sqrt{z}) /; 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.2684.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z-1}}\right) = -i \operatorname{sech}^{-1}(\sqrt{z}) /; -\pi < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.2685.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z-1}}\right) = \frac{\sqrt{z-1}}{\sqrt{1-z}} \operatorname{sech}^{-1}(\sqrt{z})$$

### Involving $\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right)$

Involving  $\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right)$  and  $\operatorname{sech}^{-1}(\sqrt{z})$

01.16.27.2686.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right) = i \operatorname{sech}^{-1}(\sqrt{z}) \quad /; \operatorname{Im}(z) > 0$$

01.16.27.2687.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right) = -i \operatorname{sech}^{-1}(\sqrt{z}) \quad /; \operatorname{Im}(z) \leq 0$$

01.16.27.2688.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z-1}}\right) = -\sqrt{1-z} \sqrt{\frac{1}{z-1}} \operatorname{sech}^{-1}(\sqrt{z})$$

### Involving $\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right)$  and  $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.2689.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right) = \frac{\pi}{2} - i \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) \quad /; \operatorname{Im}(z) < 0$$

01.16.27.2690.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right) = \frac{\pi}{2} + i \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) \quad /; 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.2691.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right) = -\frac{\pi}{2} - i \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) \quad /; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.2692.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{z}}\right) = \frac{1}{2} \pi \sqrt{1-z} \sqrt{\frac{1}{1-z}} + \frac{\sqrt{z-1}}{\sqrt{1-z}} \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right)$  and  $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.2693.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right) = -i \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{\pi}{2} \quad /; 0 < \arg(z) \leq \pi$$

01.16.27.2694.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right) = i \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{\pi}{2} \quad /; \operatorname{Im}(z) < 0$$

01.16.27.2695.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right) = i \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) + \frac{\pi}{2} /; (z \in \mathbb{R} \wedge z > 0)$$

01.16.27.2696.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right) = i \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) + \frac{\pi}{2} /; (z \in \mathbb{R} \wedge z > 0)$$

01.16.27.2697.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z}}\right) = \frac{\sqrt{-z}}{\sqrt{z}} \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{\pi \sqrt{-z}}{2} \sqrt{-\frac{1}{z}}$$

Involving  $\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right)$

Involving  $\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right)$  and  $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.2698.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right) = \frac{\pi}{2} + i \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) /; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.2699.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right) = \frac{\pi}{2} - i \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) /; \operatorname{Im}(z) < 0$$

01.16.27.2700.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right) = -i \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) - \frac{\pi}{2} /; (z \in \mathbb{R} \wedge z < 0) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.2701.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{z}}\right) = \frac{\pi}{2} \left( \sqrt{\frac{1}{1-z}} \sqrt{1-z} + \sqrt{\frac{1}{z}} \sqrt{z} - 1 \right) + \sqrt{\frac{1}{1-z}} \sqrt{1-z} z \sqrt{-\frac{1}{z^2}} \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right)$  and  $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.2702.01

$$\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right) = i \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) /; -\pi < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.2703.01

$$\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right) = -i \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right); \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.2704.01

$$\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right) = -i \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) - \pi; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.2705.01

$$\cot^{-1}\left(\frac{\sqrt{z}}{\sqrt{1-z}}\right) = \frac{1}{2}\pi \left( \sqrt{z} \sqrt{\frac{1}{z} - 1} \right) - \frac{\sqrt{z-1}}{\sqrt{1-z}} \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right)$

#### Involving $\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right)$ and $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.2706.01

$$\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right) = i \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right); \operatorname{Im}(z) > 0$$

01.16.27.2707.01

$$\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right) = -i \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right); -\pi < \arg(z) \leq 0$$

01.16.27.2708.01

$$\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right) = i \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) + \pi; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.2709.01

$$\cot^{-1}\left(\frac{\sqrt{-z}}{\sqrt{z-1}}\right) = \frac{1}{2}\pi \left( 1 - \sqrt{z} \sqrt{\frac{1}{z}} \right) + \frac{\sqrt{z}}{\sqrt{-z}} \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

### Involving $\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right)$

#### Involving $\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right)$ and $\operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right)$

01.16.27.2710.01

$$\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right) = -i \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right); 0 \leq \arg(z) < \pi$$

01.16.27.2711.01

$$\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right) = i \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right); \operatorname{Im}(z) < 0$$

01.16.27.2712.01

$$\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right) = -i \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right) - \pi /; (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.2713.01

$$\cot^{-1}\left(\sqrt{\frac{z}{1-z}}\right) = -\frac{\pi}{2} \left(1 - \sqrt{\frac{1}{z}} \sqrt{z}\right) + \sqrt{\frac{1}{1-z}} (-\sqrt{z-1}) \operatorname{sech}^{-1}\left(\frac{1}{\sqrt{z}}\right)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{1+cz}}{\sqrt{1-cz}}\right)$

#### Involving $\cot^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right)$ and $\operatorname{sech}^{-1}\left(\frac{1}{z}\right)$

01.16.27.2714.01

$$\cot^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right) = \frac{i}{2} \operatorname{sech}^{-1}\left(\frac{1}{z}\right) /; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.2715.01

$$\cot^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right) = -\frac{i}{2} \operatorname{sech}^{-1}\left(\frac{1}{z}\right) /; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.16.27.2716.01

$$\cot^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right) = -\frac{i}{2} \operatorname{sech}^{-1}\left(\frac{1}{z}\right) - \pi /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2717.01

$$\cot^{-1}\left(\frac{\sqrt{1+z}}{\sqrt{1-z}}\right) = \frac{\pi}{2} \left(\sqrt{z+1} \sqrt{\frac{1}{z+1} - 1}\right) + \frac{\sqrt{1-z}}{2\sqrt{z-1}} \operatorname{sech}^{-1}\left(\frac{1}{z}\right)$$

#### Involving $\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right)$ and $\operatorname{sech}^{-1}\left(\frac{1}{z}\right)$

01.16.27.2718.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right) = \frac{\pi}{2} - \frac{1}{2} i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) /; \operatorname{Im}(z) < 0$$

01.16.27.2719.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right) = \frac{i}{2} \operatorname{sech}^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2} /; 0 < \arg(z) \leq \pi \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.2720.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right) = -\frac{i}{2} \operatorname{sech}^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2} /; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.2721.01

$$\cot^{-1}\left(\frac{\sqrt{1-z}}{\sqrt{1+z}}\right) = \frac{\sqrt{z-1}}{2\sqrt{1-z}} \operatorname{sech}^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2} \sqrt{\frac{1}{1-z}} \sqrt{1-z}$$

### Involving $\cot^{-1}\left(\frac{\sqrt{-1+cz}}{\sqrt{-1-cz}}\right)$

#### Involving $\cot^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right)$ and $\cosh^{-1}(z)$

01.16.27.2722.01

$$\cot^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right) = \frac{i}{2} \operatorname{sech}^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) > 0$$

01.16.27.2723.01

$$\cot^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right) = -\frac{i}{2} \operatorname{sech}^{-1}\left(\frac{1}{z}\right); -\pi < \arg(z) \leq 0 \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2724.01

$$\cot^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right) = \frac{i}{2} \operatorname{sech}^{-1}\left(\frac{1}{z}\right) + \pi; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2725.01

$$\cot^{-1}\left(\frac{\sqrt{-z-1}}{\sqrt{z-1}}\right) = \frac{\sqrt{z+1}}{2\sqrt{-z-1}} \operatorname{sech}^{-1}\left(\frac{1}{z}\right) - \frac{1}{2} \left( \sqrt{\frac{1}{z+1}} \sqrt{z+1} - 1 \right) \pi$$

#### Involving $\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right)$ and $\cosh^{-1}(z)$

01.16.27.2726.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right) = \frac{1}{2} i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2}; \operatorname{Im}(z) < 0$$

01.16.27.2727.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right) = -\frac{i}{2} \operatorname{sech}^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2}; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2728.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right) = \frac{1}{2} i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2}; (z \in \mathbb{R} \wedge z > -1)$$

01.16.27.2729.01

$$\cot^{-1}\left(\frac{\sqrt{z-1}}{\sqrt{-z-1}}\right) = \frac{\sqrt{-z-1}}{2\sqrt{z+1}} \operatorname{sech}^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2} \sqrt{-z-1} \sqrt{-\frac{1}{z+1}}$$

### Involving $\cot^{-1}\left(\sqrt{\frac{1+cz}{1-cz}}\right)$



Involving  $\cot^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right)$  and  $\operatorname{sech}^{-1}\left(\frac{1}{z}\right)$

01.16.27.2730.01

$$\cot^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right) = -\frac{i}{2} \operatorname{sech}^{-1}\left(\frac{1}{z}\right); 0 \leq \arg(z) < \pi \wedge (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2731.01

$$\cot^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right) = \frac{i}{2} \operatorname{sech}^{-1}\left(\frac{1}{z}\right); \operatorname{Im}(z) < 0$$

01.16.27.2732.01

$$\cot^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right) = -\frac{i}{2} \operatorname{sech}^{-1}\left(\frac{1}{z}\right) - \pi; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2733.01

$$\cot^{-1}\left(\sqrt{\frac{1+z}{1-z}}\right) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z+1}} \sqrt{z+1} - 1 \right) - \frac{1}{2} \sqrt{z} \sqrt{-\frac{1}{z}} \operatorname{sech}^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right)$  and  $\operatorname{sech}^{-1}\left(\frac{1}{z}\right)$

01.16.27.2734.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right) = \frac{1}{2} i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2}; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.16.27.2735.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right) = -\frac{1}{2} i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2}; \operatorname{Im}(z) < 0$$

01.16.27.2736.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right) = -\frac{1}{2} i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2}; (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.2737.01

$$\cot^{-1}\left(\sqrt{\frac{1-z}{1+z}}\right) = \sqrt{\frac{1-z}{1+z}} \sqrt{\frac{1+z}{1-z}} \left( \frac{1}{2} \sqrt{-\frac{1}{z}} \sqrt{z} \operatorname{sech}^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2} \right)$$

Involving  $\cot^{-1}\left(\sqrt{z^2 - 1}\right)$

Involving  $\cot^{-1}\left(\sqrt{z^2 - 1}\right)$  and  $\operatorname{sech}^{-1}(z)$

01.16.27.2738.01

$$\cot^{-1}\left(\sqrt{z^2-1}\right) = \frac{\pi}{2} - i \operatorname{sech}^{-1}(z) ; 0 < \arg(z) \leq \frac{\pi}{2}$$

01.16.27.2739.01

$$\cot^{-1}\left(\sqrt{z^2-1}\right) = i \operatorname{sech}^{-1}(z) + \frac{\pi}{2} ; -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.2740.01

$$\cot^{-1}\left(\sqrt{z^2-1}\right) = i \operatorname{sech}^{-1}(z) - \frac{\pi}{2} ; \frac{\pi}{2} < \arg(z) < \pi$$

01.16.27.2741.01

$$\cot^{-1}\left(\sqrt{z^2-1}\right) = -i \operatorname{sech}^{-1}(z) - \frac{\pi}{2} ; -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1) \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.2742.01

$$\cot^{-1}\left(\sqrt{z^2-1}\right) = -i \operatorname{sech}^{-1}(z) - \frac{3\pi}{2} ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2743.01

$$\cot^{-1}\left(\sqrt{z^2-1}\right) = \frac{\pi}{2} \left( \sqrt{\frac{z+1}{z-1}} \sqrt{\frac{z-1}{z+1}} + \frac{\sqrt{z^2}}{z} - 1 \right) - \frac{\sqrt{z-1} \sqrt{z^2}}{\sqrt{1-z} \sqrt{z}} \sqrt{\frac{1}{z}} \operatorname{sech}^{-1}(z)$$

### Involving $\cot^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right)$

#### Involving $\cot^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right)$ and $\operatorname{sech}^{-1}(z)$

01.16.27.2744.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right) = i \operatorname{sech}^{-1}(z) ; 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.2745.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right) = -i \operatorname{sech}^{-1}(z) ; -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.2746.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right) = \pi - i \operatorname{sech}^{-1}(z) ; \frac{\pi}{2} < \arg(z) < \pi$$

01.16.27.2747.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right) = i \operatorname{sech}^{-1}(z) + \pi ; -\pi < \arg(z) \leq -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < 0)$$

01.16.27.2748.01

$$\cot^{-1}\left(\frac{1}{\sqrt{z^2-1}}\right) = \frac{\pi}{2} \left(1 - \frac{\sqrt{z^2}}{z}\right) + \frac{\sqrt{z-1} \sqrt{z^2}}{\sqrt{1-z} \sqrt{z}} \sqrt{\frac{1}{z}} \operatorname{sech}^{-1}(z)$$

Involving  $\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right)$

Involving  $\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right)$  and  $\operatorname{sech}^{-1}(z)$

01.16.27.2749.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right) = i \operatorname{sech}^{-1}(z) /; 0 < \arg(z) < \frac{\pi}{2}$$

01.16.27.2750.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right) = -i \operatorname{sech}^{-1}(z) /; -\frac{\pi}{2} < \arg(z) \leq 0 \vee (i z \in \mathbb{R} \wedge i z < 0)$$

01.16.27.2751.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right) = \pi - i \operatorname{sech}^{-1}(z) /; \frac{\pi}{2} < \arg(z) < \pi$$

01.16.27.2752.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right) = i \operatorname{sech}^{-1}(z) + \pi /; -\pi < \arg(z) < -\frac{\pi}{2} \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2753.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right) = -i \operatorname{sech}^{-1}(z) - \pi /; (z \in \mathbb{R} \wedge -1 < z < 0) \vee (i z \in \mathbb{R} \wedge i z > 0)$$

01.16.27.2754.01

$$\cot^{-1}\left(\sqrt{\frac{1}{z^2-1}}\right) = \frac{\pi}{2} \sqrt{\frac{1}{z^2-1}} \sqrt{z^2-1} \left(1 - \frac{\sqrt{z^2}}{z}\right) + \frac{\sqrt{z-1} \sqrt{z^2} \sqrt{z^2-1}}{\sqrt{(1-z)z}} \sqrt{\frac{1}{z}} \sqrt{\frac{1}{z^2-1}} \operatorname{sech}^{-1}(z)$$

Involving  $\cot^{-1}\left(z \sqrt{\frac{z^2-1}{z^2}}\right)$

Involving  $\cot^{-1}\left(z \sqrt{\frac{z^2-1}{z^2}}\right)$  and  $\operatorname{sech}^{-1}(z)$

01.16.27.2755.01

$$\cot^{-1}\left(z\sqrt{\frac{z^2-1}{z^2}}\right) = \frac{\pi}{2} - i \operatorname{sech}^{-1}(z) \quad ; \operatorname{Im}(z) > 0$$

01.16.27.2756.01

$$\cot^{-1}\left(z\sqrt{\frac{z^2-1}{z^2}}\right) = i \operatorname{sech}^{-1}(z) + \frac{\pi}{2} \quad ; \operatorname{Im}(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2757.01

$$\cot^{-1}\left(z\sqrt{\frac{z^2-1}{z^2}}\right) = -i \operatorname{sech}^{-1}(z) - \frac{\pi}{2} \quad ; (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.2758.01

$$\cot^{-1}\left(z\sqrt{\frac{z^2-1}{z^2}}\right) = i \operatorname{sech}^{-1}(z) + \frac{3\pi}{2} \quad ; (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2759.01

$$\cot^{-1}\left(z\sqrt{\frac{z^2-1}{z^2}}\right) = \frac{\pi}{2} \left( \sqrt{\frac{z}{z-1}} \sqrt{\frac{z-1}{z}} - \sqrt{\frac{z}{z+1}} \sqrt{\frac{z+1}{z}} + 1 \right) - \frac{\sqrt{z-1} \sqrt{z}}{\sqrt{1-z}} \sqrt{\frac{1}{z}} \operatorname{sech}^{-1}(z)$$

**Involving  $\cot^{-1}\left(\frac{z}{\sqrt{-z^2-1}}\right)$**

Involving  $\cot^{-1}\left(\frac{z}{\sqrt{-z^2-1}}\right)$  and  $\operatorname{sech}^{-1}\left(-\frac{i}{z}\right)$

01.16.27.0040.01

$$\cot^{-1}\left(\frac{z}{\sqrt{-z^2-1}}\right) = \frac{\sqrt{-z^2-1}}{2\sqrt{z^2+1}} \left( \frac{2i\sqrt{1-iz}}{\sqrt{iz-1}} \operatorname{sech}^{-1}\left(-\frac{i}{z}\right) - \pi \left( i + \sqrt{-\frac{1}{z^2}} z \right) \right)$$

**Involving  $\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right)$**

Involving  $\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right)$  and  $\operatorname{sech}^{-1}\left(\frac{1}{z}\right)$

01.16.27.2760.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right) = -i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) \quad ; 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1) \vee (iz \in \mathbb{R} \wedge iz > 0)$$

01.16.27.2761.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right) = i \operatorname{sech}^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) < 0 \vee (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.2762.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right) = -i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) - \pi; (i z \in \mathbb{R} \wedge i z < 0)$$

01.16.27.2763.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right) = i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) + \pi; \frac{\pi}{2} < \arg(z) \leq \pi$$

01.16.27.2764.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right) = -i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) + \pi; -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.2765.01

$$\cot^{-1}\left(\frac{\sqrt{z^2}}{\sqrt{1-z^2}}\right) = \frac{\pi}{2} \left( \sqrt{\frac{1}{z^2}} \sqrt{z^2} - \frac{\sqrt{z^2}}{z} \right) + \frac{z \sqrt{1-z}}{\sqrt{z^2} \sqrt{z-1}} \operatorname{sech}^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right)$  and  $\operatorname{sech}^{-1}\left(\frac{1}{z}\right)$

01.16.27.2766.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) = i \operatorname{sech}^{-1}\left(\frac{1}{z}\right); 0 < \arg(z) < \frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z > 0)$$

01.16.27.2767.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) = -i \operatorname{sech}^{-1}\left(\frac{1}{z}\right); -\frac{\pi}{2} < \arg(z) \leq 0$$

01.16.27.2768.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) = i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) + \pi; (i z \in \mathbb{R} \wedge i z < 0) \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2769.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) = -i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) - \pi; \frac{\pi}{2} < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2770.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) = i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) - \pi /; -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.2771.01

$$\cot^{-1}\left(\frac{\sqrt{-z^2}}{\sqrt{z^2-1}}\right) = \frac{\pi z \sqrt{z^2-1}}{2(\sqrt{-z^2} \sqrt{1-z^2})} \left(\sqrt{\frac{1}{z^2}} z - 1\right) + \frac{\sqrt{z} \sqrt{z^2-1}}{\sqrt{z-1} \sqrt{z+1} \sqrt{-z}} \operatorname{sech}^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right)$

Involving  $\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right)$  and  $\operatorname{sech}^{-1}\left(\frac{1}{z}\right)$

01.16.27.2772.01

$$\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) = -i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) /; 0 \leq \arg(z) < \frac{\pi}{2} \vee (i z \in \mathbb{R} \wedge i z > 0)$$

01.16.27.2773.01

$$\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) = i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) /; -\frac{\pi}{2} < \arg(z) < 0$$

01.16.27.2774.01

$$\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) = i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) + \pi /; \frac{\pi}{2} < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2775.01

$$\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) = -i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) + \pi /; -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.2776.01

$$\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) = -i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) - \pi /; (z \in \mathbb{R} \wedge z < -1) \vee (i z \in \mathbb{R} \wedge i z < 0)$$

01.16.27.2777.01

$$\cot^{-1}\left(\sqrt{\frac{z^2}{1-z^2}}\right) = \frac{\pi}{2} \sqrt{\frac{z^2}{1-z^2}} \sqrt{\frac{1-z^2}{z^2}} \left(1 - z \sqrt{\frac{1}{z^2}}\right) - \frac{\sqrt{z-1} \sqrt{z+1}}{z} \sqrt{\frac{z^2}{1-z^2}} \operatorname{sech}^{-1}\left(\frac{1}{z}\right)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right)$  and  $\operatorname{sech}^{-1}\left(\frac{1}{z}\right)$

01.16.27.2778.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right) = i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2} /; \operatorname{Im}(z) > 0 \vee (z \in \mathbb{R} \wedge -1 < z < 1)$$

01.16.27.2779.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right) = -i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2} /; \operatorname{Im}(z) < 0$$

01.16.27.2780.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right) = -i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2} /; (z \in \mathbb{R} \wedge z > 1)$$

01.16.27.2781.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right) = i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) + \frac{3\pi}{2} /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2782.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{z}\right) = \frac{\pi}{2} \left( -\sqrt{\frac{1}{z+1}} \sqrt{z+1} + \sqrt{\frac{1}{1-z}} \sqrt{1-z} + 1 \right) - \frac{\sqrt{1-z}}{\sqrt{z-1}} \operatorname{sech}^{-1}\left(\frac{1}{z}\right)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right)$

Involving  $\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right)$  and  $\operatorname{sech}^{-1}\left(\frac{1}{z}\right)$

01.16.27.2783.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right) = i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2} /; 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.2784.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right) = \frac{\pi}{2} - i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) /; -\frac{\pi}{2} < \arg(z) < 0$$

01.16.27.2785.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right) = -i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2} /; \frac{\pi}{2} < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2786.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right) = i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2} /; -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.16.27.2787.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right) = -i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) - \frac{3\pi}{2} /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2788.01

$$\cot^{-1}\left(\frac{\sqrt{1-z^2}}{\sqrt{z^2}}\right) = \frac{\pi \sqrt{z^2}}{2z} \left( -\sqrt{\frac{1}{z+1}} \sqrt{z+1} + \sqrt{\frac{1}{1-z}} \sqrt{1-z} + 1 \right) + \frac{\sqrt{z-1} z}{\sqrt{1-z} \sqrt{z^2}} \operatorname{sech}^{-1}\left(\frac{1}{z}\right)$$

### Involving $\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right)$

### Involving $\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right)$ and $\operatorname{sech}^{-1}\left(\frac{1}{z}\right)$

01.16.27.2789.01

$$\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) = -i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2} /; 0 < \arg(z) \leq \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2790.01

$$\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) = -\frac{\pi}{2} + i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) /; -\frac{\pi}{2} < \arg(z) < 0$$

01.16.27.2791.01

$$\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) = i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2} /; \frac{\pi}{2} < \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z > 0)$$

01.16.27.2792.01

$$\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) = -i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2} /; -\pi < \arg(z) \leq -\frac{\pi}{2}$$

01.16.27.2793.01

$$\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) = i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) + \frac{3\pi}{2} /; (z \in \mathbb{R} \wedge z < -1)$$



01.16.27.2794.01

$$\cot^{-1}\left(\frac{\sqrt{z^2-1}}{\sqrt{-z^2}}\right) = \frac{\pi z \sqrt{z^2-1}}{2\sqrt{-z^2}\sqrt{1-z^2}} \left(-\sqrt{\frac{1}{z+1}}\sqrt{z+1} + \sqrt{\frac{1}{1-z}}\sqrt{1-z} + 1\right) - \frac{\sqrt{z}\sqrt{z^2-1}}{\sqrt{-z}\sqrt{z-1}\sqrt{z+1}} \operatorname{sech}^{-1}\left(\frac{1}{z}\right)$$

Involving  $\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right)$

Involving  $\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right)$  and  $\operatorname{sech}^{-1}\left(\frac{1}{z}\right)$

01.16.27.2795.01

$$\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) = i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) + \frac{\pi}{2} /; 0 < \arg(z) < \frac{\pi}{2} \vee (z \in \mathbb{R} \wedge 0 < z < 1)$$

01.16.27.2796.01

$$\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) = \frac{\pi}{2} - i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) /; -\frac{\pi}{2} \leq \arg(z) < 0$$

01.16.27.2797.01

$$\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) = -i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2} /; \frac{\pi}{2} \leq \arg(z) < \pi \vee (z \in \mathbb{R} \wedge z > 1) \vee (z \in \mathbb{R} \wedge -1 < z < 0)$$

01.16.27.2798.01

$$\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) = i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) - \frac{\pi}{2} /; -\pi < \arg(z) < -\frac{\pi}{2}$$

01.16.27.2799.01

$$\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) = -i \operatorname{sech}^{-1}\left(\frac{1}{z}\right) - \frac{3\pi}{2} /; (z \in \mathbb{R} \wedge z < -1)$$

01.16.27.2800.01

$$\cot^{-1}\left(\sqrt{\frac{1-z^2}{z^2}}\right) = \frac{\pi}{2} \sqrt{\frac{1}{z^2}} z \left(-\sqrt{\frac{1}{z+1}}\sqrt{z+1} + \sqrt{\frac{1}{1-z}}\sqrt{1-z} + 1\right) - \frac{\sqrt{1-z} z}{\sqrt{z-1}} \sqrt{\frac{1}{z^2}} \operatorname{sech}^{-1}\left(\frac{1}{z}\right)$$

## Inequalities

01.16.29.0001.01

$$|\cot^{-1}(x)| \leq \frac{\pi}{2} /; x \in \mathbb{R}$$

## Theorems

---

### Continued $\cot^{-1}$ expansion

Every positive real number  $x$  can be expanded in the form  $x = \cot\left(\sum_{k=0}^{\infty} (-1)^k \cot^{-1}(n_k)\right)$ . The  $n_k$  are given by the recursion  $\xi_0 = x$ ,  $n_0 = \lfloor \xi_0 \rfloor$ ,  $\xi_k = (\xi_{k-1} n_{k-1} + 1) / (\xi_{k-1} - n_{k-1})$ ,  $n_k = \lfloor \xi_k \rfloor$ .

## History

---

The function  $\cot^{-1}$  is encountered often in mathematics and the natural sciences.

## Copyright

---

This document was downloaded from [functions.wolfram.com](http://functions.wolfram.com), a comprehensive online compendium of formulas involving the special functions of mathematics. For a key to the notations used here, see <http://functions.wolfram.com/Notations/>.

Please cite this document by referring to the [functions.wolfram.com](http://functions.wolfram.com) page from which it was downloaded, for example:

<http://functions.wolfram.com/Constants/E/>

To refer to a particular formula, cite [functions.wolfram.com](http://functions.wolfram.com) followed by the citation number.

*e.g.*: <http://functions.wolfram.com/01.03.03.0001.01>

This document is currently in a preliminary form. If you have comments or suggestions, please email [comments@functions.wolfram.com](mailto:comments@functions.wolfram.com).

© 2001-2008, Wolfram Research, Inc.